

Milestone 3: Practical Implementation of LowTech GmbH Webshop in CSP Platform

Wladimir Alexander Brborich Herrera (1437876)
wladimir.brborich-herrera@stud.fra-uas.de,
Vishwaben Pareshbhai Kakadiya (1471845)
vishwaben.kakadiya@stud.fra-uas.de,
Hellyben Bhaveshkumar Shah (1476905)
hellyben.shah@stud.fra-uas.de,
Heer Rakeshkumar Vankawala (1449039)
heer.vankawala@stud.fra-uas.de, and
Priyanka Dilipbhai Vadiwala (1481466)
priyanka.vadiwala@stud.fra-uas.de

Frankfurt University of Applied Sciences
(1971-2014: Fachhochschule Frankfurt am Main)
Nibelungenplatz 1
D-60318 Frankfurt am Main

Abstract This report presents a summary of all the planification and execution of the LowTech GmbH Cloud Transformation Project. The final objective is to develop a proof of concept of the proposed infrastructure of a Cloud Native application, in this case, the Webshop. As detailed in milestone 2 the application will be hosted in Microsoft Azure. This report also discusses the advantages in system reliability, security, and scalability offered by the proposed approach. Moreover, we include a detailed description of the development techniques using tools like Terraform for infrastructure management and GitHub Actions for continuous integration and deployment (CI/CD). Special attention is given to the advantages in development time and repeatability of such tools and techniques. Furthermore, we evaluate the cost of the overall infrastructure identifying areas for optimization. The report also discusses future scalability strategies, ensuring that the application can handle different types of loads and it actually makes sense in a cloud environment. Finally, the report provides a summary on the lessons learned and interesting findings while using the tools and techniques mentioned.

1 Introduction

LowTech GmbH, a medium-sized enterprise specializing in wooden furniture production, is modernizing its IT infrastructure as part of a comprehensive cloud transformation. Initially relying on traditional on-premises systems, the company faced challenges in scalability, security, and operational efficiency.

The transformation began with a thorough assessment of the existing infrastructure, which revealed the following key challenges:

- Limited scalability due to fixed hardware constraints.
- High operational costs and energy consumption of legacy systems.
- Outdated security measures, including basic firewall protection.
- Lack of automation, requiring manual interventions for maintenance and scaling.

To address these challenges, a private cloud migration strategy was adopted. The aim was to improve scalability, security, and cost-efficiency while ensuring minimal downtime and business continuity. The company transitioned its Webshop as a cloud native application to Microsoft Azure.

1.1 Overview of the Previous Milestones

1.1.1 Starting point LowTech GmbH, a small to medium-sized enterprise with 45 employees specializing in wooden furniture production, is facing a critical need for technological transformation. Initially relying on sales representatives, the company transitioned to an online store a few years ago, which has now become their primary selling platform. This shift has led to a significant increase in user numbers over the past two years, necessitating a modernization of their IT infrastructure. The CEO of LowTech GmbH, recognizing the need for modernization, has expressed interest in cloud computing to make the company future-ready.

1.1.2 Milestone 1: The objective of the technological transformation for LowTech GmbH is to modernize its server and application infrastructure by migrating to a private cloud environment. This initiative aims to create a scalable, secure, and efficient IT framework that aligns with the company's growing needs, particularly in response to increased online sales and user traffic. By adopting a private cloud strategy, LowTech GmbH will retain control over its data while outsourcing hardware maintenance to a third-party provider. This transition will involve leveraging newer technologies to enhance performance and availability, ensuring compliance with security standards, and reducing operational costs. Ultimately, the transformation seeks to provide a future-ready infrastructure that supports the company's evolving business model and operational requirements.

This was our assessment of the original infrastructure:

Scalability

- **Fixed Hardware & Inflexible Infrastructure:** Current infrastructure consists of 7 on-premises servers housed in a single 19-inch rack, along with 17 clients and 19 laptops all with predetermined, static configurations. Moreover, the physical constraints of the on-premises setup, with no additional space for expansion, severely limit scaling options. This inflexibility makes it challenging to accommodate growth or adapt to changing business needs.
- **Absence of Resource Utilization/pooling:** There's no apparent way to quickly scale resources up or down based on demand or user traffic fluctuation in the current infrastructure. Each application typically runs on a dedicated server with fixed resources. This approach leads to inefficient resource utilization, as some servers may be underutilized while others are overloaded which may lead to performance issues during peak times or resource waste during low-demand periods due to no dynamic resource allocation.
- **Manual Processes & High Cost:** Any changes in capacity would likely require manual hardware upgrades or replacements including hardware installation, and configuration, making the process time-consuming and potentially leading to downtime. Replacement of hardware is not only tedious but also financially burdensome due to high costs of new hardware.

Availability

- **Obsolete Hardware/OS & Runtime Environments:** Many components of the current infrastructure is based on very old hardware and outdated operating systems such as Windows XP SP3 (Finance clients), Windows 7 SP3 (HR clients and Customer Service laptops), Debian 5.0 Lenny (Warehouse clients and server), Ubuntu 16.04 LTS (Sales CRM Storage server) etc. Several applications are running on outdated software versions such as Java 1.7/1.8, MySQL 5.5/5.7, PHP 5.3 and Firefox 3.6 etc. which makes this whole infrastructure more susceptible to failure.
- **Lack of Redundancy and Backup Mechanism:** There's no mention of redundant systems or data backup solutions which might lead to significant service disruptions as well as data loss in case of any system failure.
- **Manual Maintenance:** It is impossible to meet high availability requirements without a robust failover mechanism due to manual maintenance operations. This increases the possibility of human errors, leads to longer downtime and reduces overall reliability.

Security

- **Basic Windows Firewall:** It provides minimal outward traffic control, which may allow malware to interact easily. Without additional tools, centralized administration is impossible to maintain consistent security rules across all 36 client devices (17 clients and 19 laptops). It lacks advanced threat protection features, leaving the system vulnerable to sophisticated attacks.
- **pfSense for Network Packet Filtering:** There are no built-in antivirus features, which could let malicious payloads get through. Its effectiveness heavily relies on proper configuration, which may be challenging without dedicated IT staff. Moreover, advanced intrusion detection requires additional setup and maintenance.

As detailed in the analysis the infrastructure was becoming quite expensive and inefficient given the company objectives.

Plan and execution based on the original requirements: This milestone resulted in a migration and optimization plan for the entire infrastructure:

- Talk with server space providers, we need to establish a contract and negotiate price and SLOs based on the server requirements
- Gather all the installation information, binaries, licenses and documentation for all applications.
- Configure a development environment to upload all artifacts such as configuration files and container images.
- Create Ansible configuration files for each application, to automate the installation and replication process.
- Develop scripts to automate application functionality and load testing. To determine if the configurations will be on par or better than the current infrastructure.
- Provision and install the private cloud management software, including the networking configuration
- Configure the storage
- Create the virtual machines for the base hosts
- Configure Prometheus to monitor the virtual machine installations
- Establish the network links between the different virtual domains
- Install all database servers
- Develop a migration process to replicate the current data into the new database servers.
- Review that data is up to parity with the legacy services
- Create a proxy gateway for the services, so we can redirect the traffic from the old services to the new ones.
- Deploy the new applications into the private cloud
- Check that the data replication is working
- Prepare the load shifting in sequence, and off hours
- Shift load in sequence, starting from the most isolated applications first, then the ones with the most dependencies.
 - Migrate finance and HR, since they are self-contained
 - Migrate operations
 - Migrate customer service
 - Migrate warehouse
 - Migrate webshop
 - Migrate sales

1.1.3 Milestone 2 Once the client for the project decided to actually migrate to a public cloud service provider, we developed a new strategy. Given that the Webshop in particular was going to be developed from scratch following modern approaches with new technologies.

We proposed a new standard for this kind of applications:

Webshop Infrastructure, Tools, and Services: This application will be newly developed following the standard for new applications. As a special consideration, this application is the only public-facing application that needs to handle customer requests. Our standard for newly developed applications enables this critical piece of the business to easily scale and be secured with valid certificates with no extra configurations.

Cloud Context	Products And Technologies	Service Models
Public Cloud	Azure App Service	PaaS or CaaS
Public Cloud	Azure Static Web App	PaaS or CaaS
Public Cloud	Azure Database For PostgreSQL	PaaS

Table 1: Webshop: Website Deployment Strategy

General Considerations: Importantly, for all newly developed applications, we will:

- Set up a private GitHub repository
- Set up GitHub actions to enable continuous integration and continuous deployments in Azure
- Set up an infrastructure folder to hold terraform files. These files will define the infrastructure and will allow for easy repeatability
- Use Microsoft Entra ID in case of authentication with the organization is needed
- Use Docker to package the application with containers that will be deployed in Azure App Service in case of the backend, and Azure Static Web Apps in case of the frontend

Standard For a Cloud Native Application: When developing a cloud-native application Figure 1 shows the basic setup to integrate DevOps concepts into our workflow. The website is going to be developed under this standard.




Figure 1: Standard Configuration To Deploy An Application

1.2 Objectives of the Cloud Implementation of Webshop

The Webshop is a critical component for LowTech GmbH, serving as the company's primary sales platform. The goal of its cloud implementation is to enhance performance, scalability, and security, ensuring a seamless user experience.

Key objectives for the Webshop's cloud-based deployment include:

- **Scalability and Performance Optimization:** The Webshop is deployed on Azure App Service with auto-scaling capabilities, enabling efficient traffic handling during peak periods. A load balancer ensures even traffic distribution across multiple instances.

- **High Availability and Reliability:** Azure Virtual Machine Scale Sets provide fault tolerance with automatic failover. Azure Blob Storage is used to securely store digital assets with high availability.
- **Security and Compliance:** The Webshop integrates with Microsoft Entra ID for user authentication and Azure Security Center for enhanced threat protection. Encryption and Role-Based Access Control (RBAC) are employed to safeguard sensitive customer data.
- **Continuous Deployment and DevOps Automation:** A CI/CD pipeline powered by GitHub Actions automates code deployments, improving deployment speed and reducing manual intervention.
- **Cost Efficiency and Resource Optimization:** The dynamic allocation of resources optimizes compute and storage usage, reducing operational expenses. Azure's pay-as-you-go model aids in cost forecasting and budget management.
- **Future-Proofing and Cloud-Native Development:** The Webshop follows cloud-native best practices such as infrastructure as code, and continuous deployments.

2 Application Design

2.1 Architectural Overview

As requested by the project. This application will have 3 tiers. The presentation or user interface, the backend or business logic, and the storage tier. By our plan in milestone II we will deploy each tier in a different Azure service tailored for its needs. Each of the services provides autoscaling features, and load balancing. Ensuring that we are leveraging the elasticity characteristics of the cloud.

2.1.1 Presentation-Tier (Frontend) - User Interface (UI) It is important to note that the majority of the presentation was forked from <https://github.com/DebasmitaMallick/React-e-Commerce-Website>. This allowed our team to focus on backend and cloud deployment tasks. The original project was modified to interact with our backend API, integrate with payment providers and provide detailed information about products.

Technology Stack

- Frontend Framework: React.js (JavaScript)
- State Management: React Context API
- Hosting & Deployment: Azure Static Web Apps

Functionality Overview

1. Navigation & Routing Users can navigate between different sections of application, such as viewing product lists, accessing product details, and managing their shopping cart. React Router enables seamless client-side navigation.
 - React Router Setup
 - React Router (react-router-dom) to handle the routing of different components, allowing users to navigate through pages like the homepage (/), product detail pages (/product/:id), and potentially a shopping cart or checkout page.
 - For product detail pages, you're using dynamic routes with product/:id to fetch and display specific product data based on the product's unique id. For instance:
 - When a user clicks on a product in the catalog, the URL changes to something like /product/123, and the ProductDetail component is rendered with data for product 123.
 - This is achieved using useNavigate and useParams hooks provided by React Router to capture the dynamic part of the URL.

- Navigation Links
 - On the homepage (Home.js component), displaying a list of products. Each product has an image and name that users can click. When clicked, the app navigates to the product detail page using the `navigate(/product/$prod.id)` function.
- 2. API Communication
 - The product data, which includes the list of products with details such as images, names, prices, and categories, is fetched when the homepage or product catalog page loads. This is done using `useEffect` to trigger an API call and update the state with the fetched data.
 - API communication in app is responsible for sending and receiving data from the backend server. This includes fetching product data to populate catalog, and creating orders after checkout.
 - For payment, we use PayPal and Stripe in a sandbox mode. As this is not the final product, we are just testing the actual integration with the providers.

Key Features of the UI

1. UI Components & Design
 - Key Features
 - Reusable Components: Components like `SingleProduct.js`, `ProductDetail.js`, and `Cart.js`.
 - Bootstrap Integration: `react-bootstrap` is used to style UI components to enable responsive behavior.
 - Dark & Light Theme Support: A theme context (`ThemeContextProvider`) dynamically adjusts UI styles based on user preference.
2. Product Display & Interaction The UI displays products with details, allowing users to browse, select, and view product specifications before making a purchase.
 - Key Features
 - Product Catalog: Displays a grid of available products with images, names, and prices.
 - Product Cards (`SingleProduct.js`):
 - * Clickable product images navigate to the product details page.
 - * Shows product information such as name, category, description, and price.
 - * “Add to Cart” and “Remove from Cart” buttons enable quick cart management.
 - Product Details Page (`ProductDetail.js`):
 - * Displays full product details, including stock availability.
 - * Users can add/remove items from the cart.
3. Shopping Cart UI & Checkout The cart and checkout sections provide a way for users to review their selected products and manage quantities.
 - Key Features
 - Cart UI (`Cart.js`)
 - * Displays a list of selected products with prices and a “Remove from Cart” button.
 - * Updates total price dynamically based on the cart’s contents.
 - * Navigates users to checkout when ready.
 - Checkout UI (`CheckoutForm.js`)
 - * Collects user details (name, email, and shipping information).
 - * Integrates Stripe and PayPal for secure payment processing.
 - * Displays success messages with reference numbers for placed orders.
4. Notifications The app uses toast notifications and error messages to keep users informed.
 - Key Features
 - Toast Notifications (`react-toastify`)
 - * Displays success messages when products are added/removed from the cart.
 - * Shows error messages if something goes wrong (e.g., out-of-stock products, payment failures).

2.1.2 Application-Tier (Backend) - Business Logic

Technology Stack

- FastAPI
- SQLAlchemy

Product Management

The Product Management module handles the lifecycle of products in the system. This includes operations for adding new products, updating product details, and retrieving product information. The core business logic ensures that products are categorized correctly, their stock levels are managed, and prices are updated as needed.

- Key Operations:
 - Add, update, and delete products.
 - Manage product details such as descriptions, prices, and categories.
 - Track stock availability and reorder levels.

Order Management

The Order Management module manages customer orders, from order creation, and status changes. It tracks the order status and ensures that orders are processed correctly.

- Key Operations:
 - Create and update orders with customer and product information.
 - Monitor order statuses (e.g., processing, dispatched, delivered).
 - Validate inventory and ensure product availability during order processing.

Inventory Management

The Inventory Management module tracks the stock levels of all products, ensuring that inventory can be updated.

- Key Operations:
 - Monitor and update product stock levels after each sale.
 - Track the supplier's stock.

Email Notification

The Email Notification module sends emails to customers and administrators for various events in the system, such as order confirmations, shipment tracking updates, and payment status notifications. It integrates with FastMail to send HTML-formatted emails with dynamic content.

- Key Operations:
 - Send order confirmation emails to customers.
 - Notify customers of order status updates, such as dispatched or delivered.
 - Alert suppliers of low stock levels and send reorder requests.
 - Provide a user-friendly email template system for various types of notifications.

2.1.3 Data-Tier (Database) - Databases

Technology Stack

- PostgreSQL
- Alembic
- Azure Database for PostgreSQL

Database

1. Product Data

– Product

- Stores the core product information and links to categories, suppliers, and inventory.
- Key Attributes:
 - * id: Unique product identifier (Primary Key).
 - * name: Product name.
 - * description: Product description.
 - * category_id: Foreign Key linking to the Categories table.
 - * supplier_id: Foreign Key linking to the Suppliers table.
 - * stock_id: Links to the Stock table for inventory tracking.
 - * public_unit_price: Price displayed to customers.
 - * supplier_unit_price: Price from the supplier (for internal calculations).
 - * ean_code: Unique product code for identification.
 - * reorder_level: Threshold for restocking.
 - * img_link: URL to the product image.
 - * extra_info: JSON field to store additional product attributes. Like the ratings, or if the product has fast delivery.

– Catagories

- This table categorizes products for better organization and searchability.
- Key Attributes:
 - * id: Unique category identifier (Primary Key).
 - * name: Product name.
 - * description: Category description.
 - * extra_info: JSON field for additional metadata.

2. Order Data

– Order

- This table records general order details and customer information.
- Key Attributes:
 - * id: Unique order identifier (Primary Key).
 - * customer_name: Name of the customer.
 - * customer_email: Customer's email address for notifications.
 - * customer_phone: Contact number.
 - * order_total: Total value of the order.
 - * status: Enum representing the order state (e.g., "active", "cancelled").
 - * tracking_status: Enum tracking delivery progress (e.g., "dispatched", "delivered").
 - * payment_method: JSON field storing payment details (e.g., card type).
 - * customer_shipping_info: JSON field for customer delivery address.
 - * created_at: Timestamp when the order was created.
 - * updated_at: Timestamp when the order was last updated.

– Order Details

- This table provides itemized details of each product within an order.
- Key Attributes:
 - * id: Unique identifier for each order detail record (Primary Key).
 - * order_id: Foreign Key linking to the Orders table.
 - * product_id: Foreign Key linking to the Products table.
 - * quantity: Number of units of the product ordered.
 - * product_price: Unit price at the time of the order.
 - * subtotal: Calculated subtotal for the item.

3. Inventory Data

– Stocks

- Monitors the available quantity of each product and manages restocking.
- Key Attributes:
 - * id: Unique stock identifier (Primary Key).
 - * quantity: Number of available units for a product.
 - * updated_at: Timestamp of the last stock update.
 - * created_at: Timestamp when the stock record was created.

- Suppliers
 - Manages supplier-related information and links to products for procurement.
 - Key Attributes:
 - * id: Unique supplier identifier (Primary Key).
 - * name: Supplier name.
 - * address: Supplier's physical address.
 - * phone: Contact number.
 - * email: Contact email address.

4. Database Migrations with Alembic

- It allows us to track database changes, apply updates to production, and roll back changes when needed.
- Key Operations with Alembic:
 - *Schema Migration*: Automatically generates migration scripts to apply changes to the database (e.g., adding new fields to a table).
 - *Version Control*: Each migration is versioned, allowing us to track and audit changes.
 - *Rollback Support*: Provides the ability to downgrade to previous schema versions if issues arise.

2.2 Development Process

For the development of the application, the team created a Trello board. Using a kaman-like approach, we scoped, divided, and prioritized all the necessary development and documentation tasks. Internally two teams were formed, frontend and backend. Each working in a different layer of the webshop. The backend team was also in charge of the data layer just for convenience. The most important tasks were to upgrade the existing UI code to fit the new requirements and integrate with the backend, and to actually develop the backend. Frameworks like FastAPI were chosen due to the flexibility benefits, rapid development, and automatic documentation generation. Which allowed our team members to quickly review the spec and make the integration. During the development timeline, we scheduled weekly meetings to report progress and address concerns with the development environment.

For example, we encountered issues while running the new 'psycopg' library in asynchronous mode in windows. Which caused some issues while configuring the development environment. This could have been an opportunity to build a docker image to standardize our development environments, but given the timeline, we decided against it and just changed to 'asyncpg' in windows




Figure 2: Trello Board

3 System Diagrams

4 Implementation Process

4.1 Cloud Environment Setup

Step-by-step account configuration and resource provisioning

4.2 Service Integration

- Azure Load Balancer configuration
- Database replication setup

4.3 Development Challenges

- State management in scaled environments
- Database connection pooling
- CSP-specific limitations encountered

5 Operational Characteristics

5.1 Performance Metrics

5.1.1 Functional Test Cases

Test Case ID	Test Scenario	Expected Outcome	Status (Pass/Fail)
TC-001	Load Homepage and verify product listing	Homepage loads with products displayed correctly.	Pass
TC-002	Apply Price filter (Ascending/Descending)	Products reorder correctly based on selected price.	Pass
TC-003	Apply Out of Stock filter	Only out-of-stock items are displayed.	Pass
TC-004	Apply Fast Delivery filter	Only products eligible for fast delivery show up.	Pass
TC-005	Filter by Category	Products are filtered correctly by selected category.	Pass
TC-006	Search Product by Name or Category	Products matching search are shown correctly.	Pass
TC-007	Clear Filter functionality	All filters are removed, showing the full product list.	Pass
TC-008	Product Detail Page - Click Product	Clicking a product opens its detailed page.	Pass
TC-009	Product Detail Page - Load Product Details	Product details (name, description, price) are displayed.	Pass
TC-010	Add a Product to Cart	Product appears in cart with correct details.	Pass
TC-011	Increase product quantity in cart	Quantity updates and is reflected in the cart.	Pass

Test Case ID	Test Scenario	Expected Outcome	Status (Pass/Fail)
TC-012	Remove product from cart	Product is removed from the cart immediately.	Pass
TC-013	Proceed to checkout	Checkout page loads with the correct order summary.	Pass
TC-014	Select payment method - Stripe	Stripe payment option is selected and processed.	Pass
TC-015	Select payment method - PayPal	PayPal payment option is selected and processed.	Pass
TC-016	Complete order processing	Order confirmation message is displayed.	Pass
TC-017	Order confirmation email is received	Email is sent after order is placed.	Pass
TC-018	Shipment notification email is received	Email is sent when the order is shipped.	Pass
TC-019	Product Dispatched email is received	Email is sent when the order is dispatched.	Pass
TC-020	Toggle Dark/Light Theme	Application switches between themes successfully.	Pass

Table 2: Functional Test Cases for Webshop




Figure 3: Homepage with All Filters Applied to Products




Figure 4: Homepage with All Products Listed, Dark Theme Enabled, and Clear Filter Applied




Figure 5: Product Added to Cart, Cart View Displayed with Selected Item




Figure 6: Product Quantity Updated in Cart




Figure 7: Product Removed from Cart Successfully




Figure 8: PayPal Login Page Loaded for Payment Processing

PayPal - Google Chrome
sandbox.paypal.com/checkoutweb/signup?atomic-event-state=eyJkb21haW4iOiJzZGtcGF5cGFsX3Y1IiwiaZlbnRzIjpbXSwiaW50ZW50Ijo1Y2xpY2tcGF5bWVudF9idXR0

PayPal 2.884,84 EUR

Already have a PayPal account? [Log in](#)

or

Bank Credit Card

Pay With Debit or Credit Card

We don't share your financial details with the merchant.
Or pay later with [PayPal Ratenzahlung](#).

Country/Region: Germany

Email: heershv97@gmail.com

Phone type: Mobile Phone number: +49 15773502292

Card number: 4032 0378 3019 3922

Expiration date: 04 / 30 CVV: 009

Billing address

First name: Heer Last name: Vankawala

Street name and house number: Karl-blum-allee

Additional information (optional)

Postal code: 69529

City: Frankfurt

☒ Shipping same as billing address

[Save info & create your PayPal account](#)

You acknowledge the [Terms of the service](#) PayPal provides to the seller, and the [Privacy Statement](#). No PayPal account required.

Figure 9: Card Information Added for PayPal Payment Processing (Mock Testing)

LowTech GmbH: Order Confirmation - Order #7 [View](#)

ernstcampoverde17@gmail.com

YOUR ORDER UPDATE

Dear Heer Vankawala,

Thank you for your order! We're excited to confirm that your order has been successfully placed and is being processed.

Order Details:

Order Confirmation Number: 7
Order Date: February 21, 2025

Shipping Address:

Karl-blum-allee
69529 Frankfurt

Items Ordered:

Product	Quantity	Unit Price	Subtotal
Maple Sufa	4	721,21 €	2.884,84 €
Order Total:			2.884,84 €

What's Next?

We're preparing your order for shipment. You'll receive emails from our side whenever your order tracking status is updated.

Our 14-Day Return Policy

We want you to be completely satisfied with your purchase. If for any reason you're not happy with your order, you can return it within 14 days of receipt for a full refund or exchange. Please ensure items are unused and in their original packaging.

Need Help?

If you have any questions about your order or our return policy, please don't hesitate to contact our customer service team at info@lowtechgmbh.de

Thank you again for choosing Our Store. We hope you enjoy your purchase!

Best regards,
LowTech GmbH Customer Service Team

Thank you for shopping with us!

[Visit Our Store](#)

[Reply](#) [Forward](#) [Share](#)

Figure 10: Shipment Notification Email Received for Order




Figure 11: Order Dispatched Email Received After Status Change




Figure 12: Order Placed with Stripe Payment Method




Figure 13: Order Data Retrieved Through Fast API for All Placed Orders

6 Critical Analysis

6.1 Cloud Service Evaluation

Cost-benefit analysis of selected Azure services

6.2 Architectural Decisions

Trade-off discussion between containerized vs serverless approaches

7 Repository Documentation

7.1 GitHub Structure

1. Branching Strategy:

The project follows a simple main branch strategy where all contributors work directly on the main branch. This ensures seamless integration without managing multiple branches. All changes should be committed with meaningful messages. Code should be reviewed and tested before pushing to the main branch.

2. Continuous Integration/Continuous Deployment:

– Continuous Integration (CI):

Every code commit triggers an automated build and testing process. This includes:

- Running unit tests to validate individual components.
- Performing integration tests to ensure compatibility between different modules.
- Static code analysis for linting and security vulnerabilities.

– Continuous Deployment (CD):

Once the CI stage passes successfully, the application is automatically deployed to the appropriate environment. This process includes:

- Deploying to a staging environment for final testing.

- Running automated acceptance tests before production deployment.
- Deploying to production with rollback mechanisms in case of failure.

– **Documentation Standards**

7.2 Contribution

Topic	Contributor
Introduction and Objectives of Cloud Implementation add development..	Priyanka Vadiwala
add add	Wladymir Brborich-Herrera
add add	Heer Vankawala
add add	Hellyben Shah
add add	Vishwaben Kakadiya

Table 3: Contribution Table

8 Conclusion

8.1 Project Outcomes

Summary of achieved objectives and demo capabilities

8.2 Future Enhancements

Potential improvements for production readiness

References