



Semester One Examination, 2019

Question/Answer booklet

**MATHEMATICS  
APPLICATIONS  
UNIT 3**

**Section One:  
Calculator-free**

**SOLUTIONS**

Student number: In figures

--	--	--	--	--	--	--	--

In words

---

Your name

---

**Time allowed for this section**

Reading time before commencing work: five minutes

Working time: fifty minutes

**Materials required/recommended for this section**

***To be provided by the supervisor***

This Question/Answer booklet

Formula sheet

***To be provided by the candidate***

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener,  
correction fluid/tape, eraser, ruler, highlighters

Special items: nil

**Important note to candidates**

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

**Structure of this paper**

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
<b>Total</b>					100

**Instructions to candidates**

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
3. You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
5. It is recommended that you do not use pencil, except in diagrams.
6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

Section One: Calculator-free

35% (52 Marks)


This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1

(6 marks)

Consider the following four scatterplots A, B, C and D.



- (a) Identify a scatterplot that suggests a non-linear relationship exists between the variables  $x$  and  $y$ . Justify your choice. (2 marks)

Solution
B or C. The points display an obvious pattern / lie along a curved line / etc, etc.
Specific behaviours
✓ correct choice ✓ justification

- (b) Identify a scatterplot that suggests a linear relationship exists between the variables  $x$  and  $y$ . Justify your choice and state the direction of the association. (2 marks)

for D

Solution
D. The points lie very close to a straight line. The direction is negative.
Specific behaviours
✓ correct choice with justification ✓ correct direction

- (c) Identify a scatterplot that suggests no relationship exists between the variables  $x$  and  $y$ . Justify your choice. (2 marks)

Solution
A. The points appear randomly scattered on the graph.
Specific behaviours
✓ correct choice ✓ justification

## Question 2

(5 marks)

Graph  $G$  is shown below.

- (a) Calculate the sum of the degrees of the vertices of  $G$ . (1 mark)

Solution
Sum = $3 + 2 + 1 = 6$
Specific behaviours
✓ correct sum

- (b) State whether the following statements are true or false, briefly explaining your answer in each case.

- (i)  $G$  contains a cycle.

(1 mark)

*no marks for  
"PSP" or  
"SPS" as no*

Solution
True - closed path $P - S - P$ exists
Specific behaviours
✓ correct response and reason

- (ii)  $G$  is a connected graph. *explanation.*

(1 mark)

Solution
False - $Q$ is not connected to the rest of the graph
Specific behaviours
✓ correct response and reason

- (iii)  $G$  is a simple graph.

(1 mark)

Solution
False - multiple edges between $P$ and $S$
Specific behaviours
✓ correct response and reason

- (iv)  $G$  satisfies Euler's formula.

(1 mark)

Solution
False - not a connected planar graph
Specific behaviours
✓ correct response and reason

Question 3

(7 marks)

- (a) If  $A_{n+1} = \frac{1}{2}A_n$ ,  $A_1 = 48$  and  $B_{n+1} = 2B_n + 3$ ,  $B_1 = 3.5$  determine  $B_5 - A_5$ .

(3 marks)

Solution
$A: 48, 24, 12, 6, 3 \Rightarrow A_5 = 3$ $B: 3.5, 10, 23, 49, 101 \Rightarrow B_5 = 101$ $B_5 - A_5 = 101 - 3 = 98$
Specific behaviours
✓ value of $A_5$ ✓ value of $B_5$ ✓ correct difference

- (b) Deduce a rule for the  $n^{\text{th}}$  term of the geometric sequence that has  $T_2 = 12$  and  $T_3 = 4$  and hence or otherwise determine  $T_6$ .


(4 marks)

Solution
$r = \frac{4}{12} = \frac{1}{3}$ $a = 12 \div \frac{1}{3} = 36$ $T_n = 36 \left(\frac{1}{3}\right)^{n-1}$ $T_6 = 4 \times \frac{1}{3} \times \frac{1}{3} \times \frac{1}{3} = \frac{4}{27}$
Specific behaviours
✓ correct ratio ✓ correct first term ✓ correct rule in required form ✓ correct term

FT given if  $r$  is wrong,  
 BUT, must be able to follow the logic.

## Question 4

(6 marks)

Graph  $P$  is shown below.

- (a) Explain why
- $P$
- is Hamiltonian.

(2 marks)

Solution	
The graph contains a <b>cycle</b> that passes through <b>all vertices</b> .	
<i>only once.</i>	
Specific behaviours	
✓ passes through all vertices	
✓ uses 'cycle' correctly in explanation	<i>starts + finishes at same vertex.</i>

- (b) A single edge is to be removed from
- $P$
- so that it is no longer Hamiltonian. Name a suitable edge and state how many other edges you could have chosen. (2 marks)

Solution	
Edge $AB$ . 7 other edges to choose.	
<i>(NB Not inner edges <math>DC</math> or <math>FE</math>)</i>	
Specific behaviours	
✓ names any edge on perimeter	
✓ correct number of alternatives	

- (c) Draw a connected subgraph of
- $P$
- that has 8 vertices, 8 edges and is neither Hamiltonian nor semi-Hamiltonian. (2 marks)

Solution	
Specific behaviours	
✓ removes 2 edges from $P$ (but still connected with vertices labelled)	
✓ graph is neither Hamiltonian nor semi-Hamiltonian	

*if vertices not labelled then  
no marks*

**Question 5**


(8 marks)

The age in years,  $A$ , for eight randomly chosen drivers was recorded, together with their car insurance premium  $P$  to the nearest ten dollars. The data is shown in the table below.

Age (Years) $A$	50	20	31	35	38	24	43	23
Premium (\$) $P$	670	890	710	770	720	820	630	800

- (a) Construct a scatterplot of this data on the axes below.

(3 marks)



- (b) Use features of the scatterplot to fully describe the association that exists between age and premium.

(3 marks)

<b>Solution</b>
There is a moderate to strong, negative, linear association between age and premium.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ mentions strength</li> <li>✓ mentions form</li> <li>✓ mentions direction</li> </ul>

- (c) A student looked at the scatterplot and claimed that getting older causes your insurance premium to decrease. Comment on this claim.


(2 marks)

<b>Solution</b>
The claim is wrong in assuming that a causal relationship exists, despite the observed association.
<b>Specific behaviours</b>
<ul style="list-style-type: none"> <li>✓ notes causal relationship implied</li> <li>✓ indicates claim flawed</li> </ul>

*- must have word causal*

## Question 6

(6 marks)

(a) Graph  $G_1$  is shown below.(i) Complete the adjacency matrix for  $G_1$ .

(2 marks)

	A	B	C	D	E	F
A	0	0	0	1	0	1
B	0	0	0	1	1	0
C	0	0	0	1	1	1
D	1	1	1	0	0	0
E	0	1	1	0	0	0
F	1	0	1	0	0	0

Solution
See matrix
Specific behaviours
✓ two $3 \times 3$ blocks of zeroes
✓ correct matrix

(ii) Redraw  $G_1$  to clearly show that it is bipartite.

(2 marks)

Solution
Specific behaviours
✓ two distinct sets of vertices
✓ all seven edges

(b) The adjacency matrix for graph  $G_2$  is shown below. Show that  $G_2$  is also bipartite by listing the two distinct groups of vertices. (2 marks)

	H	J	K	L	M	N
H	0	0	1	0	0	1
J	0	0	1	0	0	1
K	1	1	0	1	0	0
L	0	0	1	0	0	0
M	0	0	0	0	0	1
N	1	1	0	0	1	0

One mark if drew instead of listed.

Solution
One group contains $\{K, N\}$ and the other contains $\{H, J, L, M\}$
Specific behaviours
✓ six vertices listed in two groups
✓ both groups correct



**Question 7**

**(7 marks)**

- (a) Briefly describe how to draw a graph to show that it is planar.

**(1 mark)**

Solution
Ensure that no two edges cross.
Specific behaviours
✓ states no edges should cross

A connected planar graph  $G$  has  $2x$  vertices and  $3x - 3$  edges.

- (b) Draw a possible graph for  $G$  when  $x = 3$  that illustrates your answer to (a).

**(2 marks)**

Solution
Specific behaviours
✓ graph with 6 vertices and 6 edges ✓ correct possibility with 2 faces and no edges crossing

- (c) Determine the number of faces of graph  $G$  in terms of  $x$ .

**(2 marks)**

Solution
$f = e + 2 - v$ $f = 3x - 3 + 2 - 2x$ $f = x - 1$
Specific behaviours
✓ substitutes into Euler's relation ✓ correct expression

$x-1$  ✓✓

- (d) Explain why it is not possible that

- (i)  $x = 1.5$ .

**(1 mark)**

Solution
$e = 3(1.5) - 3 = 1.5$ , but must be a whole number of edges.
Specific behaviours
✓ explanation with calculation using edges or faces

- (ii)  $x = 1$ .


**(1 mark)**

Solution
$f = 1 - 1 = 0$ , but must have at least one face.
Specific behaviours
✓ explanation using no faces (NOT no edges)

## Question 8

(7 marks)

Some of the terms of a sequence are shown in the graph below.



- (a) State the name given to this type of sequence and explain the feature of the graph that supports your answer. (2 marks)

Solution
Arithmetic. The points of the sequence lie in a straight line.
Specific behaviours
<ul style="list-style-type: none"> <li>✓ states arithmetic</li> <li>✓ uses linear nature</li> </ul>

- (b) Determine

(i)  $T_5$ .

Solution
$T_5 = 8 - 2.5 = 5.5$
Specific behaviours
✓ correct value

(1 mark)

(ii)  $T_1$ .

Solution
$T_1 = 8 - (5 \times 2.5) = -4.5$
Specific behaviours
✓ correct value

(1 mark)

- (c) Determine a rule for the  $n^{\text{th}}$  term of this sequence in the form  $T_n = an + b$ , clearly showing the value of the constant  $a$  and the value of the constant  $b$ . (2 marks)

Solution
$T_n = -4.5 + (n - 1) \times 2.5$ $= -4.5 + 2.5n - 2.5$ $= 2.5n - 7$
Specific behaviours
<ul style="list-style-type: none"> <li>✓ correctly substitutes into general term rule</li> <li>✓ correctly simplifies</li> </ul>

*$-4.5 \times 2.5(n-1)$   
gave ✓*

- (d) Determine  $n$  given that  $T_n = 493$ .

(1 mark)

Solution
$2.5n - 7 = 493 \Rightarrow 2.5n = 500 \Rightarrow n = 200$
Specific behaviours
✓ correct value

End of questions