

## **Trial Examination 2023**

# VCE Mathematical Methods Units 3&4

# Written Examination 1

# **Question and Answer Booklet**

Reading time: 15 minutes
Writing time: 1 hour

Student's Name:	
Teacher's Name:	 

#### Structure of booklet

Number of questions	Number of questions to be answered	Number of marks
9	9	40

Students are permitted to bring into the examination room: pens, pencils, highlighters, erasers, sharpeners and rulers.

Students are NOT permitted to bring into the examination room: any technology (calculators or software), notes of any kind, blank sheets of paper and/or correction fluid/tape.

### Materials supplied

Question and answer booklet of 12 pages

Formula sheet

Working space is provided throughout the booklet.

#### **Instructions**

Write your name and your teacher's name in the space provided above on this page.

Unless otherwise indicated, the diagrams in this booklet are **not** drawn to scale.

All written responses must be in English.

#### At the end of the examination

You may keep the formula sheet.

Students are NOT permitted to bring mobile phones and/or any other unauthorised electronic devices into the examination room.

Students are advised that this is a trial examination only and cannot in any way guarantee the content or the format of the 2023 VCE Mathematical Methods Units 3&4 Written Examination 1.

## **Instructions**

Answer all questions in the spaces provided.

In all questions where a numerical answer is required, an exact value must be given, unless otherwise specified.

In questions where more than one mark is available, appropriate working **must** be shown.

Unless otherwise indicated, the diagrams in this booklet are **not** drawn to scale.

**Question 1** (4 marks)

ii.

Let 
$$f:\left(\frac{1}{2},\infty\right) \to R, f(x) = \frac{1}{4x-2}$$
.

a.	Find $f'(x)$ .			1 marl

b.	i.	Find an antiderivative of $f(x)$ .	1 mark

Express $\int_{1}^{5} f(x)dx$ in the form $\log_{e}(\sqrt{a})$ , where a is an integer.	2 marks

<b>Question 2</b> (2 marks) The derivative of the function $f(x)$ has the rule $f'(x) = 3\sin(2x)$ .
Given that $f\left(\frac{\pi}{3}\right) = 1$ , find $f(x)$ .

# Question 3 (4 marks)


Let  $f: (-2, 1] \to R, f(x) = x^3 + 3x^2$ .

**a.** Find the coordinates of the stationary point.

2 marks

**b.** On the axes below, sketch the graph of y = f(x). Label the endpoints and stationary point with their coordinates.

2 marks



Question	4	(3	marks)	١
Question	•	$(\mathcal{I})$	marks	,

For events A and B,  $Pr(A \cap B') = 0.2$  and  $Pr(A' \cap B) = 0.1$ .

Let  $Pr(A \cap B) = k^2$  and Pr(A') = 1.6k.

a. Find an expression for  $Pr(A' \cap B')$  in terms of k.

1 mark

b. Find the value of k.

2 marks

Oue	estion	5	(3	marks)
×	DUIDII	_	(-	III a i i i i

Solve $4\cos^2(3x) - 1 = 0$ for $x \in \left[ -\frac{\pi}{6}, \frac{\pi}{6} \right]$	].	

# Question 6 (2 marks)

A transformation maps the graph of y = f(x) to y = af(bx + c) + d, where a, b, c and d are positive real numbers. The following algorithm will be used to map any point (x, y) on the graph of y = f(x) to the graph of y = af(bx + c) + d.

<pre>input x, y</pre>	#Line	1
x _ new =	#Line	2
y _ new =	#Line	3
<pre>print x _ new</pre>	#Line	4
<pre>print y _ new</pre>	#Line	5

Complete lines 2 and 3 of the algorithm.

<b>Question 7</b> (4 marks	Question	17	(4	marks
----------------------------	----------	----	----	-------

The possible outcomes when a die is rolled are 1, 2, 3, 4, 5 or 6. Each outcome is equally likely. A die is rolled three times, and the resulting number is recorded each time.

Find the probability that the resulting number is the same each time.	1
Find the probability that the resulting number is the same exactly two times.	1
What is the probability that the resulting number is greater than 3 each time, given that it is the same exactly two times?	2 1


Question 8 (12 marks)

Let  $f(x) = \log_e(x - 2)$ .

**a.** State the domain of f.

1 mark

**b.** On the axes below, sketch the graph of y = f(x). Label the axial intercept with its coordinates and the asymptote with its equation. 2 marks




the curve $y = f(x)$ and the x-axis from $x = 3$ to $x = 6$ . Give your answer in the form $\log_e(a)$ , where $a$ is an integer.	,
Let $g: (a, \infty) \to R$ , $g(x) = x^2 + 4x + 2$ and $h(x) = (f \circ g)(x)$ .	
	3
Find the smallest value of $a$ such that $h(x) = (f \circ g)(x)$ .	3
	3
	3
	3

State the domain and range of $h(x)$ .	2 mark

MMU34\_QB\_Ex1\_2023

**Question 9** (6 marks)

The tangent to the graph of  $f(x) = 4x - x^2$  at the point A(a, f(a)) is shown below.



<b>a.</b> Show that the equation of the tangent is $y = (4 - 2a)x + a^2$ .	2 marks
--	---------

to $f(x)$ at $x = a$ , where $0 \le a \le 2$ .	
Find the rule for $S(a)$ .	3 marks
Find the value(s) of $a$ such that $S(a)$ is a <b>maximum</b> .	1 mar

END OF QUESTION AND ANSWER BOOKLET