•		47		3. T		-
	М.	×	٠	l N	n	,

DATE: 25/01/2025

Implement Programs For Time Series Data Cleaning, Loading, And Handling Time Series Data And Pre-Processing Techniques

AIM: Write a program to implement time series data for import library, load data, Preprocessing and visualising.

ALGORITHM:

- Step 1: Install required libraries (if not already installed).
- Step 2: Import necessary libraries (pandas, numpy, matplotlib).
- Step 3: Load air pollution data, parse dates, and set 'date' as the index.
- Step 4: Remove duplicate timestamps and fill missing values.
- Step 5: Select the 'pollution today' column.
- Step 6: Remove outliers using the IQR method.
- Step 7: Ensure daily data frequency.
- Step 8: Resample to weekly average (optional, not used in the plot).
- Step 9: Create a figure and plot daily pollution levels as a line graph.
- Step 10: Set labels, title, and legend for the plot.
- Step 11: Show the plot.

CODE:

import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

df = pd.read csv("/content/air pollution.csv", parse dates=["date"], index col="date")

 $df = df[\sim df.index.duplicated(keep='first')]$

df.fillna(method="ffill", inplace=True)

df.fillna(method="bfill", inplace=True)

```
df = df[['pollution_today']]

Q1 = df.quantile(0.25)

Q3 = df.quantile(0.75)

IQR = Q3 - Q1

df = df[~((df < (Q1 - 1.5 * IQR)) | (df > (Q3 + 1.5 * IQR))).any(axis=1)]

df = df.asfreq('D')

df_weekly = df.resample('W').mean()

plt.figure(figsize=(12,5))

plt.plot(df, label="Daily Pollution Level", color="blue", alpha=0.6)

plt.xlabel("Date")


plt.ylabel("Pollution Level")


plt.title("Air Pollution Over Time (Cleaned)")


plt.legend()


plt.show()
```


OUTPUT:











RESULT:

Thus, the program using the time series data implementation has been done successfully.