04 - Iteration Control Structures	
04 - Iteration Control Structures	

Ex. No. : 4.1 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

Input	Result
20	1 2 4 5 10 20

```
num = int(input())
factors = []
for i in range(1, num + 1):
  if num % i == 0:
    print(i, end=' ')
```

Ex. No. : 4.2 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number \geq 1 and \leq 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

Input	Result
292	1
1015	2
108	3
22	0

Ex. No. : 4.3 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

Example 1: if the given number N is 7, the method must return 2

Example2: if the given number N is 10, the method must return 1

Input	Result
7	2
10	1

```
num = int(input())
for i in range(2, int(num**0.5) + 1):
    if num % i == 0:
        print('1')
        break
else:
    print('2')
```

Ex. No. : 4.4 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Next Perfect Square

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

```
#perfect square
n=int(input(())
c=1
while True:
    if(c*c)>n:
        print(c*c)
        break
    c=c+1
```

Ex. No. : 4.5 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, ... and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- · seventh Fibonacci number is 8, and so on.

For example:

Input:

7

Output

8

```
#Fibanocci
n = int(input())
if n == 1:
    print(0)
elif n == 2:
    print(1)
else:
    a, b = 0, 1
    for _ in range(n - 2):
        a, b = b, a + b
    print(b)
```

Ex. No. : 4.6 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

 $1^1 + 7^2 + 5^3 = 175$

Example Input:

123

Output:

No

For example:

Input Result

175 Yes

123 No

```
#diasarium no
n=int(input())
s=len(str(n))
t=n
p=0
while t!=0:
    d=t%10
    p=p+(d**s)
    s=s-1
    t=t//10
if p==n:
    print("yes")
else:
print("no")
```

Ex. No. : 4.7 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Sum of Series

Write a program to find the sum of the series $1 + 11 + 111 + 1111 + \dots + n$ terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

Input	Result
3	123

```
#sos
n=int(input())
a=n
c=1
s=0
while a!=0:
s=s+c
c=(c*10)+1
a=a-1
print(s)
```

Ex. No. : 4.8 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

For example:

Input	Result
292	2
1015	3

#unique

n=int(input())
s=str(n)
c=0
l=list(set(s))
print(len(l))

Ex. No. : 4.9 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

Input Format: Single Integer input. Output Format: Output displays Yes if condition satisfies else prints No. Example Input: 14 Output: Yes Example Input: 13 Output: No #single digit num = int(input()) original_num = num possible = True for i in range(2, 10): while num % i == 0: num //= i if num == 1: print("Yes") else:

print("No")

Ex. No. : 4.10 Date:

Register No.: 231001063 Name: HEMA PRABHA S

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

Input	Result
24	Yes

```
#perfect no
n=int(input())
a=n+1
c=0
while True:
    if c*c==a:
        print("yes")
        break
    if (c*c)>a:
        print("no")
        break
    c=c+1
```