

Python Interview Questions Part 5

1. What is the purpose of is, not and in operators?

Operators are special functions. They take one or more values and produce a corresponding result.

is: returns true when 2 operands are true (Example: "a" is 'a')

not: returns the inverse of the boolean value

in: checks if some element is present in some sequence

2. What does len() do?

It is used to determine the length of a string, a list, an array, etc.

3. How can files be deleted in Python?

To delete a file in Python, you need to import the OS Module. After that, you need to use the os.remove() function.

4. How to remove values to a python array?

Array elements can be removed using pop() or remove() method. The difference between these two functions is that the former returns the deleted value whereas the latter does not.

5. What is the difference between deep and shallow copy?

Shallow copy is used when a new instance type gets created and it keeps the values that are copied in the new instance. Shallow copy is used to copy the reference pointers just like it copies the values. These references point to the original objects and the changes made in any member of the class will also affect the original copy of it. Shallow copy allows faster execution of the program and it depends on the size of the data that is used.

Deep copy is used to store the values that are already copied. Deep copy doesn't copy the reference pointers to the objects. It makes the reference to an object and the new object that is pointed by some other object gets stored. The changes made in the original copy won't affect any other copy that uses the object. Deep copy makes execution of the program slower due to making certain copies for each object that is been called.

6. How is Multithreading achieved in Python?

1. Python has a multi-threading package but if you want to multi-thread to speed your code up, then it's usually not a good idea to use it.

2. Python has a construct called the Global Interpreter Lock (GIL). The GIL makes sure that only one of your 'threads' can execute at any one time. A thread acquires the GIL, does a little work, then passes the GIL onto the next thread.

3. This happens very quickly so to the human eye it may seem like your threads are executing in parallel, but they are really just taking turns using the same CPU core.

4. All this GIL passing adds overhead to execution. This means that if you want to make your code run faster then using the threading package often isn't a good idea.

7. Explain Inheritance in Python with an example.

Inheritance allows One class to gain all the members(say attributes and methods) of another class. Inheritance provides code reusability, makes it easier to create and maintain an application. The class from which we are inheriting is called super-class and the class that is inherited is called a derived / child class.

They are different types of inheritance supported by Python:

1. Single Inheritance – where a derived class acquires the members of a single super class.
2. Multi-level inheritance – a derived class d1 is inherited from base class base1, and d2 is inherited from base2.
3. Hierarchical inheritance – from one base class you can inherit any number of child classes
4. Multiple inheritance – a derived class is inherited from more than one base class.

8. How are classes created in Python?

Class in Python is created using the class keyword.

9. What is Polymorphism in Python?

Polymorphism means the ability to take multiple forms. So, for instance, if the parent class has a method named ABC then the child class also can have a method with the same name ABC having its own parameters and variables. Python allows polymorphism.

10. Define encapsulation in Python?

Encapsulation means binding the code and the data together. A Python class is an example of encapsulation.