



HiSPARC Station Problem and Solutions Documentation

Release 0.1 alpha

HiSPARC team

November 23, 2012

CONTENTS

1	Introduction	3
2	Frequently asked questions	5
3	Known issues	7
3.1	Style	7
4	Software	9
4.1	HiSPARC Monitor does not start	9
4.2	Hard Disc Space	9
4.3	HiSPARC DAQ Errors	10

The HiSPARC software can be downloaded here: [HiSPARC Installer](#)

A pdf version of this manual is available here: [manual](#)

For more information about HiSPARC, see <http://www.hisparc.nl/>.

For questions or suggestions please contact our project coordinator Surya Bonam (suryab@nikhef.nl).

INTRODUCTION

This documentation describes the steps required to solve problems with an HiSPARC station. It first explains how to recognize different problems and then how to solve them.

The first part, *Frequently asked questions*, might help answer some questions that you have.

The second part, *Known issues*, describes some of the known issues that we have encountered with the HiSPARC software and hardware. It describes how to determine if the problem described is what you are experiencing and then possible solutions.

FREQUENTLY ASKED QUESTIONS

- **Nothing works! What can I do?**
 - Don't Panic! Try to determine where the problem lies and find the solution in this documentation.
- **Where do I find the list of known possible issues?**
 - Here: *Known issues*
- **I tried that, I didn't find a similar problem! What do I do now?**
 - Please contact your *cluster coordinator* for further assistance. They may be aware of such problems the corresponding solutions to the problem, and if they are not, they will consult us.

KNOWN ISSUES

This is a list of known possible issues with HiSPARC stations. Each problem notes whether it has been fixed in a specific version of the software and if it was perhaps introduced by one. Also other parameters that could affect the occurrence of the issue are noted (e.g. Windows XP/7, RAM, cable lengths). Moreover, the Nagios warnings that an issue can trigger are mentioned.

Note: Multiple issues can cause the same Nagios warning.

3.1 Style

Each problem has the following fields:

Occuring Since Software version that introduced it.

Fixed Since Software version that fixed this problem (problems may persist if you upgrade from older versions).

First Sign Explaining how you will probably notice the problem.

Nagios Nagios warnings that can be triggered.

Determination This is a small guide explaining how to make sure that the problem being described is what you are experiencing.

Solution How to solve it.

Effects The effects of this problem.

SOFTWARE

This sections concerns itself with issues related to the HiSPARC station-software.

4.1 HiSPARC Monitor does not start

4.1.1 Missing directory

Occuring Since v6.9.0

Fixed Since v6.10.0

First Sign When the STARHiSPARCSoftware program runs and the other programs (HiSPARC DAQ, Updater and optionally Weather DAQ) start normally but the HiSPARC Monitor does not appear (or only for a fraction of a second).

Nagios “EventRate”, “StorageGrowth”, “StorageSize”, “TriggerRate”, and possibly “Buffer size”.

Determination Look in hisparc/persistent/logs/src/ for the latest log file. Check if there is a line that contains the text ‘Error: unable to open database file’. Look in the hisparc/persistent/data/ directory for a hsmonitor folder. If it does not exist,

Solution Create the missing hsmonitor directory in hisparc/persistent/data.

Effects The missing directory causes the HiSPARC Monitor to be unable to store events in its SQLite database, preventing it from sending events to the Nikhef datastore. Note that the HiSPARC DAQ should be unaffected. No events should be lost, the DAQ will store events in its MySQL database until the hard disc fills up.

4.2 Hard Disc Space

4.2.1 To many logs

Occuring Since v

Fixed Since not yet

First Sign Nagios warning about Disc Space.

Nagios “Disc Space”.

Determination Look in hisparc/persistent/logs/. Check the size of the src directory by right-clicking on it and choosing 'Properties'. Check if this is a significant fraction of the total disc space.

Solution Remove all logs from the src directory except for the current one (the one with the present date (dd-mm-yyyy) in its name). Do this by selecting all logs, then deselecting the latest one (ctrl + click) and then removing them using shift + delete (to bypass the Recycle Bin).

Effects If the disc is full the HiSPARC daq can not store events in the database, preventing the station from storing more events.

4.2.2 To many updaters

Occuring Since v

Fixed Since not yet

First Sign Nagios warning about Disc Space.

Nagios "Disc Space".

Determination Look in hisparc/persistent/downloads/. There should be some adminUpdater_v##.zip and userUnpacker_v##.exe files there. By right-clicking them you can see their file size is of the order of 100 MB. If there are many they can take up some space.

Solution Remove all userUnpacker and adminUpdater files except the newest ones. Do this by selecting them and pressing shift + delete to remove them directly.

Effects If the disc is full the HiSPARC daq can not store events in the database, preventing the station from storing more events.

4.3 HiSPARC DAQ Errors

4.3.1 Can not connect to buffer

Determination From the Start menu start odbcad32.exe. Check if the hisparc buffer is there.

Solution