

[Close this Window](#)**Hi dac46, You have scored : 0**

QuestionID : 10524 Subject Name XML

Q1. What is the correct syntax of declaration which defines the XML version?

1. < xml version="1.0" / >
2. < ?xml version="1.0"? >
3. < ?xml version="1.0"/ >
4. none

Correct Answer : 2

Your Answer :

QuestionID : 10526 Subject Name XML

Q2. XML uses feature of

1. HTML
2. XHTML
3. VML
4. SGML

Correct Answer : 4

Your Answer :

QuestionID : 10529 Subject Name XML

Q3. The syntax for parameter entity is

1. < ! ENTITY % NAME DEFINATION >
2. < ENTITY % NAME DEFINATION >
3. < ! ENTITY \$ NAME DEFINATION >
4. < ENTITY % NAME DEFINATION >

Correct Answer : 1

Your Answer :

QuestionID : 10533 Subject Name XML

Q4. What is the default namespace

1. the namespace used by default when no namespace is declared.
2. the namespace used when two or more namespaces are referenced.
3. The namespace that is referenced with the xmlns attribute, but without a prefix.
4. none of above.

Correct Answer : 3

Your Answer :

QuestionID : 10537 Subject Name XML

Q5. Valid XML document means (most appropriate)

1. the document has root element
2. the document contain at least one or more root element
3. the XML document has DTD ssociated with it & it complies with that

DTD

4. Each element must nest inside any enclosing element property

Correct Answer : 3

Your Answer :

QuestionID : 10544 Subject Name XML

Q6. what are the predefined attributes

1. xml:lang
2. xml:space
3. both
4. none

Correct Answer : 3

Your Answer :

QuestionID : 10561 Subject Name XML

Q7. XML Document can be viewed in

1. IE 3.0
2. IE 2.0
3. IE 6.0
4. IE x.0

Correct Answer : 3

Your Answer :

QuestionID : 10563 Subject Name XML

Q8. To use XML you must pay a small lincse fee to Sun Micorsystems.

Correct Answer : F

Your Answer :

QuestionID : 10572 Subject Name XML

Q9. XML namespaces are not associated with objects.

Correct Answer : T

Your Answer :

QuestionID : 10608 Subject Name XML

Q10. which of the following instruct the broswer which stylesheet to use

1. <xml-stylesheet type=""text/xml"href=""cd.xml">
2. <xml-stylesheet type=""text/xml"xml=""cd.xml">
3. <xml-stylesheet type=""text/xml"href=""cd.xml"?>
4. <?xml-stylesheet type=""text/xml"href=""cd.xml"?>

Correct Answer : 3

Your Answer :

QuestionID : 10639 Subject Name XML

Q11. For XML document to be valid

1. Document need to be well formed also
2. Document need to be well formed
3. Document need to be well formed and valid
4. Document validity has no relationship with well formedness

Correct Answer : 3

Your Answer :

QuestionID : 10654 Subject Name XML

Q12. How can we make attributes have multiple values

1. `<myElement myAttribute="value1 value2" />`
2. `<myElement myAttribute="value1" myAttribute="value2" />`
3. `<myElement myAttribute="value1,value2" />`
4. attributes can not have multiple values

Correct Answer : 4

Your Answer :

QuestionID : 10662 Subject Name XML

Q13. In simple type built into XML schema boolean type holds

1. true,false
2. 1,0
3. both 1 and 2
4. true/false and any number except 0

Correct Answer : 3

Your Answer :

QuestionID : 10681 Subject Name XML

Q14. To use XSLT in an XML systems

1. The input and output of the XSLT processor must be unparsed XML documents
2. The input and output of the XSLT processor must be hierarchical tree representing an XML document
3. the XSLT processor must be called from a web agent
4. the XSLT processor must be given the DTD as well as the XML document instance

Correct Answer : 2

Your Answer :

QuestionID : 10695 Subject Name XML

Q15. The attribute used to define a new namespace is _____

1. XMLNS
2. XmlNameSpace
3. Xmlns
4. XmlNs

Correct Answer : 3

Your Answer :

QuestionID : 10710 Subject Name XML

Q16. Namespaces in XML cause regrettable naming collisions.

Correct Answer : F

Your Answer :

QuestionID : 10731 Subject Name XML

Q17. DOM provides API-based access to tree models.

Correct Answer : T

Your Answer :

QuestionID : 10739 Subject Name XML

Q18. XML Schema unfortunately did not inherit the attribute types from XML 1.0.

Correct Answer : F

Your Answer :

QuestionID : 10755 Subject Name XML

Q19. When processing an output XML, "new line" symbols

1. are copied into output "as is", i.e. "CR+LF" for Windows, CR for macintosh, LF for UNIX

2. are converted to single LF symbol

3. are converted to single CR symbol

4. are discarded

Correct Answer : 2

Your Answer :

QuestionID : 10761 Subject Name XML

Q20. Which of the following strings are a correct XML name?

1. xmlExtension

2. xmlNewElement

3. XMLElement#123

4. All

Correct Answer : 2

Your Answer :

QuestionID : 10773 Subject Name XML

Q21. The XSL formatting object use to hold the contents of the body of a list item is

1. list-block

2. list-item-body

3. list-item
4. list-item-label

Correct Answer : 2

Your Answer :

QuestionID : 10776 Subject Name XML

Q22. The XSL formatting object which formats the data in a table is....

1. table
2. table-body
3. title
4. table-content

Correct Answer : 1

Your Answer :

QuestionID : 10788 Subject Name XML

Q23. Child element and mixed content models must be enclosed in quotes.

Correct Answer : F

Your Answer :

QuestionID : 10797 Subject Name XML

Q24. Which of the following statement is true.

1. XML is a direct subset of SGML.
2. SGML is an application of HTML.
3. XML is a kind of dynamic HTML.
4. SGML and XML both are same.

Correct Answer : 1

Your Answer :

QuestionID : 10813 Subject Name XML

Q25. The XSL formatting object which formats the data in a table is

1. table
2. table-body
3. title
4. table-content

Correct Answer : 1

Your Answer :

QuestionID : 10819 Subject Name XML

Q26. A semicolon is a delimits elements names in a sequence list

Correct Answer : F

Your Answer :

QuestionID : 10823 Subject Name XML

Q27. A schema describes

1. Grammar
2. Vocabulary
3. Structure

4. Datatype of XML document

which is/are correct?

1. 1,2
2. 1,3
3. 3,4
4. 1,2,3,4

Correct Answer : 4

Your Answer :

QuestionID : 10824 Subject Name XML

Q28. What is the default namespace

1. the namespace used by default when no namespace is declared.
2. the namespace used when two or more namespaces are referenced.
3. The namespace that is referenced with the xmlns attribute, but without a prefix.
4. none of above.

Correct Answer : 3

Your Answer :

QuestionID : 10826 Subject Name XML

Q29. Which of the following xml fragment are well-formed ?

1. < ?xml? >
2. < ?xml version ="1.0? >
3. < ?xml encoding="JIS"? >
4. < ?xml encoding="JIS" version="1.0"? >

Correct Answer : 2

Your Answer :

QuestionID : 10833 Subject Name XML

Q30. To use XSLT in an XML systems

1. The input and output of the XSLT processor must be unparsed XML documents
2. The input and output of the XSLT processor must be hierarchical tree representing an XML document
3. the XSLT processor must be called from a web agent
4. the XSLT processor must be given the DTD as well as the XML document instance

Correct Answer : 2

Your Answer :

QuestionID : 10845 Subject Name XML

Q31. It is permissible, but not mandatory to quote XML attribute value.

Correct Answer : F

Your Answer :

QuestionID : 10847 Subject Name XML

Q32. The attribute used to define a new namespace is _____

1. XMLNS
2. XmlNameSpace
3. Xmlns
4. XmlNs

Correct Answer : 3

Your Answer :

QuestionID : 10851 Subject Name XML

Q33. Which of the following is a valid XSLT iteration command ?

1. for
2. for-all
3. for-each
4. in-turn

Correct Answer : 3

Your Answer :

QuestionID : 10853 Subject Name XML

Q34. Which statement correctly describes the capabilities of the XSLT language?

1. XSLT uses the DTD to determine how XML documents will be translated.
2. XSLT specifies how a hirerarchial trees,representable by an XML document may be translated into non-hirerarchial formats.
3. XSLT specifies how a hirerarchial tree,representable by an XML document, may be translated into another hirerarchial tree, also representable by an XML document.
4. XSLT specifies the formatting style to be used to render an XML document.

Correct Answer : 3

Your Answer :

QuestionID : 10860 Subject Name XML

Q35. To match specific XML element child like < name > of parent element is

< PLANET > the syntax will be

1. < xsl:template mach="PLANET_NAME" >
2. < xsl:template mach="PLANET/NAME" >
3. < xsl:template mach="/NAME" >
4. < xls:template match="//" >

Correct Answer : 4

Your Answer :

QuestionID : 10862 Subject Name XML

Q36. Namespaces in XML cause regrettable naming collisions.

Correct Answer : F

Your Answer :

QuestionID : 10872 Subject Name XML

Q37. <choice> is used for grouping elements.

Correct Answer : T

Your Answer :

QuestionID : 10878 Subject Name XML

Q38. XML forms comments differently than SGML and HTML.

Correct Answer : F

Your Answer :

QuestionID : 10882 Subject Name XML

Q39. What is the roll of XPATH language in XSL processing?

1. XPATH identifies the order or path of processing to be followed as the XSL language is processed.
2. XPATH identifies the location in the XML data to be transformed in the source tree and the location to be generated in the output tree specified in XSL transaction prescription.
3. XPATH identifies the path of processing to be followed in execution of XSL transaction prescription
4. XPATH specifies which XSL transform file use to be used in transaction of XML

Correct Answer : 2

Your Answer :

QuestionID : 10883 Subject Name XML

Q40. DOM provides API-based access to tree models.

Correct Answer : T

Your Answer :

QuestionID : 10891 Subject Name XML

Q41. XML Schema unfortunately did not inherit the attribute types from XML 1.0.

Correct Answer : F

Your Answer :

QuestionID : 10899 Subject Name XML

Q42. which of the following instruct the browser which stylesheet to use

1. <xml-stylesheet type="text/xsl" href="cd.xml">
2. <xml-stylesheet type="text/xsl" xsl="cd.xml">
3. <xml-stylesheet type="text/xsl" href="cd.xml"?>
4. <?xml-stylesheet type="text/xsl" href="cd.xml"?>

Correct Answer : 3

Your Answer :

QuestionID : 10905 Subject Name XML

Q43. PI in XML specification stands for

1. 3.14
2. priceless instruction
3. processing instruction
4. polymorphic instriction

Correct Answer : 3

Your Answer :

QuestionID : 10907 Subject Name XML

Q44. When processing an output XML, "new line" symbols

1. are copied into output "as is", i.e. "CR+LF" for Windows,CR fpr macintosh,LF for UNIX
2. are converted to single LF symbol
3. are converted to single CR symbol
4. are discarded

Correct Answer : 2

Your Answer :

QuestionID : 10911 Subject Name XML

Q45. Certain attribute are permissible in end-tags.

Correct Answer : F

Your Answer :

QuestionID : 10913 Subject Name XML

Q46. Which of the following strings are a correct XML name?

1. xmlExtension
2. xmlNewElement
3. XMLElement#123
4. All

Correct Answer : 2

Your Answer :

QuestionID : 10927 Subject Name XML

Q47. What is a qualified name ?

1. Any name conforming to XML name specification
2. A name having prefix and local name separeted by colon
3. A name applying only to qualified elements and attributes
4. None of the above

Correct Answer : 2

Your Answer :

QuestionID : 10928 Subject Name XML

Q48. The XSL formatting object which formats the data in a table is....

1. table
2. table-body

3. title

4. table-content

Correct Answer : 1

Your Answer :

QuestionID : 10938 Subject Name XML

Q49. The < xsl:output > instruction is required in every XSL stylesheet.

Correct Answer : F

Your Answer :

QuestionID : 11050 Subject Name XML

Q50. XML elements cannot be empty.

Correct Answer : F

Your Answer :