


ASSIGNMENT 5


QUESTION 1

Create BUS topologies as below.


(a)



(b)




SOLUTION



PING RESULTS

txt

```
1 Query successful
2
3 C:>ping 192.168.1.2
4 Pinging 192.168.1.2 with 32 bytes of data:
5
6 Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
7 Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
8 Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
9 Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
10
11 Ping statistics for 192.168.1.2:
12   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
13   Approximate round trip times in milli-seconds:
14   Minimum = 0ms, Maximum = 0ms, Average = 0ms
```




PING RESULTS

txt

```
1 C:\>ping 192.168.1.4
2
3 Pinging 192.168.1.4 with 32 bytes of data:
4
5 Reply from 192.168.1.4: bytes=32 time=19ms TTL=128
6 Reply from 192.168.1.4: bytes=32 time=5ms TTL=128
7 Reply from 192.168.1.4: bytes=32 time=11ms TTL=128
8 Reply from 192.168.1.4: bytes=32 time=7ms TTL=128
9
10 Ping statistics for 192.168.1.4:
11   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
12   Approximate round trip times in milli-seconds:
13   Minimum = 5ms, Maximum = 19ms, Average = 10ms
```

QUESTION 2

Create the following Ring Topology




SOLUTION


Invalid question
Loop nhi bnta
FUCK YOU

QUESTION 3

Create the following Ring Topology




SOLUTION



QUESTION 4

Create the following Tree Topology



SOLUTION

