



L^AT_EX Bachelor Template

24. februar 2021

FORFATTER

Camilla Jenny Valerius Staunstrup - cph-cs340

ANSLAG - XXXXXXXX

1 Todo liste

Gøremålsliste

<input type="checkbox"/>	Title page without page number	i
<input type="checkbox"/>	Table of contents	ii
<input type="checkbox"/>	Danish characters, æ ø å	ii
<input type="checkbox"/>	Image	ii
<input type="checkbox"/>	Caption over image	ii
<input type="checkbox"/>	Caption under image	ii
<input type="checkbox"/>	Image Label	ii
<input type="checkbox"/>	Centering	ii
<input type="checkbox"/>	Two images next to each other	ii
<input type="checkbox"/>	Reference to image	ii
<input type="checkbox"/>	Reference to page containing the image	ii
<input type="checkbox"/>	Section, subsection, subsubsection, paragraph, subparagraph	ii
<input type="checkbox"/>	Numbered section	ii
<input type="checkbox"/>	Non-numbered section	ii
<input type="checkbox"/>	Bullet point List	ii
<input type="checkbox"/>	Alternative bullet symbols List	ii
<input type="checkbox"/>	Enumerated Lists	ii
<input type="checkbox"/>	Alternatively numbered lists (roman numerals, letters)	ii
<input type="checkbox"/>	Table with multiple columns	ii
<input type="checkbox"/>	Various horizontal alignments in columns (left, right, centered) . . .	ii
<input type="checkbox"/>	Cell spanning multiple columns	ii
<input type="checkbox"/>	Vertical alignment in multi-line cells	ii
<input type="checkbox"/>	Table description and label	ii
<input type="checkbox"/>	Reference to table	ii
<input type="checkbox"/>	Code listing	ii
<input type="checkbox"/>	Code with emphasized key words in your favorite programming language	ii
<input type="checkbox"/>	Math equations	ii
<input type="checkbox"/>	Inline equations (in text)	ii
<input type="checkbox"/>	Display equations (on separate line)	ii
<input type="checkbox"/>	Fractions, summations, products, roots, powers	ii
<input type="checkbox"/>	Bibliography with book, article and internet link	iii
<input type="checkbox"/>	Todo <i>notes</i> of own choice	iii
<input type="checkbox"/>	This is the end of the assignment!	iii

Title page without page number

Table of contents

Danish characters, æ ø å

Image

Caption over image

Caption under image

Image Label

Centering

Two images next to each other

Reference to image

Reference to page containing the image

Section, subsection, subsubsection, paragraph, subparagraph

Numbered section

Non-numbered section

Bullet point List

Alternative bullet symbols List

Enumerated Lists

Alternatively numbered lists (roman numerals, letters)

Table with multiple columns

Various horizontal alignments in columns (left, right, centered)

Cell spanning multiple columns

Vertical alignment in multi-line cells

Table description and label

Reference to table

Code listing

Code with emphasized key words in your favorite programming language

Math equations

Inline equations (in text)

Display equations (on separate line)

Fractions, summations, products, roots, powers

Bibliography with book, article and internet link

Todo *notes* of **own** choice

This is the end of the assignment!

Indhold

1	Todo liste	i
2	Introduktion æ ø å Æ Ø Å	1
2.1	Billede og caption	1
2.2	Flere billeder og henvisninger!	2
2.2.1	Subsubsections, paragraphs, subparagraphs	2
3	Lister og Tables	3
3.1	Lister i mange former	3
3.2	Tables i mange former	4
4	Code listings	5
4.1	Made up Java code	5
5	Math is hard!	6
5.1	Masser af matematikseksempler fra nettet	6
	List of Figures	I
	List of Tables	II
	References	III
6	Appendix A	IV

2 Introduktion æ ø å Æ Ø Å

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur. [1].

2.1 Billede og caption

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.

Flot illustration med tekst foroven



Figur 1: Og tekst forneden. Ingen grund til panik. [2]

2.2 Flere billeder og henvisninger!



(a) Study hard



(b) Get very lost

Figur 2: En figur med to billeder!

Se i figur 2 på side 2 (lige oven for) for en grundig illustration af hvordan arbejdet med at forstå L^AT_EX er.

2.2.1 Subsubsections, paragraphs, subparagraphs

Paragraf Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Subparagraf Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

3 Lister og Tables

3.1 Lister i mange former

Så skal der testes lister. Først en unordered list med bullet-points

- CMDR Rigmor køber snart en Krait Phantom
- Herefter sættes der kurs mod Sagittarius A*

Så skal der testes ordered lists:

1. Der skal findes et navn til det nye Starship.
2. Måske en navn fra et andet spil?

Testing af alternative "bullets".

- Default item label for entry one
- Default item label for entry two
- Custom item label for entry three

Så skal der testes lister i lister. Her er en god blanding af listesymbol, samt unordered underlister osv. Great fun with lists!:

1. Køb en Krait Phantom
2. Outfit for max jump-range. Husk engineering og guardian tech.
 - I Husk enginnering og guardian tech.
 - II Find et navn, gerne fra et andet spil.
 - i. Plot en rute.
 - ii. Tjek for POI på vejen.
 - Dobbelttjek at alt er i orden!
 - Tag afsted mod Sagittarius A*.

3.2 Tables i mange former

Paragraf med Tables er simpelthen bare bedste form for paragraffer! Not loving kæmpehullet efter paragraftitlen dog. Anyway, nu kommer der tables!

Planets we love!		
Mercury	Venus	Earth
Mars	Jupiter	Saturn
Uranus	Neptune	Pluto (I am planet!)

Subaragraph Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Tabel 2 viser en oversigt over alle planeterne (og én falsk) i vores solsystem. Dog ikke på en specielt hensigtsmæssig måde, da inddelingen med de arbitrære tre kolonner er underlig.

Tabel 1: **Multirow table med left, right, center alignment**

Steder der skal besøges		
Systemnavn	Main POI	Kommentar
Eorl Auwsy SY-Z d13-3468	ABC 1 H	Tre Guardian ruin sites
	ABC 3 C	
	ABC 3 C	
Stuemeae FG-Y d7561	Stuemeae FG-Y d7561 Explorer's Anchorage	Earth-like world Deep Space Outpost

Tabel 2: Interessante systemer. [3]

4 Code listings

4.1 Made up Java code

```

1 package starshipfunctionality;
2
3 public class Starship implements DrawListener {
4
5     private Draw draw = new Draw();
6     private double rx, ry;           // position
7     private double vx, vy;           // velocity
8     private double direction;        // orientation of
    ship
9
10    public Starship() {
11        draw.addListener(this);
12        show();
13        draw.setPenColor(Color.WHITE);
14        draw.text("Press 'w', 'a', 's' or 'd' to move");
15    };
16        draw.show(1000);
17    }
18
19    public void launch() {
20        rx = ry = 0.5;
21        vx = vy = 0.0;
22        direction = 0.0;
23
24        while (true) {
25            rx = rx + vx;
26            ry = ry + vy;
27            show();
28            draw.show(50);
29        }
30    }

```

Listing 1: Java example

5 Math is hard!

5.1 Masser af matematikeksempler fra nettet

Greek letters	$\alpha A \beta B \gamma \Gamma \rho P \sigma \Sigma \delta \Delta \epsilon E$
Binary operators	$\times \otimes \oplus \cup \cap$
Relation operators	$< > \subset \supset \subseteq \supseteq$

The well known Pythagorean theorem $x^2 + y^2 = z^2$ was proved to be invalid for other exponents. Meaning the next equation has no integer solutions:

$$x^n + y^n = z^n$$

When displaying fractions in-line, for example $\frac{3x}{2}$ you can set a different display style: $\frac{3x}{2}$.

This is also true the other way around

$$f(x) = \frac{P(x)}{Q(x)} \quad \text{and} \quad f(x) = \frac{P(x)}{Q(x)}$$

Testing notation for limits

$$\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}.$$

This operator changes when used alongside text $\lim_{h \rightarrow 0}(x-h)$.

User-defined operator for arctangent:

$$\operatorname{arctg} \frac{\pi}{3} = \sqrt{3}.$$

$$\int_0^1 x^2 + y^2 \, dx$$

$$\sum_{i=1}^{\infty} \frac{1}{n^s} = \prod_p \frac{1}{1-p^{-s}}$$

Unummereret Section

Kommer heller ikke med i indholdsfortegnelsen!

Figurer

1 Og tekst forneden. Ingen grund til panik. [2] 1
2 En figur med to billeder! 2

Tabeller

1 **Multirow table med left, right, center alignment** 4
2 Interessante systemer. [3] 4

Litteratur

- [1] A. Einstein, “Zur Elektrodynamik bewegter Körper. (German) [On the electrodynamics of moving bodies],” *Annalen der Physik*, vol. 322, no. 10, pp. 891–921, 1905.
- [2] L. F. Menabrea and A. Lovelace, “Sketch of the analytical engine invented by charles babbage,” 1842.
- [3] “Elite Dangerous Star Map, Galactic Mapping.” <https://www.edsm.net/en/galactic-mapping>. Accessed: 2021-02-24.

6 Appendix A