

RUHR-UNIVERSITÄT BOCHUM

Insert title here

Dennis Felsch

Master's Thesis – March 24, 2014.
Chair for Network and Data Security.

Supervisor: Prof. Dr. Jörg Schwenk
Advisor: Dipl.-Ing. Christopher Meyer

Abstract

Insert abstract here.

Declaration

I hereby declare that this submission is my own work and that, to the best of my knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any other degree or diploma of the university or other institute of higher learning, except where due acknowledgment has been made in the text.

Erklärung

Hiermit versichere ich, dass ich die vorliegende Arbeit selbstständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt habe, dass alle Stellen der Arbeit, die wörtlich oder sinngemäß aus anderen Quellen übernommen wurden, als solche kenntlich gemacht sind und dass die Arbeit in gleicher oder ähnlicher Form noch keiner Prüfungsbehörde vorgelegt wurde.

DATE

AUTHOR

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Related Work	1
1.3	Contribution	1
1.4	Organization of this Thesis	1
2	Background	3
2.1	Some text	4
2.2	Some more text	5
2.3	Even more text	6
3	Implementation	9
3.1	Duties and Agreements	9
3.1.1	Rules for Students	9
3.1.2	Rules for Supervisors	10
3.2	Hints on Typesetting	10
3.2.1	Structuring Text, English Hints	10
3.2.1.1	Text	11
3.2.1.2	English Hints	11
3.2.1.3	General Hints	12
3.2.2	Formulas, Figures, Tables, Definitions	13
3.2.2.1	Formulas	13
3.2.2.2	Figures	14
3.2.2.3	Tables	17
3.2.2.4	Definitions	17
3.2.3	Listings, Algorithms	17
3.2.3.1	Listings	17
3.2.3.2	Algorithms	18
3.2.4	Protocols	20
3.2.4.1	2-Party Protocol Sessions	20
3.2.4.2	Protocol Headers	20
4	Results	21
5	Conclusion	23

A	Acronyms	25
	List of Figures	27
	List of Tables	28
	List of Algorithms	29
	List of Listings	30
	Bibliography	31
B	Java Code	33

1 Introduction

Always start a chapter with a short but informative text about the following sections. Point out the relevance of the sections and create interconnections between them. Never ever just write a single sentence here. Furthermore, you are strongly advised to respect the hints given in this template.

1.1 Motivation

What is your motivation to deal with this subject? Which interesting problems do you expect? Do not abbreviate “e. g.” within a sentence, always write “for example”. However, within in parentheses you are allowed to abbreviate and use, e. g., and, i. e., as shown here: with a comma right before and after it. In addition to that, ensure correct spacing by using \, in between.

1.2 Related Work

List related work *and* the result of this work! What is the relevance of this work concerning your thesis? If necessary, *emphasize* some words in your text, for example words like *not* or *and* are sometimes crucial for understanding.

1.3 Contribution

What is your contribution?

1.4 Organization of this Thesis

Please give a general overview on how your thesis is divided into sections and chapters ...

2 Background

Lorem ipsum dolor sit amet consectetur parturient ac pulvinar magna porttitor. Accumsan vel ac eros laoreet Nulla leo Nulla vel Pellentesque Quisque. Adipiscing penatibus Phasellus egestas leo id neque nec quis est orci. Porta tellus ligula ut ridiculus eros eget ut Vivamus dictum nulla. Dui wisi enim vitae nulla Fusce Curabitur congue consectetur urna Quisque. Felis Vestibulum Quisque sed Vestibulum et malesuada ac id tristique vitae. Aliquam Suspendisse mattis et libero et tincidunt quis tellus eget consectetur. Libero Morbi cursus augue eget dapibus tincidunt nunc parturient id arcu. Donec sapien enim Aenean convallis Donec elit tincidunt dolor vitae tellus. Ac consectetur at tortor malesuada ac dui ligula habitant habitasse congue.

Mauris interdum sit sem Sed pharetra enim pede nulla auctor ipsum. Tincidunt habitasse auctor Integer non ut laoreet facilisis nibh nunc dictum. Iaculis wisi Praesent hendrerit magnis accumsan massa arcu senectus Vestibulum nibh. Congue et volutpat ipsum pretium in vitae justo ipsum Mauris Pellentesque. Volutpat malesuada parturient ligula Nulla Donec nunc sed tempus urna wisi. Hendrerit metus cursus et auctor nonummy nisl libero mauris purus mollis. Sem justo fringilla pharetra In elit Donec habitasse et semper congue. Pulvinar Curabitur et Integer et convallis convallis in fames mollis Curabitur. Convallis et sapien risus ut Sed rhoncus ac Sed et interdum. Non fermentum justo Nullam nunc habitant ut malesuada nec id Nullam. Et quis lobortis massa volutpat eleifend interdum wisi auctor pede orci. Urna.

Id malesuada eu est nec nec tellus pretium pede condimentum nunc. Malesuada quam enim Curabitur lorem nulla Quisque semper Fusce auctor in. Id wisi pretium parturient tempus Aenean accumsan interdum pellentesque adipiscing scelerisque. Et Nunc tempus Sed quis et semper amet nibh et tempor. Pretium neque consectetur dignissim ut Sed Proin Ut diam fringilla leo. Condimentum gravida aliquet turpis Sed eu non adipiscing Suspendisse cursus pretium. Urna semper eget Nulla enim Sed tincidunt consequat pellentesque tortor iaculis. Laoreet orci arcu a adipiscing justo Phasellus Sed Nullam mollis tincidunt. Nam Lorem elit condimentum tincidunt elit enim Curabitur Nulla In pretium. Fermentum odio suscipit nibh nec pede justo nec ipsum leo Aliquam. Adipiscing wisi interdum Pellentesque sem ipsum Nulla.

2.1 Some text

Quis convallis fermentum accumsan Ut Nulla libero Morbi quis Nam at. Mi suscipit cursus mus eu Curabitur elit commodo at volutpat turpis. Tristique Sed orci id Aenean tempus quis Nunc ligula lacinia sagittis. In vitae ipsum quis tincidunt id Vivamus tincidunt volutpat ut venenatis. Nullam Nunc accumsan pellentesque et augue sem Integer auctor Nam ac. Hendrerit laoreet tellus urna faucibus pellentesque Nulla turpis wisi pede porta. Felis malesuada Vestibulum amet Curabitur lacinia wisi cursus habitasse Nam massa. Porttitor consequat Sed tempus interdum Donec Vestibulum a Curabitur ante eget. Et nec et Nullam nunc non ligula dignissim sit velit Curabitur. Rhoncus wisi et pretium vestibulum metus fringilla pede nibh volutpat vel. Pellentesque mattis Nullam dolor Vestibulum elit sapien tellus tristique aliquam ligula. Ac sed amet ac Aenean urna amet.

Et pharetra tristique Sed laoreet a risus Suspendisse nibh Mauris ac. Porta vitae Curabitur id quis Curabitur malesuada sed leo urna ac. Augue id augue pulvinar vitae lorem montes Aenean Pellentesque wisi consectetur. Nec amet mauris Donec condimentum ac eu dapibus semper hendrerit augue. Ante Integer in leo adipiscing et Proin tortor sodales lorem Quisque. Sagittis at ac Integer justo sociis In elit id Vestibulum at. Auctor sociis est faucibus Phasellus quam ac vitae quis tempor ligula. Nec massa ante aliquam elit Aenean scelerisque id leo Nulla ullamcorper. Elit Cum tellus morbi nibh consectetur Curabitur pellentesque at Aenean ornare. Quis risus Morbi lobortis ullamcorper auctor nisl sit eget lorem eget. Ante Fusce egestas id Sed Phasellus laoreet cursus ridiculus eros adipiscing. Pretium Phasellus tellus laoreet congue condimentum venenatis tempus In pellentesque tempor. Et sed ante id tincidunt porta facilisi Suspendisse congue justo.

Suspendisse dolor sed et feugiat Nunc malesuada justo pulvinar tortor nunc. Turpis nunc mauris interdum id Curabitur Sed elit metus id nibh. Cras elit Praesent metus id platea augue nunc volutpat wisi et. Auctor pellentesque elit Vivamus leo Lorem sollicitudin vitae est Phasellus habitasse. Malesuada In condimentum dolor vitae eget elit Phasellus urna justo elit. Integer Curabitur Sed vitae Nam Nullam ac tempor pretium Morbi id. A venenatis volutpat Pellentesque eleifend Quisque Vestibulum faucibus elit Curabitur semper. Feugiat mattis Maecenas laoreet hendrerit diam Lorem ultrices platea quis consequat. Laoreet ante augue id Vestibulum laoreet Vivamus lacinia libero urna Sed. Tempus Ut Vestibulum Curabitur leo Curabitur laoreet egestas Sed ac cursus. Ante justo tempus dapibus penatibus.

Dui felis tellus quis et vel Aenean Donec adipiscing nibh natoque. Porttitor pellentesque turpis faucibus ante orci Nunc sagittis libero Sed mauris. Phasellus magna a dignissim Pellentesque Sed in quis id lobortis quis. Nulla ut urna nunc nibh et lobortis Sed scelerisque et ante. Dolor Maecenas lacinia nunc fringilla lorem malesuada congue ut sagittis Sed. Feugiat cursus Maecenas vitae vitae semper cursus at et Vivamus elit. Et Morbi elit Quisque lacinia sed magna mauris dapibus Aenean odio. Vestibulum quis eu sit lacinia est penatibus Integer nibh Quisque enim. Velit tristique

massa Cras nisl ligula Phasellus quis auctor In eu. Leo Donec elit convallis tincidunt aliquam quis ac neque urna Maecenas. Consectetur semper dolor wisi pede Vestibulum lacinia condimentum tempor In cursus. Mattis In felis metus porta et Integer congue elit Nam Donec. Sed tempus porta accumsan orci Curabitur augue laoreet Aenean augue.

2.2 Some more text

Aenean id mauris a tellus interdum condimentum tellus interdum volutpat condimentum. Semper pretium justo tincidunt dolor vitae vel Cum Nam auctor auctor. Nulla libero Curabitur auctor pede pretium lorem porttitor laoreet tincidunt adipiscing. Fringilla accumsan vitae montes pede Integer semper cursus justo vel tincidunt. Duis tellus pretium convallis Sed magna molestie faucibus tortor et Nam. Porttitor platea nibh wisi Maecenas dignissim lacus in lobortis orci interdum. Sollicitudin orci elit consequat a ac ante amet quis at pede. Sed ac orci auctor ultrices laoreet id ullamcorper pretium leo semper. Parturient id Vestibulum porttitor fringilla Curabitur Curabitur at ligula turpis ligula. Donec sapien at pretium faucibus et parturient eros volutpat eget a. Augue a Curabitur iaculis quis Sed id Aenean Mauris Nullam odio. Arcu pretium semper Aliquam sed dignissim ipsum malesuada massa Aenean urna. Consectetur sed tincidunt sagittis Ut platea semper consequat faucibus nibh Quisque.

Pharetra vel augue magna montes Nam nec eros Vestibulum dui mi. Non mauris Nam nibh Nulla Lorem netus nulla ipsum adipiscing ut. Laoreet fringilla In orci eros magna dui Vestibulum Maecenas dictumst cursus. Lorem tristique Nam volutpat ac nunc lorem commodo id Vestibulum ligula. Nunc velit congue velit eget orci dictum congue laoreet et tortor. Sapien tellus id arcu Sed molestie nascetur gravida dolor dolor pede. Orci orci consequat mattis id Morbi dignissim lorem tincidunt nulla orci. Justo ac vestibulum et Mauris quis adipiscing venenatis ullamcorper Maecenas wisi. Pede fermentum ipsum metus leo fames Nunc Nam et adipiscing sociis. Eget justo lorem at lorem at non cursus dictum tellus Nunc. Tempus felis elit faucibus Vestibulum pede volutpat in Integer commodo tortor. Et dis nec Curabitur scelerisque pede dui libero urna facilisi massa. Elit nibh vitae Nulla venenatis et justo leo Vestibulum nec venenatis.

Et eros tristique sem elit condimentum Fusce enim tortor pellentesque neque. Tristique massa sit montes Lorem dignissim justo eros eu dictum Nulla. Dictum augue dictum Vestibulum urna elit rhoncus purus facilisi id lacinia. Consectetur facilisi elit Vivamus et platea pellentesque lorem pretium Aenean eros. Ipsum id ut pharetra Quisque consequat feugiat dignissim id tortor pretium. Praesent Quisque cursus ut et felis ut quis sed wisi parturient. Lorem Donec lobortis sociis consequat sed hendrerit tincidunt tincidunt id rutrum. Quisque sociis aliquet pretium penatibus nec consequat at libero eget habitasse. Fringilla congue accumsan tempor malesuada eleifend aliquam ligula In et

sit. Nunc laoreet sociis neque consectetur nibh massa neque amet elit et. Porttitor Cras at ligula amet tellus morbi porta.

Lorem ipsum dolor sit amet consectetur parturient ac pulvinar magna porttitor. Accumsan vel ac eros laoreet Nulla leo Nulla vel Pellentesque Quisque. Adipiscing penatibus Phasellus egestas leo id neque nec quis est orci. Porta tellus ligula ut ridiculus eros eget ut Vivamus dictum nulla. Dui wisi enim vitae nulla Fusce Curabitur congue consectetur urna Quisque. Felis Vestibulum Quisque sed Vestibulum et malesuada ac id tristique vitae. Aliquam Suspendisse mattis et libero et tincidunt quis tellus eget consectetur. Libero Morbi cursus augue eget dapibus tincidunt nunc parturient id arcu. Donec sapien enim Aenean convallis Donec elit tincidunt dolor vitae tellus. Ac consectetur at tortor malesuada ac dui ligula habitant habitasse congue.

Mauris interdum sit sem Sed pharetra enim pede nulla auctor ipsum. Tincidunt habitasse auctor Integer non ut laoreet facilisis nibh nunc dictum. Iaculis wisi Praesent hendrerit magnis accumsan massa arcu senectus Vestibulum nibh. Congue et volutpat ipsum pretium in vitae justo ipsum Mauris Pellentesque. Volutpat malesuada parturient ligula Nulla Donec nunc sed tempus urna wisi. Hendrerit metus cursus et auctor nonummy nisl libero mauris purus mollis. Sem justo fringilla pharetra In elit Donec habitasse et semper congue. Pulvinar Curabitur et Integer et convallis convallis in fames mollis Curabitur. Convallis et sapien risus ut Sed rhoncus ac Sed et interdum. Non fermentum justo Nullam nunc habitant ut malesuada nec id Nullam. Et quis lobortis massa volutpat eleifend interdum wisi auctor pede orci. Urna.

Id malesuada eu est nec nec tellus pretium pede condimentum nunc. Malesuada quam enim Curabitur lorem nulla Quisque semper Fusce auctor in. Id wisi pretium parturient tempus Aenean accumsan interdum pellentesque adipiscing scelerisque. Et Nunc tempus Sed quis et semper amet nibh et tempor. Pretium neque consectetur dignissim ut Sed Proin Ut diam fringilla leo. Condimentum gravida aliquet turpis Sed eu non adipiscing Suspendisse cursus pretium. Urna semper eget Nulla enim Sed tincidunt consequat pellentesque tortor iaculis. Laoreet orci arcu a adipiscing justo Phasellus Sed Nullam mollis tincidunt. Nam Lorem elit condimentum tincidunt elit enim Curabitur Nulla In pretium. Fermentum odio suscipit nibh nec pede justo nec ipsum leo Aliquam. Adipiscing wisi interdum Pellentesque sem ipsum Nulla.

2.3 Even more text

Quis convallis fermentum accumsan Ut Nulla libero Morbi quis Nam at. Mi suscipit cursus mus eu Curabitur elit commodo at volutpat turpis. Tristique Sed orci id Aenean tempus quis Nunc ligula lacinia sagittis. In vitae ipsum quis tincidunt id Vivamus tincidunt volutpat ut venenatis. Nullam Nunc accumsan pellentesque et augue sem Integer auctor Nam ac. Hendrerit laoreet tellus urna faucibus pellentesque Nulla turpis wisi pede porta. Felis malesuada Vestibulum amet Curabitur lacinia wisi cursus habitasse Nam massa. Porttitor consequat Sed tempus interdum Donec Vestibulum a Curabitur

ante eget. Et nec et Nullam nunc non ligula dignissim sit velit Curabitur. Rhoncus wisi et pretium vestibulum metus fringilla pede nibh volutpat vel. Pellentesque mattis Nullam dolor Vestibulum elit sapien tellus tristique aliquam ligula. Ac sed amet ac Aenean urna amet.

Et pharetra tristique Sed laoreet a risus Suspendisse nibh Mauris ac. Porta vitae Curabitur id quis Curabitur malesuada sed leo urna ac. Augue id augue pulvinar vitae lorem montes Aenean Pellentesque wisi consecetur. Nec amet mauris Donec condimentum ac eu dapibus semper hendrerit augue. Ante Integer in leo adipiscing et Proin tortor sodales lorem Quisque. Sagittis at ac Integer justo sociis In elit id Vestibulum at. Auctor sociis est faucibus Phasellus quam ac vitae quis tempor ligula. Nec massa ante aliquam elit Aenean scelerisque id leo Nulla ullamcorper. Elit Cum tellus morbi nibh consecetur Curabitur pellentesque at Aenean ornare. Quis risus Morbi lobortis ullamcorper auctor nisl sit eget lorem eget. Ante Fusce egestas id Sed Phasellus laoreet cursus ridiculus eros adipiscing. Pretium Phasellus tellus laoreet congue condimentum venenatis tempus In pellentesque tempor. Et sed ante id tincidunt porta facilisi Suspendisse congue justo.

Suspendisse dolor sed et feugiat Nunc malesuada justo pulvinar tortor nunc. Turpis nunc mauris interdum id Curabitur Sed elit metus id nibh. Cras elit Praesent metus id platea augue nunc volutpat wisi et. Auctor pellentesque elit Vivamus leo Lorem sollicitudin vitae est Phasellus habitasse. Malesuada In condimentum dolor vitae eget elit Phasellus urna justo elit. Integer Curabitur Sed vitae Nam Nullam ac tempor pretium Morbi id. A venenatis volutpat Pellentesque eleifend Quisque Vestibulum faucibus elit Curabitur semper. Feugiat mattis Maecenas laoreet hendrerit diam Lorem ultrices platea quis consequat. Laoreet ante augue id Vestibulum laoreet Vivamus lacinia libero urna Sed. Tempus Ut Vestibulum Curabitur leo Curabitur laoreet egestas Sed ac cursus. Ante justo tempus dapibus penatibus.

Dui felis tellus quis et vel Aenean Donec adipiscing nibh natoque. Porttitor pellentesque turpis faucibus ante orci Nunc sagittis libero Sed mauris. Phasellus magna a dignissim Pellentesque Sed in quis id lobortis quis. Nulla ut urna nunc nibh et lobortis Sed scelerisque et ante. Dolor Maecenas lacinia nunc fringilla lorem malesuada congue ut sagittis Sed. Feugiat cursus Maecenas vitae vitae semper cursus at et Vivamus elit. Et Morbi elit Quisque lacinia sed magna mauris dapibus Aenean odio. Vestibulum quis eu sit lacinia est penatibus Integer nibh Quisque enim. Velit tristique massa Cras nisl ligula Phasellus quis auctor In eu. Leo Donec elit convallis tincidunt aliquam quis ac neque urna Maecenas. Consecetur semper dolor wisi pede Vestibulum lacinia condimentum tempor In cursus. Mattis In felis metus porta et Integer congue elit Nam Donec. Sed tempus porta accumsan orci Curabitur augue laoreet Aenean augue.

Aenean id mauris a tellus interdum condimentum tellus interdum volutpat condimentum. Semper pretium justo tincidunt dolor vitae vel Cum Nam auctor auctor. Nulla libero Curabitur auctor pede pretium lorem porttitor laoreet tincidunt adipiscing. Fringilla accumsan vitae montes pede Integer semper cursus justo vel tincidunt. Duis tellus

pretium convallis Sed magna molestie faucibus tortor et Nam. Porttitor platea nibh wisi Maecenas dignissim lacus in lobortis orci interdum. Sollicitudin orci elit consequat a ac ante amet quis at pede. Sed ac orci auctor ultrices laoreet id ullamcorper pretium leo semper. Parturient id Vestibulum porttitor fringilla Curabitur Curabitur at ligula turpis ligula. Donec sapien at pretium faucibus et parturient eros volutpat eget a. Augue a Curabitur iaculis quis Sed id Aenean Mauris Nullam odio. Arcu pretium semper Aliquam sed dignissim ipsum malesuada massa Aenean urna. Consectetuer sed tincidunt sagittis Ut platea semper consequat faucibus nibh Quisque.

Pharetra vel augue magna montes Nam nec eros Vestibulum dui mi. Non mauris Nam nibh Nulla Lorem netus nulla ipsum adipiscing ut. Laoreet fringilla In orci eros magna dui Vestibulum Maecenas dictumst cursus. Lorem tristique Nam volutpat ac nunc lorem commodo id Vestibulum ligula. Nunc velit congue velit eget orci dictum congue laoreet et tortor. Sapien tellus id arcu Sed molestie nascetur gravida dolor dolor pede. Orci orci consequat mattis id Morbi dignissim lorem tincidunt nulla orci. Justo ac vestibulum et Mauris quis adipiscing venenatis ullamcorper Maecenas wisi. Pede fermentum ipsum metus leo fames Nunc Nam et adipiscing sociis. Eget justo lorem at lorem at non cursus dictum tellus Nunc. Tempus felis elit faucibus Vestibulum pede volutpat in Integer commodo tortor. Et dis nec Curabitur scelerisque pede dui libero urna facilisi massa. Elit nibh vitae Nulla venenatis et justo leo Vestibulum nec venenatis.

Et eros tristique sem elit condimentum Fusce enim tortor pellentesque neque. Tristique massa sit montes Lorem dignissim justo eros eu dictum Nulla. Dictum augue dictum Vestibulum urna elit rhoncus purus facilisi id lacinia. Consectetuer facilisi elit Vivamus et platea pellentesque lorem pretium Aenean eros. Ipsum id ut pharetra Quisque consequat feugiat dignissim id tortor pretium. Praesent Quisque cursus ut et felis ut quis sed wisi parturient. Lorem Donec lobortis sociis consequat sed hendrerit tincidunt tincidunt id rutrum. Quisque sociis aliquet pretium penatibus nec consequat at libero eget habitasse. Fringilla congue accumsan tempor malesuada eleifend aliquam ligula In et sit. Nunc laoreet sociis neque consectetuer nibh massa neque amet elit et. Porttitor Cras at ligula amet tellus morbi porta.

3 Implementation

3.1 Duties and Agreements

To successfully write your thesis, you should definitely respect some rules. They are explained in the following sections.

3.1.1 Rules for Students

At the beginning of your thesis, estimate the complexity of the work you are going to have. Take into account that you will have problems with certain aspects of your thesis that will consume a lot of time. Consider times for recreation and delays you can not influence, for instance, asking your supervisor, waiting for orders to be shipped, complex problems during the implementation phase, and so on . . .

For some students it is a good idea to agree upon a rough plan (with their supervisor) on how to make progress on their thesis and what goals to achieve. Milestones might help to control your progress. If you fail to meet a milestone in time, contact your supervisor on why this happened or when to expect it to be fulfilled.

If you have a problem, try to solve it on your own twice over. Some things just take time. In case you fail to solve it on your own, write an email to your supervisor and tell him about your problem and what you did to solve it. Make an appointment if necessary. Please do not jump right into his office, supervisors have other stuff to do, too.

For quotations, either use “quotation” or “quotation”. For some words, you should use a tilde to link them, for example, when referring to chapter 5 you should use it. Or use chapter 5. This prevents words from being separated by a line break or some other rare circumstances. Use BibTeX within your thesis and learn the different citation options [3, 1].

One last piece of advice. Do not try to attend courses in parallel to your thesis. You should take this seriously and not think that writing a thesis is done quickly.

3.1.2 Rules for Supervisors

“With great power comes great responsibility” : -)

- It is very important, that if you want specific things to be done that you send these important instructions by mail. Your student might be in a moment of confusion when telling him.
- Attend the “Diplomandenseminar” and give your student the feeling, that this is important to you, too.
- Offer your students the opportunity to talk to you right after the “Diplomandenseminar”. While discussing things, tell your student to write down the results of this discussion and tell him to send you this summary by mail to ensure (if necessary), you did not talk at cross purposes.
- Last but not least: Please be gentle to your students : -)

3.2 Hints on Typesetting

To get this template running, you need at least

- either TeXLive 2010 (use update utility and install the most recent packages!)
- or MikTeX (**IMPORTANT**: install the cm-super font package manually!)

This template is confirmed to work in both situations. In case it does not work for you, there is something wrong with your \LaTeX environment : -)

You can use `pdf latex` or `latex` to typeset this template.

3.2.1 Structuring Text, English Hints

Another text about the following sections ...

3.2.1.1 Text

Always try to structure your text in a manner that makes sense. Either use indentations, itemize or enumeration environments.

This sentence will have an indentation at the beginning. Now an enumeration starts:

1. One.
2. Two.
3. Three.

Sometimes you do not want an indentation. Use the `noindent` command in such a case.

One Is the first number.

Two Is the second number.

3.2.1.2 English Hints

- Use an active voice and avoid using passive wherever possible.
- *Always* use the present tense (especially when you refer to content that occurs later in your text). For example:
 - *wrong*: The next chapter *will* explain ...
 - *correct*: The next chapter explains ...
- Either use American English or British English, but do not mix (e. g. summarize vs. summarise, analyze vs. analyse, ...). American English is preferred.
- Do not use filler words.
 - omit: “some kind of” and others ...
- Never use a comma before “that”.
- For enumerations, always use a comma before “and”: “...module 1, module 2, and module 3.”.
- The title of your thesis is capitalized except for words like and, or, with, the, a ...
- *Always* address the reader using the third person: “As one can see from ...” and not “As you can see ...”.
- All tables, figures have to be explained very briefly in the text itself.

- Always use correct quantifications:
 - *wrong*: ... a small amount of runs ...
 - *correct*: ... at most three runs ...
- Never use “I”. Depersonalize your sentences or use “we” if necessary.
- Read *The Elements of Style* by William Strunk, Jr., which is for example available at <http://www.crockford.com/wrrrld/style.html>. The (short) book provides an overview of typical errors and helps you to significantly improve your English.

3.2.1.3 General Hints

- Use non-breaking small space for some abbreviation
 - z. B.
 - u. a.
 - e. g.
- Use a non-breaking space just before references, parentheses and so which shall not begin at the beginning of a new line. This sentence will not break here (and here).
- Did you notice the overfull horizontal box (hbox)? You should avoid these! Underfull boxes are not that bad. But only fix them when most of the section, paragraph etc is ready. Otherwise you have to fix them more than once. You can tell \TeX when to break a word if it does not do it correctly. Just put a \- at the corresponding position in the word. Vertical overfull boxes (vbox) occur if the document uses `\flushbottom` instead of `\raggedbottom`. That way, \TeX ensures that each page ends with the last sentence in the last line (except for the final line in a section). To enforce this, \TeX sometimes has to add extra vertical space between, e. g., paragraphs. Overfull vertical boxes are hard to fix, as additional content needs to be added or even has to be removed sometimes. Keep in mind that any changes to the type area (Satzspiegel) might produce many additional over- or underfull boxes (and of course it will fix other boxes).
- Read <ftp://ftp.dante.de/tex-archive/info/german/l2tabu/l2tabu.pdf>. Really, read it.
- You can find many more good information at <http://www.dante.de/CTAN/info/lshort/german/l2kurz.pdf>
- The KomaScript guide is very useful: <ftp://ftp.dante.de/pub/tex/macros/latex/contrib/koma-script/scrguide.pdf>

3.2.2 Formulas, Figures, Tables, Definitions

3.2.2.1 Formulas

Define abbreviations with the `\acro{...}` command, use them in the text mostly with `\ac{...}`. (Yes, in this example there are still a lot of wrong abbreviations. Make it better :)

So, testing abbreviations the Advanced Encryption Standard (AES) is written in different form. Lets see, when using the AES again, what will happen :D .

Using the method shown in Table XX for all three functions yields.

$$f_a^4 = 0x2C79 = abc + ac + ad + bc + a + b + d + 1 \quad (3.1)$$

$$f_b^4 = 0x6671 = abd + acd + bcd + ab + ac + bc + a + b + d + 1 \quad (3.2)$$

$$f_c^5 = 0x7907287B = cde + abde + ade + de + abce + bce + ce + be + bcd + acd + bd + d + bc + ab + b + 1 \quad (3.3)$$

When typesetting formulas, pay special notice on constants, variables, and units:

$$\mathcal{F}_\omega\{x(t)\} = \int_{-\infty}^{\infty} x(t) e^{-j\omega t} dt \quad (\text{Fourier-Transformation})$$

The use of constants, variables and units is explained by “Rohde & Schwarz” in their famous document “Der korrekte Umgang mit Größen, Einheiten und Gleichungen” [2]. These rules are in compliance with ISO-31. Consequently, always typeset the following in italics:

- Variables like k , x , ...
- Functions like $f(x)$, ...
- Physical constants like c_0 , ...
- Indices that are variables or physical units, like $a_{i,j}$ or c_V .

Always typeset the following upright:

- Functions with fixed name like $\sin(x)$ or $\Gamma(x)$.
- Mathematical constants like π , i or e .
- Units and their prefixes, like $\lambda = 0.56 \mu\text{m}$, alternatively $\lambda = 0.56 \mu\text{m}$.
- Indices that represent names or identifiers, like x_{max} or μ_B .

In case it is necessary to make heavy use of user defined functions, one should use `\DeclareMathOperator` to define the corresponding function. Finally, a good example how it should *not* look like.

$$Throughput = 30mbit/s$$

In case you need some extra symbols: <http://mirror.ctan.org/info/symbols/comprehensive/symbols-a4.pdf>

3.2.2.2 Figures

Figures and tables are important to explain things. Here are some rules that apply, when using figures:

- Whenever possible use vector graphics (eps, pdf, svg, ...) instead of bitmap graphics (jpg, gif, ...).
- All figures should have the same font and size (do not scale them or the size will change) and “style” (line strength, arrow heads, ...).
- Some employees of the chair need all figures in .eps. However, do *not* convert your .jpg and .png to .eps, instead use a *wrapper* program to wrap these file types into the .eps format. As a consequence, you are forced to use `latex` to typeset your document instead of `pdf latex`. Appropriate wrapper programs can be found here:
 - Windows: click
 - Linux/Mac: click
- **Always** try to use your own figures, so you do not run into copyright problems and it is easier for us, to reuse these figures for papers. You might want to have a look at these tools to create your own figures:
 - Windows: MS Visio (available via MSDNAA), Graphviz, Gnuplot ...
 - Linux: xfig/jfig, IPE, Graphviz, Gnuplot ...
 - Mac: IPE, Graphviz, Gnuplot, OmniGraffle (commercial, academic licensing available) ...

There are many possibilities on how to include figures, here is just one example on how to do it. In case you need further assistance, please google for `l2picfaq`.


Umrechnung informationstechnischer Einheiten

Übertragungsgeschwindigkeiten			
Basis 10			
	Verwendung nach SI-Standard		
Power	Name	Symbol	Beispiel
3	kilo	k	1000 b = 1 kb
6	mega	M	1000 kb = 1 Mb
9	giga	G	1000 Mb = 1 Gb
12	tera	T	1000 Gb = 1 Tb
15	peta	P	1000 Tb = 1 Pb


Informationstechnische Einheiten		
Name	Symbol	Umrechnung
bit	b	8 b = 1 B
Byte	B	1 B = 8 b

Datenvolumen/Übertragungsvolumen						
Basis 2						
	IEC2005 - kein SI-Standard - lediglich SI-Empfehlung, da keine SI-Einheit			Verwendung auf Basis des SI- Standards, trotz Empfehlung der Nutzungsunterlassung bei einer Basis ungleich 10		
Power	Name	Symbol	Beispiel	Name	Symbol	Beispiel
10	kibi	Ki	1024 B = 1 KiB	kilo	k	1024 B = 1 kB
20	mebi	Mi	1024 KiB = 1 MiB	mega	M	1024 kB = 1 MB
30	gibi	Gi	1024 MiB = 1 GiB	giga	G	1024 MB = 1 GB
40	tebi	Ti	1024 GiB = 1 TiB	tera	T	1024 GB = 1 TB
50	pebi	Pi	1024 TiB = 1 PiB	peta	P	1024 TB = 1 PB

Figure 3.1: Captions for figures are *always below* the figure and give a short but informative description of the figure. Always use full sentences here and end them with a full stop. This figure explains the usage of bits and bytes in different use cases.



(a) Opened Nissan car key.



(b) Closeup of the transponder (PCF7946).

Figure 3.2: This figure shows a Nissan car key and the transponder used. Clearly visible is the antenna for 125 kHz (very thin copper wire on ferrite core).



(c) Carbon type transponder.



(d) Disc type transponder.

Figure 3.1: Two out of many possible shapes of PCF7936 transponders. Unit of measurement is centimeter.

3.2.2.3 Tables

There are many possibilities on how to create and include tables. From a typographic point of view, *one should avoid any vertical lines*, cf. Table 3.2.

Table 3.2: Captions for tables are *always above* the table and give a short but informative description of the table. Always use full sentences here and end them with a full stop.

Amount ^a	Price	Component	
		Description	Role
23	1.234 \$	good stuff	important
multirow example the other row	x	y	XXX
42	43.123,13 ^b	good stuff	important

^aThis is a footnote inside a table, you need a minipage for this to work.

^bThis is another footnote inside a table.

3.2.2.4 Definitions

This is a definition. You can of course make a reference to it 3.3.

Definition 3.3 (A name) *A really good definition. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.*

3.2.3 Listings, Algorithms

3.2.3.1 Listings

For source code listings, three options are available:

- the `verbatim` environment,
- the `listings` package,
- and the `lgrind` package.

The `verbatim` environment is the most simple environment and not suited for large code listings (due to different limitations). Only use it for single

\$ important shell commands

Otherwise, either use the `listings` or `lgrind` packages. The `listings` package is easier to use, therefore we present it here. *Important* advice: Only explain important functions and/or structures of your program in your thesis..Especially point out the big picture of your program, for instance, how different modules interact and which important input limitations to respect. Please note: Using special language characters (ê, ü, ä, ...) in your source code is strongly discouraged, as they may cause problems using the `listings` package.

```

1  /*!
2   * This is a Doxygen comment for a function.
3   * \param first operand
4   * \param second operand
5   * \returns a+b
6   */
7  int sum(int a, int b)
8  {
9      return (a + b);
10 }
```

Listing 3.4: A sample listing of a C function. Description of the function is here. Please note that different languages are available.

```

1  entity InterLeavedMul is
2      generic(wide : natural :=8); -- highest bit
3      port(clk : in std_logic;
4           rst : in std_logic;
5           x  : in std_logic_vector(wide-1 downto 0);
6           y  : in std_logic_vector(wide-1 downto 0);
7           N  : in std_logic_vector(wide-1 downto 0);
8           start: in std_logic;
9           done : out std_logic;
10          xyN : out std_logic_vector(wide-1 downto 0));
11 end InterLeavedMul;
```

Listing 3.5: A sample listing of a VHDL entity. Description of the entity is here. Please note that different languages are available.

You should thoroughly document your code using comments and (best case) by using a documentation system like Doxygen. Please ask your supervisor for additional rules (e. g. which repository system to use, etc.). Regularly commit your changes and backup your data!

3.2.3.2 Algorithms

For many theses, typesetting algorithms is necessary. There are at least four packages available that allow easy typesetting of algorithms.

- program offering the environment program.
- algorithm offering the environment algorithm.
- algorithmic offering the environment algorithmic.
 - This package sometimes has compatibility problems with hyperref.
- algorithm2e either offering the environment algorithm or algorithm2e.

Students are advised to use only *one* of these packages and not mix them. The author of this template suggests to use the package `algorithm2e` with the option `algo2e`. This prevents conflicts with other packages, just in case it is ever required to mix `algorithm` or `algorithmic` with `algorithm2e`.

Algorithm 3.6: INSERTION-SORT

Data: unsorted array $A[1 \dots n]$

Result: array $A[1 \dots n]$ with $A[1] \leq A[2] \leq \dots \leq A[n]$

```

1 begin
2   for  $j \leftarrow 2$  to  $\text{length}[A]$  do
3      $key \leftarrow A[j];$ 
4      $/* \text{ Insert } A[j] \text{ into the sorted sequence } A[1 \dots j-1] \quad */$ 
5      $i \leftarrow j - 1;$ 
6     while  $i > 0$  and  $A[i] > key$  do
7       ;
8        $A[i + 1] \leftarrow A[i];$ 
9        $i \leftarrow i - 1$ 
10     $A[i + 1] \leftarrow key$ 

```

3.2.4 Protocols

3.2.4.1 2-Party Protocol Sessions




Figure 3.7: Mutual authentication of the HITAG 2 protocol in crypto mode.

3.2.4.2 Protocol Headers




Figure 3.8: DNS Request

4 Results

Lorem ipsum dolor sit amet consectetur parturient ac pulvinar magna porttitor. Accumsan vel ac eros laoreet Nulla leo Nulla vel Pellentesque Quisque. Adipiscing penatibus Phasellus egestas leo id neque nec quis est orci. Porta tellus ligula ut ridiculus eros eget ut Vivamus dictum nulla. Dui wisi enim vitae nulla Fusce Curabitur congue consectetur urna Quisque. Felis Vestibulum Quisque sed Vestibulum et malesuada ac id tristique vitae. Aliquam Suspendisse mattis et libero et tincidunt quis tellus eget consectetur. Libero Morbi cursus augue eget dapibus tincidunt nunc parturient id arcu. Donec sapien enim Aenean convallis Donec elit tincidunt dolor vitae tellus. Ac consectetur at tortor malesuada ac dui ligula habitant habitasse congue.

5 Conclusion

Lorem ipsum dolor sit amet consectetur parturient ac pulvinar magna porttitor. Accumsan vel ac eros laoreet Nulla leo Nulla vel Pellentesque Quisque. Adipiscing penatibus Phasellus egestas leo id neque nec quis est orci. Porta tellus ligula ut ridiculus eros eget ut Vivamus dictum nulla. Dui wisi enim vitae nulla Fusce Curabitur congue consectetur urna Quisque. Felis Vestibulum Quisque sed Vestibulum et malesuada ac id tristique vitae. Aliquam Suspendisse mattis et libero et tincidunt quis tellus eget consectetur. Libero Morbi cursus augue eget dapibus tincidunt nunc parturient id arcu. Donec sapien enim Aenean convallis Donec elit tincidunt dolor vitae tellus. Ac consectetur at tortor malesuada ac dui ligula habitant habitasse congue.

A Acronyms

AES Advanced Encryption Standard

List of Figures

3.1	Captions for figures are <i>always below</i> the figure and give a short but informative description of the figure. Always use full sentences here and end them with a full stop. This figure explains the usage of bits and bytes in different use cases.	15
3.2	This figure shows a Nissan car key and the transponder used. Clearly visible is the antenna for 125 kHz (very thin copper wire on ferrite core).	16
3.1	Two out of many possible shapes of PCF7936 transponders. Unit of measurement is centimeter.	16
3.7	Mutual authentication of the HITAG 2 protocol in crypto mode.	20
3.8	DNS Request	20

List of Tables

3.2	This is the short caption for the <i>List of Tables</i>	17
-----	---	----

List of Algorithms

3.6 INSERTION-SORT 19

List of Listings

- 3.4 A sample listing of a C function. Description of the function is here.
Please note that different languages are available. 18
- 3.5 A sample listing of a VHDL entity. Description of the entity is here.
Please note that different languages are available. 18

Bibliography

- [1] J. Newsome and D. Song. Dynamic Taint Analysis for Automatic Detection, Analysis, and Signature Generation of Exploits on Commodity Software. In *Symposium on Network and Distributed System Security (NDSS)*, 2005.
- [2] Rohde & Schwarz. Der korrekte Umgang mit Größen, Einheiten und Gleichungen. http://www.rohde-schwarz.de/ps/rus/tools/show_8437_document/Der_korrekte_Umgang.pdf, as of March 24, 2014.
- [3] Y. Xie, F. Yu, K. Achan, R. Panigrahy, G. Hulten, and I. Osipkov. Spamming Botnets: Signatures and Characteristics. *ACM SIGCOMM Computer Communication Review*, 38(4), 2008.

B Java Code