



PUML Better Health
PUMLx Token
SMART CONTRACT AUDIT
21.09.2022

Made in Germany by Chainsulting.de



Table of contents

1. Disclaimer.....	3
2. About the Project and Company	4
2.1 Project Overview.....	5
3. Vulnerability & Risk Level	6
4. Auditing Strategy and Techniques Applied.....	7
4.1 Methodology	7
5. Metrics	8
5.1 Tested Contract Files	8
5.2 Used Code from other Frameworks/Smart Contracts	9
5.3 CallGraph	10
5.4 Inheritance Graph	11
5.5 Source Lines & Risk	12
5.6 Capabilities	13
5.7 Source Unites in Scope	14
6. Scope of Work.....	15
6.1 Findings Overview	16
6.2 Manual and Automated Vulnerability Test.....	17
6.3 SWC Attacks	18
6.4. Verify Claims	22
7. Executive Summary.....	23
8. Mainnet Deployment	23
9. About the Auditor	24

1. Disclaimer

The audit makes no statements or warranties about utility of the code, safety of the code, suitability of the business model, investment advice, endorsement of the platform or its products, regulatory regime for the business model, or any other statements about fitness of the contracts to purpose, or their bug free status. The audit documentation is for discussion purposes only.

The information presented in this report is confidential and privileged. If you are reading this report, you agree to keep it confidential, not to copy, disclose or disseminate without the agreement of Pummel PTY LTD. If you are not the intended receptor of this document, remember that any disclosure, copying or dissemination of it is forbidden.

Major Versions / Date	Description
0.1 (01.07.2022)	Layout
0.4 (02.07.2022)	Automated Security Testing Manual Security Testing
0.5 (03.07.2022)	Verify Claims and Test Deployment
0.6 (03.07.2022)	Testing SWC Checks
0.9 (03.07.2022)	Summary and Recommendation
1.0 (03.07.2022)	Final document
1.1 (21.09.2022)	Deployed contract

2. About the Project and Company



Company address:

Pummel PTY LTD
Palm Beach Gold Coast
4221 QLD Australia

Website: <https://pumml.io>

Twitter: <https://twitter.com/pummlhealthio>

Facebook: <https://www.facebook.com/pummlhealthio>

GitHub: <https://github.com/pumlapp>

Instagram: <https://www.instagram.com/pummlhealthio>

LinkedIn: <https://www.linkedin.com/company/pummlhealthio>

YouTube: https://www.youtube.com/channel/UCE_XfZ4a8TssCwI89N45QTQ

Telegram: <https://t.me/pumlofficial>

Medium: <https://medium.com/@pummlhealthio>

2.1 Project Overview

PUML Better Health rewards users for completing fitness challenges. Anyone can download the app to join a challenge and start earning PUML coin which can be redeemed for gift cards, bitcoin, EOS or other merchandise.

Leaderboards show participants how they're ranking in their challenges. PUML also supports live streaming for workouts and other wellness content, in addition to providing pre-recorded videos of wellness content.

Companies can set up challenges for their employees or divisions to compete against each other. Gyms and fitness studios can also create challenges for their members to compete against each other or other gyms.

3. Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 – 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon as possible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

4. Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

4.1 Methodology

The auditing process follows a routine series of steps:

1. Code review that includes the following:
 - i. Review of the specifications, sources, and instructions provided to Chainsulting to make sure we understand the size, scope, and functionality of the smart contract.
 - ii. Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
 - iii. Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to Chainsulting describe.
2. Testing and automated analysis that includes the following:
 - i. Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii. Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

5. Metrics

The metrics section should give the reader an overview on the size, quality, flows and capabilities of the codebase, without the knowledge to understand the actual code.

5.1 Tested Contract Files



The following are the MD5 hashes of the reviewed files. A file with a different MD5 hash has been modified, intentionally or otherwise, after the security review. You are cautioned that a different MD5 hash could be (but is not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of the review

File	Fingerprint (MD5)
./contracts/PUMLx.sol	ba517bdb68ed5296d15f8eb04baad256


5.2 Used Code from other Frameworks/Smart Contracts (direct imports)

Dependency / Import Path	Source
@openzeppelin/contracts/token/ERC20/ERC20.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v4.7.0/contracts/token/ERC20/ERC20.sol
@openzeppelin/contracts/token/ERC20/extensions/ERC20Burnable.sol	https://github.com/OpenZeppelin/openzeppelin-contracts/blob/v4.7.0/contracts/token/ERC20/extensions/ERC20Burnable.sol

5.3 CallGraph





5.4 Inheritance Graph













5.5 Source Lines & Risk

source comment single block mixed
empty todo blockEmpty





5.6 Capabilities


<div>Solidity Versions observed</div> <div><div>^0.8.4</div></div>	<div> Experimental Features</div> <div></div>	<div> Can Receive Funds</div> <div></div>	<div> Uses Assembly</div> <div></div>	<div> Has Destroyable Contracts</div> <div></div>	
<div> Transfers ETH</div> <div></div>	<div> Low-Level Calls</div> <div></div>	<div> DelegateCall</div> <div></div>	<div> Uses Hash Functions</div> <div></div>	<div> ECRrecover</div> <div></div>	<div> New/Create/Create2</div> <div></div>

Exposed Functions



This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

 Public	 Payable			
0	0			
External	Internal	Private	Pure	View
0	1	0	0	0

StateVariables

Total	 Public
<input type="text" value="0"/>	<input type="text" value="0"/>

5.7 Source Unites in Scope

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complexity Score	Capabilities
	contracts/PUMLx.sol	1		11	11	8	1	8	
	Totals	1		11	11	8	1	8	

Legend: []

- **Lines:** total lines of the source unit
- **nLines:** normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
- **nSLOC:** normalized source lines of code (only source-code lines; no comments, no blank lines)
- **Comment Lines:** lines containing single or block comments
- **Complexity Score:** a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

6. Scope of Work


The Puml Better Health Team provided us with the files that needs to be tested. The scope of the audit is the Token contract.

The team put forward the following assumptions regarding the security, usage of the contracts:

- The ERC-20 Token standard is correctly implemented
- Deployer/Owner cannot mint any new Token
- Deployer/Owner cannot burn or lock user funds
- Deployer/Owner cannot pause the contract
- The smart contract is coded according to the newest standards and in a secure way.

The main goal of this audit was to verify these claims. The auditors can provide additional feedback on the code upon the client's request.

6.1 Findings Overview



No	Title	Severity	Status
NA	NA	NA	NA

6.2 Manual and Automated Vulnerability Test

CRITICAL ISSUES

During the audit, Chainsulting's experts found **0 Critical issues** in the code of the smart contract.

HIGH ISSUES

During the audit, Chainsulting's experts found **0 High issues** in the code of the smart contract.

MEDIUM ISSUES

During the audit, Chainsulting's experts found **0 Medium issues** in the code of the smart contract.

LOW ISSUES

During the audit, Chainsulting's experts found **0 Low issues** in the code of the smart contract.

INFORMATIONAL ISSUES

During the audit, Chainsulting's experts found **0 Informational issues** in the code of the smart contract.

6.3 SWC Attacks

ID	Title	Relationships	Test Result
SWC-131	Presence of unused variables	CWE-1164: Irrelevant Code	✓
SWC-130	Right-To-Left-Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	✓
SWC-129	Typographical Error	CWE-480: Use of Incorrect Operator	✓
SWC-128	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	✓
SWC-127	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	✓
SWC-125	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	✓
SWC-124	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	✓
SWC-123	Requirement Violation	CWE-573: Improper Following of Specification by Caller	✓


ID	Title	Relationships	Test Result
SWC-122	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	✓
SWC-121	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	✓
SWC-120	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	✓
SWC-119	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	✓
SWC-118	Incorrect Constructor Name	CWE-665: Improper Initialization	✓
SWC-117	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	✓
SWC-116	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	✓
SWC-115	Authorization through tx.origin	CWE-477: Use of Obsolete Function	✓
SWC-114	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	✓

ID	Title	Relationships	Test Result
SWC-113	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	✓
SWC-112	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	✓
SWC-111	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	✓
SWC-110	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	✓
SWC-109	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	✓
SWC-108	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	✓
SWC-107	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	✓
SWC-106	Unprotected SELFDESTRUCT Instruction	CWE-284: Improper Access Control	✓
SWC-105	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	✓
SWC-104	Unchecked Call Return Value	CWE-252: Unchecked Return Value	✓


ID	Title	Relationships	Test Result
SWC-103	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	X
SWC-102	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	✓
SWC-101	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	✓
SWC-100	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	✓

6.4. Verify Claims


6.4.1 The ERC-20 Token standard is correctly implemented

Status: tested and verified 


6.4.2 Deployer/Owner cannot mint any new Token

Status: tested and verified 


6.4.3 Deployer/Owner cannot burn or lock user funds

Status: tested and verified 

6.4.4 Deployer/Owner cannot pause the contract

Status: tested and verified 

6.4.5 The smart contract is coded according to the newest standards and in a secure way.

Status: tested and verified 

7. Executive Summary

Two (2) independent Chainsulting experts performed an unbiased and isolated audit of the smart contract codebase.

The main goal of the audit was to verify the claims regarding the security and functions of the smart contract. During the audit, no critical, no high, no medium, no low and no informational issues have been found, after the manual and automated security testing.

8. Mainnet Deployment

VERIFIED

<https://etherscan.io/token/0x8c088775e4139af116Ac1FA6f281Bbf71E8c1c73#code>



9. About the Auditor

Chainsulting is a professional software development firm, founded in 2017 and based in Germany. They show ways, opportunities, risks and offer comprehensive web3 solutions. Their services include web3 development, security and consulting.

Chainsulting conducts code audits on market-leading blockchains such as Solana, Tezos, Ethereum, Binance Smart Chain, and Polygon to mitigate risk and instil trust and transparency into the vibrant crypto community. They have also reviewed and secured the smart contracts of 1Inch, POA Network, Unicrypt, LUKSO among numerous other top DeFi projects.

Chainsulting currently secures [\\$100 billion](#) in user funds locked in multiple DeFi protocols. The team behind the leading audit firm relies on their robust technical know-how in the web3 sector to deliver top-notch smart contract audit solutions, tailored to the clients' evolving business needs.

Check our website for further information: <https://chainsulting.de>

How We Work



1 -----

PREPARATION

Supply our team with audit ready code and additional materials



2 -----

COMMUNICATION

We setup a real-time communication tool of your choice or communicate via e-mails.



3 -----

AUDIT

We conduct the audit, suggesting fixes to all vulnerabilities and help you to improve.



4 -----

FIXES

Your development team applies fixes while consulting with our auditors on their safety.



5 -----

REPORT

We check the applied fixes and deliver a full report on all steps done.