						Weight	Weight
Study	TE	seTE		HR	95%-CI	(fixed)	(random)
			-				
BLCA		0.0134	1		[1.00; 1.05]	12.1%	8.4%
BRCA		0.0170	7		[0.94; 1.00]	7.5%	7.0%
CESC		0.0227	į.		[1.00; 1.09]	4.2%	5.2%
CHOL		0.0499)		[0.97; 1.18]	0.9%	1.6%
COAD		0.0254	į.		[0.92; 1.02]	3.4%	4.6%
ESCA		0.0232	i e		[0.96; 1.05]	4.0%	5.1%
GBM	0.02	0.0550	1	1.02	[0.92; 1.14]	0.7%	1.4%
HNSC	0.02	0.0147	1	1.02	[0.99; 1.05]	10.1%	7.8%
KICH	-0.02	0.0743		0.98	[0.84; 1.13]	0.4%	0.8%
KIRC	-0.01	0.0176	.	0.99	[0.95; 1.02]	7.0%	6.8%
KIRP	0.05	0.0318	 ■ 1	1.06	[0.99; 1.12]	2.1%	3.4%
LIHC	0.00	0.0153	1	00.1	[0.98; 1.04]	9.3%	7.6%
LUAD	0.00	0.0165	1	00.1	[0.97; 1.04]	7.9%	7.2%
LUSC	0.02	0.0162	1	1.02	[0.99; 1.05]	8.3%	7.3%
PAAD	0.05	0.0280	1	1.06	[1.00; 1.11]	2.8%	4.0%
PCPG	0.18	0.1226	1	1.19	[0.94; 1.52]	0.1%	0.3%
PRAD	-0.04	0.1015	O	0.96	[0.79; 1.17]	0.2%	0.4%
READ	-0.10	0.0548	- +	0.90	[0.81; 1.01]	0.7%	1.4%
SARC	-0.03	0.0194	→ 0).97	[0.93; 1.00]	5.8%	6.2%
STAD	-0.01	0.0177	o c	0.99	[0.95; 1.02]	6.9%	6.8%
THCA	0.03	0.0706	 + 1	1.03	[0.90; 1.18]	0.4%	0.9%
THYM	0.40	0.1677	∫→ 1	1.50	[1.08; 2.08]	0.1%	0.2%
UCEC	-0.00	0.0210	+ 1	00.1	[0.96; 1.04]	4.9%	5.7%
Fixed effect model				.01	[1.00; 1.01]	100.0%	
Overall effect		.01	[0.99; 1.02]		100.0%		
Heterogeneity:	$I^2 = 43\% [6\%; 6]$	65%], <i>p</i> = 0 0.	1 2				