						Weight	Weight
Study	TE	seTE		HR	95%-CI	(fixed)	(random)
DLOA	0.04	0.0007	P=	4.04	[0.00: 4.40]	7.00/	7.00/
BLCA		0.0297	l i		[0.98; 1.10]	7.3%	7.3%
BRCA		0.0601	<u>_</u> Li	1.09	. , .	1.8%	1.8%
CESC		0.0303	Т;	0.99	[0.94; 1.06]	7.0%	7.0%
CHOL		0.1644	<u> </u>	1.21	[0.88; 1.67]	0.2%	0.2%
COAD		0.0402		1.03	. , .	4.0%	4.0%
ESCA		0.0384	i	1.01	[0.94; 1.09]	4.4%	4.4%
GBM		0.0347	 	1.06	[0.99; 1.13]	5.4%	5.4%
HNSC		0.0243		1.01	[0.97; 1.06]	10.9%	10.9%
KICH	-0.03	0.1508		0.97	[0.72; 1.30]	0.3%	0.3%
KIRC	-0.01	0.0555	- +;-	0.99	[0.89; 1.11]	2.1%	2.1%
KIRP	0.12	0.0439		1.13	[1.04; 1.23]	3.3%	3.3%
LIHC	0.03	0.0341	+	1.03	[0.96; 1.10]	5.5%	5.5%
LUAD	0.01	0.0256	#	1.01	[0.96; 1.06]	9.9%	9.9%
LUSC	0.00	0.0198	-	1.00	[0.96; 1.04]	16.5%	16.5%
PAAD	0.02	0.0527	- - -	1.02	[0.92; 1.14]	2.3%	2.3%
PCPG	-0.08	0.1722		0.92	[0.66; 1.29]	0.2%	0.2%
PRAD	0.07	0.0764	- 	1.07	[0.92; 1.24]	1.1%	1.1%
READ	0.05	0.1018	 - 	1.05	[0.86; 1.28]	0.6%	0.6%
SARC	0.03	0.0382	- - -	1.03	[0.96; 1.11]	4.4%	4.4%
STAD	0.06	0.0413	 -	1.06	[0.98; 1.15]	3.8%	3.8%
THCA	-0.04	0.1804		0.96	[0.67; 1.37]	0.2%	0.2%
THYM	0.19	0.1556	- 	1.21	[0.89; 1.64]	0.3%	0.3%
UCEC	0.04	0.0275	 -	1.04	[0.98; 1.10]	8.5%	8.5%
Fixed effect model			 	1.03	[1.01; 1.04]	100.0%	
Overall effect			♦	1.03	[1.01; 1.04]		100.0%
Heterogeneity: $I^2 =$: 0% [0%; 20	0%], <i>p</i> = 0.8 0.5	1 2				