						Weight	Weight
Study	TE	seTE		HR	95%-CI	(fixed)	(random)
5. 6.			<u></u>				
BLCA		0.0176		0.99	. , .	6.5%	6.0%
BRCA		0.0152	T:	0.99	. , .	8.7%	6.4%
CESC		0.0671	C *		[1.00; 1.29]	0.4%	1.5%
CHOL		0.0431	12		[0.97; 1.14]	1.1%	2.8%
COAD		0.0186	 		[0.98; 1.05]	5.8%	5.9%
ESCA		0.0590	<u> </u>		[0.98; 1.24]	0.6%	1.8%
GBM		0.0173	ie.		[0.97; 1.03]	6.8%	6.1%
HNSC	0.00	0.0143	+ -	1.00	[0.97; 1.03]	10.0%	6.5%
KICH	0.24	0.0656	c	1.27	[1.12; 1.44]	0.5%	1.5%
KIRC	0.05	0.0148	+	1.05	[1.02; 1.08]	9.2%	6.4%
KIRP	0.07	0.0328	t	1.07	[1.00; 1.14]	1.9%	3.9%
LIHC	0.05	0.0162		1.05	[1.01; 1.08]	7.7%	6.2%
LUAD	0.03	0.0145	-	1.03	[1.00; 1.06]	9.6%	6.5%
LUSC	-0.00	0.0161	4	1.00	[0.97; 1.03]	7.8%	6.3%
PAAD	0.03	0.0200	1	1.03	[0.99; 1.08]	5.1%	5.7%
PCPG	0.06	0.0877	— <u>(</u>	1.06	[0.89; 1.26]	0.3%	0.9%
PRAD	0.09	0.0675	 	1.09	[0.96; 1.25]	0.4%	1.5%
READ	0.04	0.0389	 -	1.04	[0.96; 1.12]	1.3%	3.2%
SARC	0.06	0.0220	[1.06	[1.01; 1.11]	4.2%	5.3%
STAD	-0.04	0.0182	<u> </u>	0.96	[0.93; 0.99]	6.1%	5.9%
THCA	0.09	0.0560	 c -	1.10	[0.98; 1.23]	0.6%	2.0%
THYM	-0.13	0.0532	——— c	0.88	[0.79; 0.97]	0.7%	2.1%
UCEC	0.07	0.0208	ļ i.	1.08	[1.03; 1.12]	4.7%	5.5%
			ļģ.				
Fixed effect model			Į.	1.02	[1.01; 1.03]	100.0%	
Overall effect			 •	1.03	[1.01; 1.05]		100.0%
Heterogeneity	$I^2 = 69\% [52\%;$	80%], <i>p</i> < 0.		1 2			