					Weight	Weight
Study	TE	seTE	Н	95%-CI	(fixed)	(random)
			_			
BLCA		0.0179	1.00	• •	11.6%	9.1%
BRCA		0.0250	1.00	. , .	6.0%	6.2%
CESC		0.0313	:1	[0.91; 1.03]	3.8%	4.5%
CHOL		0.0572	0.98		1.1%	1.6%
COAD	-0.01	0.0253	0.99	[0.95; 1.05]	5.8%	6.1%
ESCA	-0.02	0.0329	0.98	[0.92; 1.04]	3.4%	4.1%
GBM	-0.03	0.0427	0.97	[0.89; 1.05]	2.0%	2.7%
HNSC	-0.04	0.0175	0.96	[0.93; 1.00]	12.2%	9.3%
KICH	0.05	0.0913	1.08	[0.88; 1.26]	0.4%	0.7%
KIRC	-0.02	0.0255	0.98	[0.93; 1.03]	5.7%	6.0%
KIRP	0.03	0.0403	1.04	[0.96; 1.12]	2.3%	3.0%
LIHC	0.01	0.0217	1.0	[0.97; 1.06]	7.9%	7.4%
LUAD	-0.05	0.0231	0.95	[0.91; 1.00]	7.0%	6.8%
LUSC	0.01	0.0210	1.0	[0.97; 1.05]	8.4%	7.6%
PAAD	0.08	0.0399	1.08	[1.00; 1.17]	2.3%	3.0%
PCPG	-0.00	0.1042	- 1 1.00	[0.81; 1.22]	0.3%	0.5%
PRAD	-0.08	0.0820	0.92	[0.78; 1.08]	0.6%	0.8%
READ	-0.02	0.0486	0.98	[0.89; 1.08]	1.6%	2.2%
SARC	-0.09	0.0229	0.92	[0.88; 0.96]	7.1%	6.9%
STAD	0.00	0.0327	1.00	[0.94; 1.07]	3.5%	4.2%
THCA	-0.15	0.0763	- + 0.86	[0.74; 1.00]	0.6%	0.9%
THYM	-0.07	0.1226	0.93	[0.73; 1.18]	0.2%	0.4%
UCEC	-0.01	0.0252	0.99	[0.94; 1.04]	5.9%	6.1%
Fixed effect model			0.98	[0.97; 1.00]	100.0%	
Overall effect				[0.97; 1.00]		100.0%
Heterogeneity: $I^2 = 26\%$ [0%; 56%], $p = 0.13$						
- •	-	0.5	1 2			