						Weight	Weight
Study	TE	seTE	F	IR	95%-CI	(fixed)	(random)
			<u></u>				
BLCA	-0.00	0.0179	TI.	00	. , .	9.8%	7.0%
BRCA	-0.03	0.0205	0.9	97	[0.93; 1.01]	7.5%	6.6%
CESC	-0.05	0.0283	0.9	95	[0.90; 1.01]	3.9%	5.1%
CHOL	-0.00	0.1134	1.0	00	[0.80; 1.25]	0.2%	0.7%
COAD	0.02	0.0228	1.0)2	[0.97; 1.06]	6.0%	6.1%
ESCA	0.03	0.0419	1.0	03	[0.95; 1.12]	1.8%	3.3%
GBM	-0.00	0.0251		00	[0.95; 1.05]	5.0%	5.7%
HNSC	-0.03	0.0157	0.9	97	[0.94; 1.00]	12.7%	7.5%
KICH	-0.11	0.2263	0.9	90	[0.58; 1.40]	0.1%	0.2%
KIRC	-0.10	0.0242		91	[0.86; 0.95]	5.3%	5.9%
KIRP	-0.12	0.0378	0.8	39	[0.83; 0.96]	2.2%	3.8%
LIHC	-0.12	0.0403	0.8	88	[0.82; 0.96]	1.9%	3.5%
LUAD	-0.07	0.0193	0.9	94	[0.90; 0.97]	8.4%	6.8%
LUSC	0.01	0.0171	1.0	01	[0.97; 1.04]	10.7%	7.2%
PAAD	0.00	0.0330	; † 1.0	00	[0.94; 1.07]	2.9%	4.4%
PCPG	-0.09	0.0998		91	[0.75; 1.11]	0.3%	0.8%
PRAD	-0.10	0.0728	0.9	91	[0.79; 1.05]	0.6%	1.5%
READ	-0.01	0.0449	0.9	99	[0.91; 1.08]	1.6%	3.1%
SARC	-0.09	0.0245	0.9	92	[0.87; 0.96]	5.2%	5.8%
STAD	-0.01	0.0240	0.9	99	[0.95; 1.04]	5.5%	5.9%
THCA	-0.15	0.0582		36	[0.77; 0.96]	0.9%	2.1%
THYM	0.02	0.1269	- ;)2	[0.79; 1.31]	0.2%	0.5%
UCEC	-0.03	0.0208	0.9	98	[0.94; 1.02]	7.3%	6.5%
			1				
Fixed effect model			. • • • • • • • • • •	97	[0.96; 0.98]	100.0%	
Overall effect				96	[0.95; 0.98]		100.0%
Heterogeneity: I ²	= 57% [31%;	73%], p <	.01				
		0.9	1 2				