					Weight	Weight
Study	TE	seTE	HR	95%-CI	(fixed)	(random)
BLCA		0.0141	+ 1.01	. , .	10.9%	7.5%
BRCA		0.0156		[0.93; 0.98]	8.8%	7.1%
CESC		0.0228	l.	[0.99; 1.08]	4.1%	5.3%
CHOL		0.0725	ļ!	[0.90; 1.20]	0.4%	1.0%
COAD	0.03	0.0200	1.03	[0.99; 1.07]	5.3%	6.0%
ESCA	-0.02	0.0367	0.98	[0.91; 1.05]	1.6%	3.0%
GBM	-0.00	0.0299	1.00	[0.94; 1.06]	2.4%	4.0%
HNSC	0.02	0.0146	1.02	[0.99; 1.04]	10.1%	7.4%
KICH	-0.13	0.0835	0.88	[0.75; 1.03]	0.3%	0.8%
KIRC	0.06	0.0180	1.06	[1.02; 1.10]	6.6%	6.5%
KIRP	0.10	0.0346	1.10	[1.03; 1.18]	1.8%	3.3%
LIHC	0.01	0.0131	+ 1.01	[0.99; 1.04]	12.4%	7.8%
LUAD	-0.03	0.0166	0.97	[0.94; 1.00]	7.8%	6.9%
LUSC	0.03	0.0189	1.03	[0.99; 1.06]	6.0%	6.2%
PAAD	-0.00	0.0319	1.00	[0.94; 1.06]	2.1%	3.7%
PCPG	0.18	0.1240	1.20	[0.94; 1.53]	0.1%	0.4%
PRAD	-0.05	0.0775	<del></del>	[0.82; 1.11]	0.4%	0.9%
READ	0.04	0.0404	1.04	[0.96; 1.12]	1.3%	2.6%
SARC	0.03	0.0156	1.03	[1.00; 1.06]	8.8%	7.1%
STAD	0.05	0.0268	1.05	[0.99; 1.10]	3.0%	4.5%
THCA	0.05	0.0572	<del>-   i +</del>	[0.94; 1.18]	0.7%	1.5%
THYM	-0.07	0.0735	0.93	[0.81; 1.07]	0.4%	1.0%
UCEC	0.03	0.0216	1.03	[0.98; 1.07]	4.6%	5.6%
			!			
Fixed effect model			1.01	[1.00; 1.02]	100.0%	
Overall effec	t		1.02	[1.00; 1.03]		100.0%
Heterogeneity: $I^2 = 53\%$ [24%; 71%], $\rho < 0.01$ 1 2						