

deeplearning.ai

## One hidden layer Neural Network

Gradient descent for neural networks

## Gradient descent for neural networks

Parameters: 
$$(n^{(1)}, n^{(2)})$$
  $(n^{(2)}, n^{(2)})$   $(n^{(2)}, n^{(2)})$   $(n^{(2)}, n^{(2)})$   $(n^{(2)}, n^{(2)})$   $(n^{(2)}, n^{(2)})$   $(n^{(2)}, n^{(2)})$   $= \frac{1}{m} \sum_{i=1}^{m} \chi(\hat{y}, y)$   $\chi(\hat{y}, y)$   $\chi(\hat{$ 

## Formulas for computing derivatives

Formal propagation:
$$Z^{(1)} = U_{(1)}X + U_{(1)}$$

$$Z^{(2)} = U_{(2)}X + U_{(2)}$$

$$Z^{(2)} = U_{(2)}X + U_{(2)}$$

Back propagation:

$$\frac{1}{2^{Ti3}} = A^{Ti2} - Y \quad \text{ground truth } \quad Y = [y^{(i)} y^{(i)}, \dots, y^{(m)}]$$

$$\frac{1}{2^{Ti3}} = \frac{1}{m} \frac{1}{2^{Ti3}} A^{Ti3} T \quad (n^{Ti3}, y^{(m)}) \leftarrow (n^{Ti3}, y^{(m)})$$

**Andrew Ng**