CS4062D Introduction to Information Security Assignment 2

By Dev Sony, B180297CS

Github Repo

Compile

To compile a .cpp file from the source directory, use the make command as follows and pass the filename without the extension. The output file will be stored in the build/ folder.

```
// make file=<filename>
make file=RSA
```

Running the Code

To run the code, simply run the output file as per the example given below.

```
// ./build/<filename>
./build/RSA
```

Extra Notes

Utility files have been added in the ultils/ folder. They contain necessary functions to facilitate parameter Generation and Convertions.

Output Screenshots

RSA

512 BITS

1024 BITS

El Gamal

512 BITS

```
    Assignment2 main* make file=ElGamal
g++ g -02 -std=c++12 -pthread -march=native src/ElGamal.cpp -o build/ElGamal -lntl -lgmp -ln

    Assignment2 main* ./build/ElGamal
    Select ElGamal Key Size
    (a) 512
    (b) 1824

Option(default=a):a

You have chose 512 bits for the key.
p = 1934937433061888828758040211214998518047833439738527443487618020086999655596332974595888394405078054012083740385118953517967658164059218278040002787942203
q = 967668716530904410837902018560749925592391671698692637217438050180804548277981664872579401972025350270860418701925594767589538290820296051350200019393971101
g = 5326314866668932046918832309846888028408687147493267991105068463128363653388720435234292573522926149797860571243559499141389659606804747100377414476757129

Private Key(x): MySRDEFTcze0MDCRUKUbubgzMKYSIKRyjKGcotnogkhUrJvgzJBCCjILA+HhKrGqlGe2JLSvelSi_jvi@uvgdosQoA==
Public Key(y): f450gXvdiF5jVesdvzPIAqc2JqLHSdhma6r/08u6dAmFZC8geA/KPZCykKGIJM0ArbF1VqrK+nuJfhj2RRuQ==
Enter message to encrypt: I worked too long for this
c1: zac@23pyLtHDtsAO7xtwJrgPkfVPR4Ad104CwSGRnN-JFF0UBJfkYfalzHX0gzfsHVCFf8z7vNpytXuhQfS7dYQ==
c2: ERKtpSJZLHTY9LTBpGsv40eJYfvZ3H8aCMOvizVIuNUgsA2dtHKjsdzCqMBrXw0FllB10vrenQSzl@mE45pMBzA=

Decrypted Message: I worked too long for this
```

1024 BITS

```
Assignment2 main* make file=ElGamal
g+ -g -02 -std=c+12 -pthread -narch=native src/ElGamal.cpp -o build/ElGamal -lntl -lgmp -lm

Assignment2 main* ./build/ElGamal
Select ElGamal Key Size
(a) 512
(b) 1824

Option(default=a):b

You have chose 1824 bits for the key.
p = 295590196042701430790715719967143162641866416445581619916260697143392336961394965336326542395687198880483191157652951445771835585671511593016661446626575974926331091182601075964986233101635227
p = 2955901960427014307907157199671431626418664164455816199162606971433923369613949653363265423956871988804831915748028437781157652951445771835585671511593016661446626575974926331091182601075964986233101635227
p = 2955901960427014307907157199671431662641866416445581619916260682613302119178437999904241597470142188905788264757228859177928357557965883307233132879874926331091826010759649862331016322776104018990510305133951539517395957452903242908157953753999990424159774014218890578826475722885917792835755796588330723313287987493116558817613
538194819986523446558606742426611724219513134452179610024662662613932121211242771909838801759353975452903225275627626616175999575279611165236381145639399640019021021577455975452903066590377574590306525776527690306479621026127749890840526611741975769506555377574590232309081199265103393195309252756276616175995752796111652363811456393965460018150951108665
57552539091374522046262904755706727968144090804796210261277498098456264117492765080565531752796091809052776276611672363811456393965460018150951108665
575525390913745220415504515909990902734771799749154621799091809065276506167199076767679098465266117990778690665053777459090806659051701670790614767076060665
575525390913795074522904620990902734777197749154621799080786506665
5755253909137950745229046209909027347771977491590616665
575525390913795074522904620990902734777197749749154629065266661179906776690665
5755253909137950745229084620909027347771977497491642769065056537774590908065377745909080653777459090806537774590908065377745909080653777459090806537774590908065377745909080653777
```

ECC

```
Assignment2 main* make file=ECC
g++ -g -02 -std=c++1z -pthread -march=native src/ECC.cpp -o build/ECC -lntl -lgmp -lm

Assignment2 main* ./build/ECC
Enter message to encrypt: Star the repo

Private Key(d): X+M0tQZfyvT02fG0sg738pJJStFUMBki
Public Key(Q): (4126753437005575087436625938374434895466663885821159030816,
4735426855612688157150536069327009319670526556452190591893)

Encrypted Points on ECC:
C1: (3116419985064910705181698949362899155557566126325660768583,
2316287417141645863493737476206775607933907772439623853743)
C2: (3074801721176786251972480126733265022006398894084743575426,
5874215831999356816468150716104672669337113067343459340467)

Decrypted Message: Star the repo
```

Digital Signatures

RSA

El Gamal

ECC

```
> Assignment2 main* ./build/DigitalSignatures
DIGITAL SIGNATURE SCHEMES
(a) RSA Digital Signature
(b) ElGamal Digital Signature
(c) ECC Digital Signature
Option(default=a): c
Enter message to encrypt: MonkeyWingsMadeThis
Private Key(d): M0hNbgfANpiZAjfMvZoqdFyM4VuvKcNw
Public Key(Q): (3967887760309255758371059640884841795496433407434046295585,
899725612231197817264828290843542200687725133079237697876)
Generated Signatures:
r: 2083418992296417579393476490224837474732848644094365920393
s: 5164605475864881561078779651324289825486278999627666407959
Computed R.x: 2083418992296417579393476490224837474732848644094365920393
Signature is Valid.
> Assignment2 main* [7s] ☐
```