Week 2 - Conditional Statements, flow control and functions

This lab sheet will serve as a basic introduction to programming. After this session you will know the basic Python syntax to carry out the following:

- Set up basic variables;
- Write if statements (so called: 'Conditional statements');
- Write while and for loops (so call: 'flow control');
- Define functions:
- Write clear and consistent code.

A YouTube playlist with all the videos for this lab sheet can be found here.

Programming in Python

Python is a programming language. There are various other programming languages:

- Java
- C
- C++
- Ruby
- VBA

and many more.

A programming language allows you to write a **program** which is a **sequence of instructions that specifies how to perform a computation**.

When writing a program one makes use of an Integrated Development Environment: **IDE**. There are various (freely available) IDE's:

- Eclipse
- IDLE
- Vim

and many more. We will be using the simplest Python IDE available: IDLE which comes bundled with Python (in your own time be sure to investigate others as it is a question of personal choice).

1. **TICKABLE**: Open up IDLE and in the **interpreter** type the following code (as shown in Figure 1) and press ENTER:

```
\mathbf{print} "Helloworld"
```

Video hint

2. For short bits of code typing directly in to the interpreter is fine (and in fact sometimes very helpful). However, for longer pieces of code one needs to write a file containing all the commands. Open a script and type the same code as above (as shown in Figure 2):

```
print "Hello⊔world"
```

Send this code to the interpreter (you will be asked to save the file: choose a name and system that will be helpful to you and that you stick with for the rest of the course: W02.py).

Figure 1: Hello world.




Figure 2: Hello world in a file.

Basic variables

A variable is one of the basic building blocks used by a program. Variables may be of various types.

3. **TICKABLE**: Experiment with the following code which creates variables (by assigning them a value) and checks what type they are using the type function.

```
num1 = 23
print type(num1)
num2 = 23.5
print type(num2)
str1 = "Helloworld!"
print type(str1)
```

4. We can carry out basic arithmetic operations using Python. Take a look at the following:

```
num = 2
num = num +3
print num
```

Video hint

this can however also be written:

```
\begin{array}{l} \text{num} = 2 \\ \text{num} += 3 \\ \textbf{print} \text{ num} \end{array}
```

Simlarly, -, *, / and ** can be used for:

- subtraction;
- multiplication;
- division;
- exponentiation.

Video hint

5. **TICKABLE**: Assign the variable num to a value of 5.2, what is the result of adding 7 to num then muliplying num by 300 then dividing num by 4 and finally raising num to the power of 3?

Video hint

6. TICKABLE: We can carry also manipulate strings. Try out the following:

```
str1 = "This_is_a_string_that_I_will_learn_to_manipulate"
str2 = ", string_manipulation_is_very_useful."
string = str1 + str2
print string
print len(string)
print string[0]
print string[-1]
print string[3:7]
```

We see that Python indexes a string, starting at 0, we can also use negative values to start from the end.

```
index = str1.index("string")
print index
print str1[index:index + len("string")]
```

There are various other things that can be done "on" strings, be sure to research these.

Video hint

7. It is possible to go from one type of variable to another.

```
f = 10.2
print int(f)
print float(int(f))

s = str(f)
print s
print type(s)
```

It is also possible to write strings using other variables.

```
numberofcats = 2
name = "Vince"
height = 1.7
notborn = "the_UK"
```

One way to do this would be:

```
string = "My \_ name \_ is \_ " + name + ", \_ I \_ am \_ " + str(height) + "\_ metres \_ tall, \_ have \_ " + str(number \_ tall) + str(number
```

Python (and most other languages) has a nicer way of doing this:

```
string = "My \_ name \_ is \_ \%s, \_ I \_ am \_ \%.2 f \_ metres \_ tall, \_ have \_ \%i \_ cats \_ and \_ was \_ not \_ born \_ in \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s, \_ I \_ am \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s, \_ I \_ am \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s, \_ I \_ am \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ \%s) = "My \_ name \_ is \_ \%s" \% (name \_ is \_ name \_ is \_ \%s" \% (name \_ is \_ name \_ name \_ is \_ name \_ i
```

The % is used to denote that a value must be input in to the string. The symbols after the % say what type of value is to be included:

- s: A String
- .xf: A float rounded to x decimal places
- i: An integer

There are other types that can be used as well.

Video hint

If statements

8. An if statement allows you to tell a program to carry out something based on the value of a Boolean variable.

```
boolean = True
if boolean:
    print "boolean is _%s" % boolean
```

Try typing the above code but change boolean to False. Note: in Python, indentation is important! In all languages it is good practice, in Python it is a requirement.

It is easy to create boolean variables using the following:

- < strictly less than
- \bullet > strictly greater than
- \leq less than or equal
- >= greater than or equal
- != not equal
- == equals Note: this is a test of equality as opposed to the basic = which is an assignment.

It is also possible to give alternatives to an if statement:

(The % operator gives the remainder of one number when divided by another.)

Video hint

Spend some time understanding the elif statement.

9. **TICKABLE**: Find some information on the raw_input statement and write some code that prompts a user to input a string. If the length of that string is more than 10 then print "that string has length strictly more than 10" otherwise "that string has length less than 9".

Video hint

Loops

An important type of programming instruction allows us to make a program repeat certain things. These are also referred to as loops. There are two basic types of loops "count controlled loops" and "event controlled loops".

10. The range() function in Python allows us to create a list of integers easily. A list is a new type of variable that we will look at more closely next week:

```
print range (10)
```

Note that this gives a list starting at 0 of size 10 (so it goes up to the integer 9). We can include 2 arguments in to this function:

```
print range (3,10)
```

We can also include 3 arguments:

```
print range (0, 10, 2)
```

Using range() we can use the basic for loop in Python (a type of count controlled loop):

```
for i in range (10): print i
```

The first line of the above defines the iterator i and tells it the values it will go through as shown in Figure 3.




Figure 3: A basic For loop

We can in fact iterate over anything in a list:

```
for e in ["dog", "cat", 3, "I_{\square}love_{\square}mathematics"]: print e
```

This allows us to do various interesting things. Try the following:

```
s = 0

for i in range(1001):

s += i

print s
```

Video hint

11. **TICKABLE**: Modify the above code so that it calculates the sum of the first integers less than 1000 that are not divisible by 3.

Video hint

12. Event based loops are implemented in Python using a while command that keep repeating a set of commands until a boolean variable is False.

```
k = 0

while k < 10:

    print k

    k += 1
```

The second line of the above checks the boolean variable k < 10 and as long as this is True loops through the rest of the commands as shown in Figure 3:

Video hint

13. **TICKABLE**: Write some code to find N such that $\sum_{i=0}^{N} i^2$ is more than 20000.

Video hint

14. It can be shown (you are not required to check this) that the following sequence:

$$x_{n+1} = \frac{x_n + K/x_n}{2}$$

approaches \sqrt{K} as n increases. Write some code to verify this to any given level of precision.

Video hint

- 15. Take a look at the random Python library (we will talk about libraries in detail later) and write some code that uses the input function to code a simple game:
 - The program chooses a random integer;
 - The user tries to guess the integer;
 - At every guess the program indicates if the guess is too high or too low.

Video hint

Functions

To be able to make progress from the basic on this sheet we need a way to write "recycle" code: functions. Much like mathematical functions, functions in programming can take multiple arguments and carry out tasks with those arguments as shown diagramatically in Figure 5.

16. The following code defines a very simple function (with no arguments):

```
def printhello():
    print "Hello"
```

The name of the function is PrintHello and def is the Python syntax used to define it. When we run the above two lines of code, nothing is output. To call the function we simply write:




Figure 4: A basic while loop




Figure 5: A diagram of a function

```
printhello()
```

We can modify our function to take an argument:

```
def printhello(name):
    print "Hello, " + name
```

Video hint

17. The following function makes use of the return call to actually return a result of the function:

```
def mydiv(a, b):
    return a/b
```

Video hint

18. **TICKABLE**: Include a check in the MyDiv function to ensure that no division by 0 is attempted.

Video hint

19. **TICKABLE**: Create a function that returns the sum of the first K integers not divisiable by B. Investigate "using optional arguments" and set K and B to have default values 10000 and 3 respectively.

Video hint

- 20. Create a function that return the square root of a number using the algorithm suggested in question 14. Write some code that compares the output of this algorithm to the actual square root for the first 10000 digits.
- 21. **TICKABLE**: Write a function Fibonacci that uses loops to calculate the *n*th number of the Fibonacci sequence:

$$X_n = \begin{cases} 1, & n = 0, 1 \\ X_{n-1} + X_{n-2} & \end{cases}$$

Video hint

Writing clear code

When writing code it is **very important** to include comments throughout. How well commented code is will be evaluated throughout this module. Comments should be thought of as messages explaining what instructions are being given by the code. This is useful to the writer of the code but more importantly to anyone who might want to add/modify the code.

There are two ways of writing comments in Python:

- Use the # to indicate to the interpreter that everything that is about to follow on a given line is to be ignored.
- Use """ to indicate the beginning and end of multi line comments (note that this can also be used to write multi line strings).
- 22. The following is an example of a single line comment in the middle of some code:

```
num = 2
num += 3  # Add 3 to num
print num
```

def myfunc(a,b):

23. The following is an example of a multilined comment in the definition of a function:

```
This function calculates the ratio of two numbers raised to the sum of the two numbers.

Arguments:
a: the first number
b: the second number

Output: (a / b) ** (a + b)

"""

return (a / float(b)) ** (a + b)
```

- 24. **TICKABLE**: One final aspect that is very important when writing code is **convention**. When working on a project with multiple people for example being able to use the same convention can be very beneficial. The most commonly known convention for Python is PEP8. You are advised to use the following general summary of PEP8 for this course:
 - Variable and function names

Use a descriptive lowercase (all lowercase characters) for variable and function names.

```
Yes:
```

```
myvariable
sqrtvar
var
myfunction
No:
my_variable
SqrtVAR
MyFunction
```

MYFUNCTION

On some occasions it might be appropriate to make some exceptions (for example using a single letter for a very simple variable).

• White spaces

```
Include a whitespace between operators (+, -, \text{etc}) and a whitespace after a comma,.
```

```
Yes:
print 2 + 2
myfunc(3, 4)
No:
print 2+2
myfunc(3,4)
Include 2 whitspaces before an inline comment \# at the end of a line of code.
Yes:
# Just leave a space after the comment symbol if on a single line
print 2 + 2 # but if you comment at the end of a line leave 2 whitespaces.
print 2 + 2 # So this is not enough space.
Also include two blank lines before the definition of a function.
Yes:
print 2 + 2
def myfunc():
    print 2 + 2
No:
```

• Comments

def myfunc():

print 2 + 2

print 2 + 2

Comment well and comment often. In particular use the following convention for functions:

```
afunc ():
```

Always start a function with a multiline comment to describe what it does.

Arguments: List the arguments and what format they should be in.

 $Output:\ List\ the\ expected\ output\ of\ the\ function\,.$

As and when we see new topics on this course we will also discuss the corresponding conventions. Go back through your script and ensure that you have used the above convention.