

Negative Binomial

Parametrisation

The negative Binomial distribution is

$$\text{Prob}(y) = \frac{\Gamma(y+n)}{\Gamma(n)\Gamma(y+1)} p^n (1-p)^y$$

for responses $y = 0, 1, 2, \dots$, where

n : number of successful trials, or dispersion parameter. Must be strictly positive, need not be integer.

p : probability of success in each trial.

Link-function

The mean and variance of y are given as

$$\mu = n \frac{1-p}{p} \quad \text{and} \quad \sigma^2 = \mu \left(1 + \frac{\mu}{n}\right)$$

and the mean is linked to the linear predictor by

$$\mu = E \exp(\eta)$$

where the hyperparameter n (or the *size*) plays the role of an overdispersion parameter. E represents known constant and $\log(E)$ is the offset of η .

Hyperparameters

The overdispersion parameter n is represented as

$$\theta = \log(n)$$

and the prior is defined on θ .

Specification

- family = `nbinomial`
- Required arguments: y and E (default $E = 1$).

Hyperparameter specification and default values

hyper

theta

```
name size
short.name size
initial 2.30258509299405
fixed FALSE
prior loggamma
param 1 100
to.theta function(x) log(x)
from.theta function(x) exp(x)
```

survival FALSE

discrete TRUE

Example

In the following example we estimate the parameters in a simulated example with negative binomial responses and assign the hyperparameter θ a Gaussian prior with mean 0 and precision 0.01

```
n=100
a = 1
b = 1
E = rep(1,n)
z = rnorm(n)
eta = a + b*z
mu = E*exp(eta)
size = 15
prob = size/(size + mu)
y = rbinom(n, size=size, prob = prob)

data = list(y=y,z=z)
formula = y ~ 1+z
result = inla(formula, family = "nbinomial", data = data, E=E,
              control.data = list(hyper = list(
                                theta = list(
                                  prior="gaussian",
                                  param = c(0,0.01))))))

summary(result)
```

Notes

As $n \rightarrow \infty$, the negative Binomial converges to the Poisson distribution. For numerical reasons, if n is too large:

$$\frac{\mu}{n} < 10^{-4},$$

then the Poisson limit is used.