



Leopold-Franzens-Universität Innsbruck

Institute of Computer Science
Interactive Graphics and Simulation Group

Virtual Reality

Einführung in das Wissenschaftliche Arbeiten
Seminarreport

Maximilian Sieß

advised by
Prof. Dr. Matthias Harders

Innsbruck, May 28, 2015

1 Abstract

The dream of feeling present at another location than one actually is at is becoming reality with the advent of virtual reality developments. Display technology, software and input devices have evolved enough to make this dream possible enough to be exciting and useful in many different areas. The drawbacks to them that still prevent the user to fully forget that they are seeing a simulation realized by computer graphics get diminished more and more, increasing the intensity of the intended effect.

2 Introduction

Virtual Reality is the attempt to use technology, such as head mounted display devices, and computer generated graphics, to allow the user to experience a sense of presence in a virtual environment. This is used in a wide variety of cases, including but not limited to entertainment, education, medical therapy, research, and visualization. Virtual Reality has the potential to fundamentally change the way we experience, and interact with, data and software.

2.1 Definitions

2.1.1 Virtual Reality

Virtual Reality, or VR for short, is the field of computing that aims to create a virtual world, allowing the user to enter, experience and interact with it, by using specific devices to simulate the virtual environment and the feedback it would provide in order to make the experience as real as possible. [3]

2.1.2 Immersion

Immersion can be differentiated into three different forms. *Engagement*, which has to come from the subject, not the medium. *Engrossment*, which depends on how the software is designed, and is important to affect a subjects emotions, if that is intended. And lastly *total immersion*, or the sense of presence. Total immersion can be understood as what happens when someone is fully engulfed by a piece of media, like a book, movie, or computer game. [4]

Total immersion can also, in the case of VR, be taken more literally as the “extent to which a person’s cognitive and perceptual systems are tricked into believing they are somewhere other than their physical location”. [11] Users

of the Oculus Rift have been recorded to be so immersed in the simulation, that they tried to interact with virtual objects by reaching out them them, to for example touch or grab them. [1]

2.1.3 Telepresence

Telepresence is defined as to have the experience that one is present at another location than his or her physical one. This name has been coined by Marvin Minsky in the 1980s. [8] While Minsky's definition had in mind that ones actions have consequences at another physical location somewhere, which is not necessarily true for VR, Virtual Reality follows the same concept.

3 Related Work

3.1 Technology

3.1.1 Head-Mounted Displays

Today, the most common form of how Virtual Reality is realized is via head-mounted displays. Goggles with a high density display in it, the same as used in phones. Utilizing special lenses and stereoscopic vision to create a believable view into the virtual environment.

Examples for headsets like these would be the *Oculus Rift* by Oculus VR and one under the working title of *Project Morpheus* by Sony. Both are very similar in execution and produce a VR experience of similar quality. [5]

At the time of this writing, both have not seen a commercial release, although a development kit for the Oculus Rift is available for purchase.

3.1.2 Software

Programming software for virtual reality does not differ much from regular computer graphics programming. Most commercial vendors offer their own



Figure 1: A Oculus Rift DK1 Headset and HDMI/DVI Converter Box

API that helps translating a virtual camera to a two camera 3D setup. It was found however, that how the camera is used is imperative to not give the user of the virtual reality headset motion sickness or other unpleasant side effects. [13]

For example, moving the camera without the user moving their head has resulted in severely negative feedback from users. The Oculus Rift Best Practices Manual states that "Acceleration creates a mismatch among your visual, vestibular, and proprioceptive senses; minimize the duration and frequency of such conflicts. Make accelerations as short (preferably instantaneous) and infrequent as you can." [14]

3.1.3 Input Devices

With headmounted displays, vision, the groundwork for a feeling of presence in virtual reality, is laid out. Headsets or surround sound systems have been shown to suffice for the audio representation of the virtual environment. Moving around naturally has proven difficult, however. While virtual reality demos often use a gamepad, it is less than ideal for upholding a sense of presence. The abstract translation from an analogue stick to moving oneself in virtual space, or interact with one's surroundings, is not very intuitive. [12] Some of the earliest virtual reality input devices were wired gloves, using fiber optics, conductive ink and mechanical sensors to determine the state of the users hands. [3] Other, later developments were done with wands, like the Nintendo Wii motion-sensor controller or the Sony Move Controller. [3] And another way to realise input is to use computer vision, by using 3D cameras that record infrared, or end user devices such as the Microsoft Kinect, or the Sony Playstation Eye. [3]

3.2 Applications of Virtual Reality

Most virtual reality hardware developed at this time is geared towards the entertainment business, with a special focus on simulation software, such as flight simulators, and video games. Yet VR can also be used for more humanitarian ways or scientific studies. Games made for these purposes are called *serious games*, and are being used to, for example, allow the user to examine scanned, centuries old manuscripts of which only one copy exists, at a virtual table. [7]

Virtual reality can be used to visualize and teach subjects in ways that were inaccessible before. Teaching history by visiting locations or events of historical importance, for example. [9]

Interest in virtual reality for training simulation purposes by the military is one of the most important one when it comes to investment and deployment. [10]

Perhaps unexpected are the numerous ways virtual reality was found to be useful in medical treatments. From distracting patients from intense pain during treatments, by allowing them to feel like they are somewhere else [6], to help patients with Diplopia (commonly known as lazy eye) to see three dimensionally again and potentially even improve their vision. [2]

4 Discussion

With head-mounted displays, headphones and gloves, suspension of disbelief is easier than it ever has been before. All these technologies seem to work towards the same goal, to have total immersion without any barriers diminishing the feeling of presence.

At the moment, there are still many of these barriers remaining. The lack of intuitive input devices, the small imperfections of current head-mounted displays, and not very far research of virtual reality software. However, total immersion is being reported by users to be reached at least most of the time. [1]

5 Conclusion

The level of immersion achievable by technology available today, namely the Oculus Rift Development Kit, is already enough to use virtual reality effectively already, as many studies and experiments have shown.

Once the first VR headset is commercially released for end users, even more applications and developments are going to find new and innovative ways to use telepresence and total immersion in beneficial, innovative, or simply entertaining ways.

References

- [1] T Bastiaens, Lincoln C Wood, and Torsten Reiners. New landscapes and new eyes: The role of virtual world design for supply chain education. *Ubiquitous Learning: An International Journal*, 2014.

- [2] James Blaha and Manish Gupta. Diplopia: A virtual reality game designed to help amblyopics. In *Virtual Reality (VR), 2014 IEEE*, pages 163–164. IEEE, 2014.
- [3] Yuri Antonio Gonçalves Vilas Boas. Overview of virtual reality technologies. In *Interactive Multimedia Conference 2013*.
- [4] Emily Brown and Paul Cairns. A grounded investigation of game immersion. In *CHI '04 Extended Abstracts on Human Factors in Computing Systems*, CHI EA '04, pages 1297–1300, New York, NY, USA, 2004. ACM.
- [5] Ishan Goradia, Jheel Doshi, and Lakshmi Kurup. A review paper on oculus rift & project morpheus. 2014.
- [6] Hunter G Hoffman, Walter J Meyer III, Maribel Ramirez, Linda Roberts, Eric J Seibel, Barbara Atzori, Sam R Sharar, and David R Patterson. Feasibility of articulated arm mounted oculus rift virtual reality goggles for adjunctive pain control during occupational therapy in pediatric burn patients. *Cyberpsychology, Behavior, and Social Networking*, 17(6):397–401, 2014.
- [7] Cristian Lorenzini, Marcello Carozzino, Chiara Evangelista, Franco Tecchia, Massimo Bergamasco, and Alexandra Angeletaki. Serious games for disseminating the knowledge of ancient manuscripts: a case study. *SCIRES-IT*, 3(2):135–142, 2013.
- [8] Marvin Minsky. Telepresence. 1980.
- [9] Lidunn Mosaker. Visualising historical knowledge using virtual reality technology. *Digital Creativity*, 12(1):15–25, 2001.
- [10] Michael Moshell. Three views of virtual reality: virtual environments in the us military. *Computer*, 26(2):81–82, 1993.
- [11] Emilee Patrick, Dennis Cosgrove, Aleksandra Slavkovic, Jennifer A. Rode, Thom Verratti, and Greg Chiselko. Using a large projection screen as an alternative to head-mounted displays for virtual environments. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '00, pages 478–485, New York, NY, USA, 2000. ACM.

- [12] Heinrich H. Bühlhoff Roy A. Ruddle, Ekaterina Volkova. Learning to walk in virtual reality. *ACM Transactions on Applied Perception*, 10(2), may 2013.
- [13] Tuomas Seppänen. Unwanted side effects of immersive virtual reality using head-mounted displays.
- [14] Richard Yao, Tom Heath, Aaron Davies, Tom Forsyth, Nate Mitchell, and Perry Hoberman. Oculus vr best practices guide. *Oculus VR*, 2014.