

# HACK-VOUCHER

A  
Project Report  
Submitted for the partial fulfillment  
Of  
**Bachelor of Technology**  
in  
**Information Technology**

By  
**Nisar Ahmad (1805213033)**  
**Pramod Arya(1805213040)**  
**Shivam Shrivastava(1805213053)**

Under the guidance of

**Dr. Manik Chandra**

**Mr. Ajit Shukla**



Department of Computer Science and Engineering  
Institute of Engineering and Technology, Lucknow  
Dr. A.P.J. Abdul Kalam Technical University, Lucknow, Uttar  
Pradesh.

May 2022

## **CONTENTS**

DECLARATION	3
CERTIFICATE	4
ACKNOWLEDGEMENT	5
ABSTRACT	6
LIST OF FIGURES	7
LIST OF TABLES.	7
1. INTRODUCTION	8
2. LITERATURE REVIEW	9
2.1 RELATED WORKS.	9
2.2 MOTIVATION	10
3. METHODOLOGY	10
3.1 SYSTEM DESIGN.	11
3.1.1 DATA FLOW DIAGRAM.	12
3.1.2 TERMINOLOGIES USED	15
3.2 ONBOARDING FLOW	16
3.2.1 SIGN-UP FLOW	17
3.2.2 SIGN-IN FLOW	18
3.3 DASHBOARD	19
3.4 VOUCHER	20
3.4.1 ADD VOUCHER	21
3.4.2 BUY VOUCHER	22
3.5 PAYMENT	23
3.6 PROFILE...	24
4. PLAN OF ACTION...	25
5. CONCLUSIONS.	27
REFERENCES.	28
Annexure	29

## **Declaration**

We hereby declare that this submission is our own work and that, to the best of our belief and knowledge, none of the material in this submission has been published or written by anyone else or has been accepted for consideration for a degree or diploma from any university or other institution of higher learning except where acknowledgement is given.

Submitted by: -

Date: 20-05-2022

(1) Name: Nisar Ahmad

Roll No.: 1805213033

Branch: Information Technology

Signature:

(2) Name: Pramod Arya

Roll No.: 1805213040

Branch: Information Technology

Signature:

(3) Name: Shivam Shrivastava

Roll No.: 1805213053

Branch: Information Technology

Signature:

## **Certificate**

This is to certify that the project report entitled “Hack-Voucher” presented by Nisar Ahmad, Pramod Arya and Shivam Shrivastava in the partial fulfillment for the award of Bachelor of Technology in Computer Science and Engineering, is a record of work carried out by them under my supervision and guidance at the Department of Computer Science and Engineering at Institute of Engineering and Technology, Lucknow.

It is also certified that this project has not been submitted at any other Institute for the award of any other degrees to the best of my knowledge.

Dr. Manik Chandra

Department of Computer Science and Engineering  
Institute of Engineering and Technology,  
Lucknow

Mr. Ajit Shukla

Department of Computer Science and Engineering  
Institute of Engineering and Technology,  
Lucknow

## **Acknowledgement**

We would like to express my greatest appreciation to all individuals who have helped and supported me throughout the project. We are thankful to our Project Supervisor Dr.Manik Chandra and Co-Supervisor Mr. Ajit Shukla for his ongoing support during the project, from initial advice, and encouragement, which led to the final report of this project.

We would like to thank our classmates and friends who contributed to the completion of this project by exchanging interesting ideas and sharing their experiences with us. We wish to thank our parents as well for their undivided support and interest who inspired us and encouraged us to go our own way, without whom we would be unable to complete our project.

In the end, We want to thank our friends who displayed appreciation for our work and motivated us to continue our work.

(1) Name: Nisar Ahmad

Roll No:1805213033

Branch: Information Technology

Signature:

(2) Name: Pramod Arya

Roll No.: 1805213040

Branch:Information Technology

Signature:

(3) Name: Shivam Shrivas

Roll No:1805213053

Branch:InformationTechnology

Signature:

## **Abstract**

As a result of the pandemic, our country has undergone a wave of digital transformation over the past two years. As a result of lack of choice, concerns about safety, or just convenience, consumers have been taking to digital means to fulfill their needs. This change in behavior boosted the growth of the e-commerce industry in India. Due to an increase in internet and smartphone penetration, that segment had already experienced rapid growth, but the pandemic tripled it. Payments for everything, from groceries to clothes to books to personal care products, are now made online. This has led to the growth of e-commerce companies like Flipkart, Amazon, and Myntra.. due to that e-commerce companies like flipkart, amazon, myntra, zomato etc offer vouchers/gifts cards to promotes the online transactions and payments but The voucher/gifts that we receive from e-commerce website are getting waste because most of them are of not our use , so by seeing this scenario we motivate to use these voucher to exchange with other so that these voucher are used by other and we also used other vouchers that are of our use by exchanging with money or point. So basically we created a full stack web application ,where users can buy and sell the voucher.Voucher are the ecommerce rewards or virtual gifts that users get when they do any kind of transaction from these ecommerce websites. E-commerce websites that provide vouchers are google pay, amazon pay, bhim upi.

The objective of this paper is to develop a full stack web application system for buy and Sell the unused vouchers. The system was developed using NodeJS and MongoDB as server side programming and database respectively.

## List of Figures

Figure Detail	Page No.
<i>Fig 3.1 shows Data flow diagram using users validation</i>	11
<i>Fig 3.2 shows User Schema diagram</i>	12
<i>Fig 3.3 shows coupon Schema diagram</i>	13
<i>Fig 3.4 shows stages of the Software Cycle Action plan.</i>	15
<i>Fig 3.5 shows signup screen UI</i>	17
<i>Fig 3.6 shows sign in screen UI</i>	18
<i>Fig 3.7 shows the dashboard screen</i>	19
<i>Fig 3.8 shows the vouchers</i>	20
<i>Fig 3.9 shows add vouchers</i>	21
<i>Fig 3.10 shows the buy vouchers</i>	22
<i>Fig 3.11 shows payments integration UI</i>	23
<i>Fig 3.12 shows payment interface</i>	23
<i>Fig 3.13 shows users profile</i>	24
<i>Fig 3.14 shows plan of action</i>	25

## List of Tables

Table Detail	Page No.
<i>Table 4.1 Plan of Action Time Chart</i>	25
<i>Table 4.2 Plan of Action Timesheet</i>	26

## **Chapter 1 - Introduction**

Hack Voucher is a full stack web application ,where users can buy and sell the voucher.Voucher are the ecommerce rewards or virtual gifts that user gets when they do any kind of transaction from these ecommerce websites. E-commerce websites that provide vouchers are google pay, amazon pay, bhim upi.

In this project we are making voucher hosting platform in which we get the some vouchers from different e-commerce website like google pay, amazon pay, bhim upi etc which are when we redeem, some come out blank and some of no use of us .If we have got the coupon, which is our waste coupon/that is of no use we can host these coupons on this website and the user who have need of that coupon buy in exchange of coins. So basically, In this Project which we are building, a voucher hosting platform user can sell vouchers there. and can purchase useful vouchers like discount coupons, cashback coupons etc .

This is the key of the project . We also get some bank discounts, coupons from shopping websites like myntra, flipkart, amazon. Some trading account coupons that are of no use for us, but can be useful to others. Our Platform will identify blank vouchers, or non-usuable to us and we can use them for our profit to earn money. Here user can buy and sell their voucher at the same place without moving back and forth at a dashboard that is on a home where all the listed vouchers are hosted.

## **Chapter 2 - Literature Review**

Form the last decade the era of gift voucher or gift card raise a very high.Due to which the hike in the ecommerce website is gradually increase so by seeing that ecommerce websites try to provide a voucher to a user in which their is discount on the product so that user used more e-commerce website by seeing that large amount of discount on product.Before pandemic we usually gift cards physically to ours relatives friends and close one .but due to lockdown and pandemic gifts the cards physically are not possible.so consideration the problems that arise due to pandemic we can gifts the cards and offer vouchers discount coupon virtually over the internet to our family member relatives friends and close ones. That vouchers or coupon that we get from different e-commerce website for promoting their brand.

At last ,we would like to convey that for trusting online transactions the e-commerce companies start giving gifts cards and vouchers to their users for their trust and promoting themselves so e-commerce companies give coupons like discount on other apps , cashbacks that are the part of their strategy for promoting online transactions, shopping etc.

### **2.1 Related Work**

#### **Zingoy**

Zingoy is an application where user get a cashback and rewards when they buy a voucher through Zingoy. Zingoy also give a cashback when user create a account on it. User also get a cashback and rewards when they share a zingoy website link to their friend in each referral user who send a web application link and the one who create a profile get the rewards.Creation of Zingoy link is easy there is a option of share in the profile section from where on clicking on share a link is create having a link of the Zingoy plus the referral code of the user, User who want to create a account click on the link and it redirect user to the web application registration page where normal detail of the user required plus there is one option of providing a referral code if you have that referral code then on providing it use and your friend get a some amount of rewards. Zingoy contacts the e-commerce website and give their voucher to their user.

In Zingoy their are buyer who sell their voucher on the basis of their needs.zingoy basically provide us platform where we can buy the e-gift cards and we need to redeem e-gift cards,voucher to the particular showroom to get the benefits of that voucher.

## **2.2 Motivation**

The vouchers that we receive from e-commerce websites are getting wasted because most of them are of not our use , so by seeing this scenario we are motivated to use these vouchers to exchange with others so that these vouchers are used by others and we also use other vouchers that are of our use by exchanging with money or points.

It is a full stack web application ,where users can buy and sell the voucher.Voucher are the ecommerce rewards or virtual gifts that user gets when they do any kind of transaction from these ecommerce websites. E-commerce websites that provide vouchers are google pay, amazon pay, bhim upi.

## **Chapter 3 – Methodology**

### **Some of the main features of the our application will be as follows:**

- Authentication and authorized user using passport.js.
- Add vouchers section where we can add the vouchers in that application.
- We take the details of vouchers like voucher name , company name, voucher code that all the information related to that particular vouchers is verified by admin .
- Displaying all the vouchers in different views at the home page.
- Buy vouchers link on all the vouchers from where we can buy any card.
- Profile section for all the users where tracking of remaining of wallet    money quantity of host vouchers and buy vouchers and likes.
- Dedicated section for filtering of vouchers with different checkboxes for both on the basis of price and company.
- Available vouchers are filtered according to users interest.

### **3.1 System Design**

#### **3.1.1 Data Flow Diagram**

The system design of our web application is described using data flow diagrams.




Figure 3.1- shows the data flow diagram of the user authentication module.

here we validate the users by user id and password.




Figure 3.2 – User Schema diagram showing the various properties of user




Figure 3.3 Coupon Schema showing the properties of coupon.

**Major technologies used are described as follows:**

- Backend- NodeJS, ExpressJS
- GUI Frontend- HTML/CSS, Bootstrap, JavaScript
- IDE- Visual Studio Code
- Database- MongoDB
- Version Control System- Git Bash, Github
- Deployment Platform- Heroku
- Other tools- Postman, MongoDB Compass.

### 3.1.2 Terminologies Used




Figure 3.4 shows stages of the Software Cycle Action plan.

- PRD (Product Requirement Document)

All the requirements of a certain product are contained by a product requirement document (PRD) . It helps the team to get a clear understanding of the product's objective. However, a PRD does not define technical parts of the product .It is a document by looking that developer and designer use their own skill to create a product.

- ERD (Engineering Requirements Document)

The goal and purpose of a new component is described by an engineering requirement document (ERD) like a PRD. An ERD tells how engineers should proceed, why a part is being build and what purpose it fulfills. By ERD engineers ensure that customer needs are satisfied.

- Software development Life Cycle (SDLC) model:

- Agile model

Agile software development is a collection of several software development methodology which are based on certain development methods by which different functional team collaborate in a project. Agile process ensures discipline projects management process with certain features like accountability, self-organization, encourages teamwork, promotes leadership philosophy, adaptation and frequent inspections. It is a best set of engineering practices which allow developers to allow rapid delivery of high-quality software. It also ensures best business approach which not only satisfies customer needs but also fulfills company goal. The concept of Agile Manifesto is aligned with development process of agile process

#### Deployment Phases:

- Staging on Heroku
- Production (on AWS)

The duration of sprint will be of one month for PRD, ERD and UI development, it will utilize first two sprints, as it is not dynamic but static. Hence this makes integration and testing of project much easier. Agile model's incremental aspect will be used for backend features. Implementation of certain features like authentication, user model, etc will be done in prototype. Addition of certain features will be integrated into the solution of subsequent prototypes of the application. The backrest two sprints and will minimum take three sprints after which are allocated for PRD, ERD and UI development

## **3.2 Onboarding Flow**

### **3.2.1 Sign-up Flow**

The screenshot shows a sign-up form for a website called "HACK Vouchers". The form fields include:

- Name: John Doe
- Email address: name@example.com
- Password
- Confirm Password
- Subscribe to our newsletter to grab on latest deals


A large orange button at the bottom right of the form area says "Welcome to our extended Family".

At the bottom of the page, there is a dark grey footer bar with the text "Copyright2021@ Team Bihu-Bihu".

*Figure 3.5 shows Signup screen UI*

For user to use our website they have to registered on our website for that they have to fill a general detail by which we identify them and using which they login in our website.The detail that they have to fill are Name of user,Email address, Password and Confirm Password .Once user fill these details user are registered in our website.

### 3.2.2 Sign-in Flow




*Figure 3.6 shows sign in screen UI*

Once a user is registered, they have to login/sign-in by using a email id and password that they provided at the time of registration in our website.If the detail that user provided is matched with the details that are in our database ,used is allowed to login.

### 3.3 Dashboard

Dashboard is the page which will act like the main menu of the website. It has a feature showing the profile of the user , filter of vouchers, sign out, available coupon/vouchers, numbers of registered users , Number of vouchers , number of vouchers exchanged. Dashboard contains the links of all the pages like add voucher , profile.



Registered Users	Available Coupons	Total Exchange
3	7	1

Figure 3.7 shows the Dashboard

### 3.4 Voucher

This section shows the details of vouchers like voucher title, voucher description, name of online store, price of voucher.




Figure3.8 shows the voucher

### 3.4.1 Add Voucher

This section allows users to add their voucher which is to be sell .Users add the voucher by filling all the details in our “Seller Form” like Title ,name of Online store, Description, voucher code.

The screenshot shows a web page titled "HACK Vouchers". At the top right, there are links for "Home", "profile", and "signOut". The main content is a form for adding a voucher. The fields are as follows:

- Title:** 50% OFF....
- Name of Online Store:** FLIPKART
- Description:** (empty field)
- Mention any minimum cart limit (if applicable):** Enter in rupees
- Voucher/Coupon code:** Enter code here

At the bottom of the form is a large orange "SUBMIT" button. The footer of the page contains the text "Copyright2020@ Team Bihu-Bihu".

Figure 3.9 add the voucher

### 3.4.2 Buy Voucher

This section allows user to buy the vouchers that are available on the home page .For that they have to click on the card link and then the voucher is open with all detail and then on clicking on buy option it is added to user profile.

The screenshot shows a web application interface for 'HACK Vouchers'. At the top left is the logo 'HACK Vouchers'. To its right are navigation links: 'Home', 'Add Voucher', 'profile', and 'signOut'. On the far left, there is a sidebar titled 'Available Stores' with checkboxes for Reliance, Flipkart, Amazon, ShopClues, Snapdeal, and Citykart. Below this is a 'Filter' button. The main content area displays a grid of voucher cards. Each card has a title, store name, discount details, and two links at the bottom. The cards are arranged in four rows:


- Row 1:** 25% off Watches (Amazon), 15% off on Spec (Lenskart), 15% off on Spec (Lenskart)
- Row 2:** 15% off on Spec (Lenskart), 15% off on Spec (Lenskart), 15% off on Spec (Lenskart)
- Row 3:** 15% off on Spec (Lenskart), 15% off on Spec (Lenskart), 15% off on Spec (Lenskart)
- Row 4:** 15% off on Spec (Lenskart), 12% off on Specs (Lenskart)

Each card also includes a 'Card link' and 'Another link' at the bottom.

Figure 3.10 List of Vouchers

### 3.5 Payment

This section allows users to add coins in a wallet for that we use Paytm payment integration..



A screenshot of a payment integration form. It contains fields for Name (Shivam), Email (shivamshrivas1426@gmail.com), Phone (9005135021), and Amount (1). A blue "Pay Now" button is at the bottom.

Name:	Shivam
Email:	shivamshrivas1426@gmail.com
Phone:	9005135021
Amount:	1

**Pay Now**

Figure 3.11 shows Payment integration form screen UI




Figure 3.12 show payment interface

### 3.6 Profile

This section shows the profile of users that contain user name , registered email, coupon hosted, coupon buy, coins in wallet.




Figure 3.13 shows the users profile

## Chapter 4 - Plan of Action

### 4.1 Plan of Action Timechart



Figure 4.1 shows plan of Action Time Chart

### 4.2 Plan of Action Timesheet

Months	Stage of Development	Details
Dec 2021	PRD, ERD ( <i>first 20 days</i> ), Elementary UI development	<ul style="list-style-type: none"><li>• Home/login UI</li><li>• Dashboard UI</li><li>• Profile UI</li><li>• Add Voucher UI</li></ul>
Jan 2022	UI Development	<ul style="list-style-type: none"><li>• User Base UI</li><li>• Voucher Base UI</li><li>• Filter for Voucher</li></ul>

Feb 2022	Backend Development	<ul style="list-style-type: none"> <li>• Authentication</li> <li>• Adding Voucher</li> <li>• Buying Voucher</li> <li>• Voucher code implementation</li> </ul>
Mar 2022	Backend Development	<ul style="list-style-type: none"> <li>• User code implementation</li> <li>• Pop ups code implementation</li> <li>• Notification implementation</li> </ul>
Apr 2022	Backend Development, Testing	<ul style="list-style-type: none"> <li>• Payment gateway integration</li> <li>• Jest test for unit test</li> <li>• Integration tests</li> </ul>
May 2022	Testing, Deployment	<ul style="list-style-type: none"> <li>• Staging/Heroku deployment</li> <li>• Unit tests and integration</li> <li>• Presentation Preparation</li> <li>• UI Final Touches</li> <li>• Product Documentation/Report</li> </ul>

*Figure 4.2 shows plan of Action Timesheet*

## **Chapter 5 - Conclusion**

### **5.1 Conclusion**

The product we got at the end is the full stack web application that customized coupon/gift card search for an user. This web application aims to eliminate the wastage of unused vouchers/gift cards. We also get some bank discounts, coupons from shopping websites like myntra, flipkart, amazon. Some trading account coupons that are of no use to us, but can be useful to others. Our Platform will provide users coins in exchange of money that is our profit to earn money.

### **5.2 Future Works**

Hack -Voucher is very useful for the users because in pandemic time all the e-commerce companies gives gift cards and vouchers for purchasing their products and also we get cashbacks by payments apps like google pay, phone pay , paytm etc. Now they found the base of customers so now they give gifts cards and vouchers that are oftenly unusable for us .So here we provide a web application platform where users can sell their unused gift card and vouchers and purchase usable vouchers and gift cards.

We can also include a section for negotiation where users can negotiate on purchasing and selling of vouchers and gift cards.

- This feature is available to only logged in users.
- Choose the gift card you would to Negotiate the price and click on “Negotiate”
- It will open a window, on the Left side of the Text Area, there is a “Negotiate” button, click that to open the Negotiate box
- Enter the amount that you want to negotiate.

We would also develop android apps and launch on play store .android app make more interactive.

UI and easy to use for users

We can also implement filter such a way that user view voucher of their interest and also get a notification on their profile and email when someone added a voucher of their interest.


As we have less time, we could not implement all the features but in future we implement all the above mentioned points plus add other features that are given as feedback by faculties.

## **References**

- <https://www.persistencemarketresearch.com/market-research/gift-card-market.asp>
- INTERNATIONAL JOURNAL OF SCIENTIFIC & TECHNOLOGY RESEARCH  
VOLUME 8, ISSUE 08, AUGUST 2019 ISSN 2277-8616
- Volume: 57 issue: 4, page(s): 739-754  
Article first published online: April 27, 2020; Issue published: August 1, 2020
- .
- Public opinion on Security of Data from companies, *November 2019*, Brooke Auxier, Lee Rainie, Pew Research Center. Online Learning
- Wikipedia(<https://en.wikipedia.org/wiki/>)
- tutorials on point. (2020). SDLC-agile model-tutorialspoint. Retrieved from tutorials point.com:

## Annexure

### Annexure1




The screenshot shows the Visual Studio Code interface with the following details:

- EXPLORER** sidebar: Shows the project structure with files like `index.js`, `package-lock.json`, and `package.json`.
- CODE** tab: Displays the `index.js` file content.
- Content of index.js:**

```
JS index.js  ×
JS index.js > ↗ store > ↗ mongoUrl
1  const express = require('express') ;
2  const cookieParser = require('cookie-parser') ;
3  const port = 4000 ;
4  const app = express() ;
5
6  const routes = require('./routes/home') ;
7  app.use(express.urlencoded()) ;
8  app.use(cookieParser()) ;
9  app.use(express.static('assets')) ;
10 const multer = require('multer') ;
11
12 const db = require('../config/mongoose') ;
13
14 const session = require('express-session') ;
15 const passport = require("passport") ;
16 const passportLocal = require('../config/passport-local-strategy') ;
17
18 const MongoStore = require('connect-mongo') ;
19 const flash = require('connect-flash') ;
20 const customWere = require('../config/middleware') ;
21 const storage = multer.diskStorage({
22   destination: function(req, file, callback) {
23     |  callback(null, '/src/my-images') ;
24   },
25   filename: function (req, file, callback) {
26     |  callback(null, file.fieldname) ;
27   }
28 });
29
30 app.set('view engine' , 'ejs') ;
31 app.set('views' , './views') ;
32
33 app.use(session({
34   name : 'codeiel',
35   secret : 'blahsomething',
36   saveUninitialized :false ,
37   resave :false ,
38   cookie : {
39     |  maxAge : (1000 * 60 * 100)
40   },
41   store: MongoStore.create({
42     |  mongoUrl: 'mongodb+srv://nisaar:Nidsar@cluster0.ztmue.mongodb.net/Hackvoucher_collection?retryWrites=true&w=majority',
43     |  collectionName:'sessions' // See below for details
44   })
45 }));
46
47 app.use(passport.initialize()) ;
48 app.use(passport.session()) ;
49
50 app.use(passport.setAuthenticatedUser) ;
51 app.use(flash()) ;
52 app.use(customWere.setFlash) ;
53
54 app.use('/', require('./routes/home')) ;
55 app.use('/' , require('./routes/coupon')) ;
56 app.listen(port , (err) =>
57   if(err) {
58     |  console.log('Error at liten')
59   }
60 });
61
```

- Bottom status bar:** Shows "Ln 42, Col 125 (105 selected) Spaces: 2 UTF-8 LF () JavaScript ⚡"



The screenshot shows the Visual Studio Code interface with the following details:

- EXPLORER** sidebar: Shows the project structure with files like `index.js`, `coupon.js`, `home.js`, and `user.js`.
- CODE** tab: Displays the `index.js` file content.
- Content of index.js:**

```
JS index.js  ×
JS index.js > ↗ store > ↗ mongoUrl
45
46 });
47 app.use(passport.initialize()) ;
48 app.use(passport.session()) ;
49
50 app.use(passport.setAuthenticatedUser) ;
51 app.use(flash()) ;
52 app.use(customWere.setFlash) ;
53
54 app.use('/', require('./routes/home')) ;
55 app.use('/' , require('./routes/coupon')) ;
56 app.listen(port , (err) =>
57   if(err) {
58     |  console.log('Error at liten')
59   }
60 });
61
```

- Bottom status bar:** Shows "Ln 42, Col 125 (105 selected) Spaces: 2 UTF-8 LF () JavaScript ⚡"

## Annexure 2

File structure:

```

EXPLORER
└─ HACKVOUCHER
    ├ assets
    ├ config
    ├ controllers
    ├ models
    └ node_modules
        └ routes
            └ JS coupon.js M
            └ JS home.js
            └ JS user.js
            └ views
            └ .gitignore
            └ index.js
            └ package-lock.json
            └ package.json

```

Content of coupon.js (Line 32, Col 1):

```

routes > JS coupon.js > ...
routes > JS coupon.js > ...
1  const express = require('express') ;
2  const routes = express.Router() ;
3  console.log('Routes has added') ;
4  const passport = require('../config/passport-local-strategy') ;
5  const User = require('../models/user') ;
6  const coupon = require('../models/coupon') ;
7  const { deleteOne } = require('../models/user') ;
8
9  routes.post('/create-coupon' , async (req , res) => {
10     var obj = await new coupon({
11         title : req.body.title,
12         store : req.body.store,
13         description : req.body.description,
14         cardLimit : req.body.cardLimit,
15         couponCode : req.body.couponCode,
16         user : res.locals.user._id ,
17         isFiltered : true
18     })
19     obj.save() ;
20     res.locals.user.coupen_hosted = res.locals.user.coupen_hosted + 1 ;
21     res.locals.user.save() ;
22     req.flash('success' , 'Coupon is added successfully') ;
23     return res.redirect('/home') ;
24 })
25 routes.get('/main/:id' , async (req , res) => {
26     let COUPON = await coupon.findById(req.params.id)
27     res.render('bootmain' , {
28         COUPON : COUPON,
29         link : "www." + COUPON.store + ".com"
30     });
31 })
32
33 routes.get('/buy-coupon/:id' , async (req , res) => {
34     let COUPON = await coupon.findById(req.params.id);
35     res.locals.user.COUPONS.push(COUPON) ;
36     res.locals.user.coins = res.locals.user.coins - COUPON.cardLimit ;
37     res.locals.user.coupen_buyped = res.locals.user.coupen_buyped + 1 ;
38     COUPON.isPurchased = true ;
39     let user = await User.findById(COUPON.user) ;
40     user.coins = user.coins + COUPON.cardLimit ;
41     user.save() ;
42     COUPON.save() ;
43     res.locals.user.save() ;
44     return res.redirect('/home') ;
45 })
46

```

Bottom status bar: Ln 32, Col 1 Spaces: 4 UTF-8 LF () JavaScript

File structure:

```

EXPLORER
└─ HACKVOUCHER
    ├ assets
    ├ config
    ├ controllers
    ├ models
    └ node_modules
        └ routes
            └ JS coupon.js M
            └ JS home.js
            └ JS user.js
            └ views
            └ .gitignore
            └ index.js
            └ package-lock.json
            └ package.json

```

Content of coupon.js (Line 75, Col 1):

```

routes > JS coupon.js > ...
48
49 routes.post('filter' , async (req , res) => {
50     console.log(req.body.companyName)
51     let data = await coupon.find({isPurchased: false , isFiltered: true}) ;
52     let userSize = await (await User.find()).length;
53     var filter;
54     var x = [];
55     var y = req.body.companyName;
56     if(!Array.isArray(y)) {
57         x.push(y);
58         filter = x;
59     } else {
60         filter = req.body.companyName
61     }
62     console.log(filter);
63     res.render('boothome' , {
64         isAuthenticated: req.isAuthenticated(),
65         COUPON : data,
66         userSize: userSize,
67         couponCount: await (await coupon.find({isPurchased: false})).length,
68         coupoExchange: await (await coupon.find()).length,
69         filteredCompany: filter,
70         filtered: true,
71     })
72 })
73
74
75 module.exports = routes ;

```

Bottom status bar: Ln 32, Col 1 Spaces: 4 UTF-8 LF () JavaScript

## Annexure 3

Code editor showing the `home.js` file content:

```

1  const express = require('express') ;
2  const { appendFile } = require('fs');
3  const routes = express.Router();
4  console.log('Routes has added');
5  const passport = require('../config/passport-local-strategy');
6  const home = require('../controllers/home')
7  const User = require('../models/user');
8  const coupon = require('../models/coupon');
9  const { X509Certificate } = require('crypto');

10 routes.get('/home' , async (req, res) => {
11   let data = await coupon.find({isPurchased: false , isFiltered : true});
12   let userSize = await (await User.find()).length;
13   console.log(userSize);
14   res.render('boothome' , {
15     isAuthenticated : req.isAuthenticated(),
16     COUPON : data,
17     userSize : userSize,
18     couponCount: await (await coupon.find({isPurchased: false})).length,
19     coupoExchange: await (await coupon.find({isPurchased: true})).length,
20     filtered: false,
21   });
22 })
23 routes.get('/register' , (req , res) =>{
24   res.render('bootregister' , {
25     title : 'User Registration' ,
26   })
27 })
28 routes.get('/sign-in' , (req , res) => {
29   res.render('bootlogin' );
30 })
31 routes.post('/create' , async (req , res) => {
32   console.log(req.body);
33   let user = await User.findOne({email : req.body.email});
34   if(user){
35     req.flash('error' , 'user is already exist');
36     return res.redirect('back');
37   }
38   if(!user){
39     var obj = new User({
40       name : req.body.name ,
41       email : req.body.email,
42       password : req.body.password,
43       COUPONS : []
44     });
45     obj.save();
46   }
47   res.redirect('/sign-out');
48 })
49 routes.get('/sign-out' , (req , res) => {
50   req.logout();
51   req.flash('success' , 'You have logged out');
52   return res.redirect('/home');
53 })
54 routes.get('/profile' , async (req , res) => {
55   var x = new Array();
56   for(let i of res.locals.user.COUPONS){
57     let COUPON = await coupon.findById(i);
58     x.push(COUPON);
59   }
60   console.log(x);
61   return res.render('bootuser' , {
62     user : res.locals.user,
63     x : x
64   });
65 })
66 routes.get('/add-voucher' , passport.checkAuthentication , (req , res) => {
67   return res.render('bootadd' , {
68     })
69 })
70 routes.get('/main' , (req , res) => {
71   return res.render('bootmain' );
72 })
73 routes.get('/x' , (req , res) => {
74   return res.redirect("www.facebook.com");
75 })
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111 module.exports = routes ;

```

Code editor showing the `home.js` file content (continued from previous screenshot):

```

1  routes.get('/sign-out' , (req , res) => {
2   req.logout();
3   req.flash('success' , 'You have logged out');
4   return res.redirect('/home');
5 })
6 routes.get('/profile' , async (req , res) => {
7   var x = new Array();
8   for(let i of res.locals.user.COUPONS){
9     let COUPON = await coupon.findById(i);
10    x.push(COUPON);
11  }
12  console.log(x);
13  return res.render('bootuser' , {
14    user : res.locals.user,
15    x : x
16  });
17 })
18 routes.get('/add-voucher' , passport.checkAuthentication , (req , res) => {
19   return res.render('bootadd' , {
20     })
21 })
22 routes.get('/main' , (req , res) => {
23   return res.render('bootmain' );
24 })
25 routes.get('/x' , (req , res) => {
26   return res.redirect("www.facebook.com");
27 })
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111 module.exports = routes ;

```