

D. Pair of Numbers

time limit per test: 2 seconds

memory limit per test: 256 megabytes

input: standard input

output: standard output

Simon has an array a_1, a_2, \dots, a_n , consisting of n positive integers. Today Simon asked you to find a pair of integers l, r ($1 \leq l \leq r \leq n$), such that the following conditions hold:

1. there is integer j ($l \leq j \leq r$), such that all integers a_l, a_{l+1}, \dots, a_r are divisible by a_j ;
2. value $r - l$ takes the maximum value among all pairs for which condition 1 is true;

Help Simon, find the required pair of numbers (l, r) . If there are multiple required pairs find all of them.

Input

The first line contains integer n ($1 \leq n \leq 3 \cdot 10^5$).

The second line contains n space-separated integers a_1, a_2, \dots, a_n ($1 \leq a_i \leq 10^6$).

Output

Print two integers in the first line — the number of required pairs and the maximum value of $r - l$. On the following line print all l values from optimal pairs in increasing order.

Examples

input	Copy
5 4 6 9 3 6	
output	Copy
1 3 2	
input	Copy
5 1 3 5 7 9	
output	Copy
1 4 1	
input	Copy
5 2 3 5 7 11	
output	Copy
5 0 1 2 3 4 5	

Note

In the first sample the pair of numbers is right, as numbers 6, 9, 3 are divisible by 3.

In the second sample all numbers are divisible by number 1.

In the third sample all numbers are prime, so conditions 1 and 2 are true only for pairs of numbers (1, 1), (2, 2), (3, 3), (4, 4), (5, 5).