
# **Smart Waste Management System For Metropolitant Cities**

Team ID: PNT2022TMID27134 Submitted by: Akash.T

### **ASSIGNMENT 1**

### **SMART HOME IN TINKERCAD USING 2+ SENSORS •**

## **Circuit Diagram**




## • Components Required:

Name	Quantity	Component
U1	1	Arduino Uno R3
DIST1	1	Ultrasonic Distance Sensor
M1	1	DC Motor
U2	1	LCD 16 x 2
P1	1	21,5 Power Supply

PIR1	1	20.722593638638443 , 237.58262756842853 , -
		197.9092690878765 , - 253.1130883508938 PIR Sensor
L2	1	Light bulb
GAS1	1	Gas Sensor
PIEZO1	1	Piezo
R1	1	10 kΩ Resistor
Rpot1	1	250 kΩ Potentiometer
D1	1	Red LED
R2	1	330 Ω Resistor

## Running Simulation in Tinkercad



Code:

// \*\*\* LCD Display \*\*\*

```
#include<LiquidCrystal.h>
LiquidCrystal lcd(2,3,4,5,6,7);
// *** Ultrasonic Sensor ***
int trigPin = 12; int echoPin
= 13; float travelTime; float
level; float speed;//miles
per hour
float readStatusofContainer(int trigPin,int echoPin)
 //sending ping digitalWrite(trigPin,LOW);
delayMicroseconds(100);
digitalWrite(trigPin,HIGH);
delayMicroseconds(10);
digitalWrite(trigPin,LOW); //returns round
trip time of container status
 return pulseIn(echoPin,HIGH);
}
// *** DC Motor ***
int motorPin = 8;
// *** PIR Sensor ***
int pirPin = 9;
// *** Light ***
int lightPin = 10;
// *** Gas Sensor *** int
gasPin = A0;
int threshold = 400;
// *** Piezo *** int
buzzPin = 11;
// *** LED ***
int ledPin = 0;
void setup()
 Serial.begin(9600);
// *** LCD Display ***
 lcd.begin(16,2);
```

```
// *** Ultrasonic Sensor ***
pinMode(trigPin,OUTPUT);
pinMode(echoPin,INPUT);
// *** DC Motor ***
pinMode(motorPin,OUTPUT);
// *** PIR Sensor ***
pinMode(pirPin,INPUT);
// *** Light ***
pinMode(lightPin,OUTPUT);
// *** Gas Sensor ***
pinMode(gasPin,INPUT);
// *** Piezo ***
pinMode(buzzPin, OUTPUT);
// *** LED ***
pinMode(ledPin,OUTPUT);
void loop()
// *** Trash can monitoring ***
// Trash can height 5 inches
travelTime = readStatusofContainer(trigPin,echoPin);//microseconds
travelTime = travelTime/1000000;//seconds travelTime =
travelTime/3600;//hours speed = 60.0;//miles per hour(86.4 for 5
inches) level = speed * travelTime;//miles
level = level/2;//because travelTime is round trip time
level = level * 63360;//inch
if(level <= 4.5)
{
 //dispaly status
lcd.clear();
lcd.setCursor(0,0);
lcd.print("Trash Level:");
lcd.setCursor(0,1);
  lcd.print(level);
        lcd.print(" inches");
        delay(100);
}
```

```
else
{
 //dispaly status
lcd.clear();
lcd.setCursor(0,0);
lcd.print("Trash is full");
lcd.setCursor(0,1);
lcd.print(level);
        lcd.print(" inches away");
        delay(100);
}
// *** Water level monitoring ***
// Water tank height 20 inches
travelTime = readStatusofContainer(trigPin,echoPin);//microseconds
travelTime = travelTime/1000000;//seconds travelTime =
travelTime/3600;//hours speed = 240.1;//miles per hour(345.3 for
20 inches) level = speed * travelTime;//miles
level = level/2;//because travelTime is round trip time
level = level * 63360;//inch if(level <= 19.0)
{
 //dispaly status and Turn on motor
digitalWrite(motorPin,HIGH);
  lcd.clear();
lcd.setCursor(0,0);
lcd.print("Level: Motor");
lcd.setCursor(0,1);
lcd.print(level);
        lcd.print(" in On");
delay(100);
else
  //dispaly status and Turn off motor
digitalWrite(motorPin,0);
  lcd.clear();
lcd.setCursor(0,0);
lcd.print("Level: Motor");
lcd.setCursor(0,1);
lcd.print(level);
        lcd.print(" in Off");
delay(100);
}
```

```
// *** Motion Detection
if(digitalRead(pirPin)==HIGH)
        digitalWrite(lightPin, HIGH);
else
  digitalWrite(lightPin, LOW);
delay(100);
// *** Detects flammable gases ***
if(analogRead(gasPin) >= threshold) {
  digitalWrite(ledPin,HIGH);
       digitalWrite(buzzPin,HIGH);
}
else
 digitalWrite(ledPin,LOW);
  digitalWrite(buzzPin,LOW);
delay(100);
}
```

## Output:

