

Integrating Flask with IBM Cloud

In []:

```
#importing required libraries

from flask import Flask, request, render_template
import numpy as np
import pandas as pd
from sklearn import metrics
import warnings
import pickle
import requests
warnings.filterwarnings('ignore')
from feature import FeatureExtraction

file = open("model.pkl", "rb")
gbc = pickle.load(file)
file.close()

# NOTE: you must manually set API_KEY below using information retrieved from
your IBM Cloud account.
API_KEY = "cWGD5yTjEpEGtqPpvHPDBELN5eXFS7eh2JRDyUWhySMW"
token_response = requests.post('https://iam.cloud.ibm.com/identity/token',
data={"apikey":
    API_KEY, "grant_type": 'urn:ibm:params:oauth:grant-type:apikey'})
mltoken = token_response.json()["access_token"]

header = {'Content-Type': 'application/json', 'Authorization': 'Bearer ' +
mltoken}

app = Flask(__name__)

@app.route("/", methods=["GET", "POST"])
def index():
    if request.method == "POST":

        url = request.form["url"]
        obj = FeatureExtraction(url)
        x = np.array(obj.getFeaturesList()).reshape(1,30)

        y_pred =gbc.predict(x)[0]
        #1 is safe
        #-1 is unsafe
        y_pro_phishing = gbc.predict_proba(x)[0,0]
        y_pro_non_phishing = gbc.predict_proba(x)[0,1]
        # if(y_pred ==1 ):
        pred = "It is {0:.2f} % safe to go ".format(y_pro_phishing*100)
        payload_scoring = {"input_data": [{"field":
[["UsingIP", "LongURL", "ShortURL", "Symbol@", "Redirecting//", "PrefixSuffix-
", "SubDomains", "HTTPS", "DomainRegLen", "Favicon", "NonStdPort", "HTTPSDomainURL
```

```

    "RequestURL", "AnchorURL", "LinksInScriptTags", "ServerFormHandler", "InfoEmail",
    "AbnormalURL", "WebsiteForwarding", "StatusBarCust", "DisableRightClick", "UsingPopupWindow",
    "IframeRedirection", "AgeofDomain", "DNSRecording", "WebsiteTraffic", "PageRank", "GoogleIndex",
    "LinksPointingToPage", "StatsReport"
  ], "values": [[1,1,1,1,1,-1,-1,-1,-1,1,1,1,1,-1,-1,1,1,1,0,1,1,1,1,-1,-1,-1,-1,1,0,1]]]]}

    response_scoring = requests.post('https://us-south.ml.cloud.ibm.com/ml/v4/deployments/084b5c52-f617-40ef-a0e8-3e6cf79ae447/predictions?version=2022-11-06', json=payload_scoring,
    headers={'Authorization': 'Bearer ' + mltoken})
    print("Scoring response")
    predictions=response_scoring.json()
#print(predictions)
    pred=print(predictions['predictions'][0]['values'][0][0])
    return render_template('index.html',xx
=round(y_pro_non_phishing,2),url=url )
    return render_template("index.html", xx ==-1)

if __name__ == "__main__":
    app.run(debug=True,port=2020)

* Serving Flask app '__main__' (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production
deployment.
  Use a production WSGI server instead.
* Debug mode: on

WARNING: This is a development server. Do not use it in a production
deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:2020
Press CTRL+C to quit
* Restarting with stat

An exception has occurred, use %tb to see the full traceback.

SystemExit: 1

```

In []: