MODEL BUILDING-TRAIN THE MODEL

Team ID	PNT2022TMID47669
Project Name	Crude Oil Price Prediction

```
In [1]:
    import pandas as pd
    import numpy as np
    import matplotlib.pyplot as plt
  In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
             data.isnull().any()
 Out[3]: Date
Closing Value
dtype: bool
                                  True
 In [4]:
            data.isnull().sum()
 Out[4]: Date
Closing Value
dtype: int64
            data.dropna(axis=0,inplace=True)
            data.isnull().sum()
 Out[6]: Date
            Closing Value
dtype: int64
 25.56
26.00
26.53
25.85
25.87
 Out[7]: 0
                      73.89
            8211
                    74.19
73.05
73.78
73.93
           8212
8213
8214
8215
            Name: Closing Value, Length: 8216, dtype: float64
 from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
 In [9]:
             data_oil
 [0.46497853],
[0.47038353],
[0.47149415]])
In [10]:
            plt.plot(data_oil)
Out[10]: []
            1.0
            0.8
            0.6
            0.4
            0.2
            0.0
```

2000

4000

6000

8000

```
training_size=int(len(data_oil)*0.65)
           test_size=len(data_oil)-training_size
           train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
In [12]: training_size,test_size
Out[12]: (5340, 2876)
           train_data.shape
Out[13]: (5340, 1)
           def create_dataset(dataset,time_step=1):
            dataX,dataY=[],[]
             for i in range(len(dataset)-time step-1):
              a=dataset[i:(i+time_step),0]
               dataX.append(a)
               dataY.append(dataset[i+time_step,0])
             return np.array(dataX),np.array(dataY)
In [15]:
           time_step=10
           x_train,y_train=create_dataset(train_data,time_step)
           x_test,y_test=create_dataset(test_data,time_step)
           print(x_train.shape),print(y_train.shape)
          (5329, 10)
          (5329,)
Out[16]: (None, None)
 In [17]: print(x_test.shape),print(y_test.shape)
           (2865, 10)
           (2865,)
Out[17]: (None, None)
 In [18]: x_train
Out[18]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 ,
                   0.11054346],
                  [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886, 0.11054346,
                  0.10165852],
[0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
                   0.09906708],
                  [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                  0.37042796],
[0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
                    0.37879461],
                  [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461,
                   0.37916482]])
             x\_train=x\_train.reshape(x\_train.shape[0],x\_train.shape[1],1)   x\_test=x\_test.reshape(x\_test.shape[0],x\_test.shape[1],1)  
            from tensorflow.keras.models import Sequential
            from tensorflow.keras.layers import Dense
            from tensorflow.keras.layers import LSTM
            model=Sequential()
            \label{eq:model.add(LSTM(50,return\_sequences=True,input\_shape=(10,1)))} \\ model.add(LSTM(50,return\_sequences=True))
            model.add(LSTM(50))
```

```
In [22]:
        model=Sequential()
In [23]:
        \label{local_model} $$ \bmod 1.add(LSTM(50,return\_sequences=True,input\_shape=(10,1))) $$ \bmod 1.add(LSTM(50,return\_sequences=True)) $$
        model.add(LSTM(50))
In [24]:
        model.add(Dense(1))
In [25]: model.summary()
       Model: "sequential_1"
        Layer (type)
                              Output Shape
                                                   Param #
        1stm (LSTM)
                              (None, 10, 50)
                                                  10400
        lstm_1 (LSTM)
                              (None, 10, 50)
                                                   20200
        1stm_2 (LSTM)
                              (None, 50)
                                                   20200
        dense (Dense)
                              (None, 1)
       ______
       Total params: 50,851
Trainable params: 50,851
       Non-trainable params: 0
 In [26]:
          model.compile(loss='mean_squared_error',optimizer='adam')
 In [27]: model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=3,batch_size=64,verbose=1)
         Epoch 1/3
                    84/84 [====
         Epoch 2/3
         84/84 [===
                          =========] - 2s 28ms/step - loss: 1.2599e-04 - val_loss: 8.0346e-04
         Epoch 3/3
```