# REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM

**Category: INTERNET OF THINGS** 

# **PROJECT REPORT**

Submitted by

**VINUPRIYA K P - 1914137** 

**VISHNUPRIYA E - 1914138** 

ANNE SHIFANA S R - 1914301G

**JEEVITHA K - 1914302G** 

**MONISHA R - 1914L09** 

**FROM** 

**GOVERNMENT COLLEGE OF TECHNOLOGY, COIMBATORE-13** 

In fulfillment of project in IBM-NALAIYATHIRAN 2022

Team Id: PNT2022TMID06942

### **PROJECT GUIDES**

**Industry Mentor: Bharadwaj** 

**Faculty Mentor: Mathivanan S** 

### **INDEX**

#### 1.INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

#### **2.LITERATURE SURVEY**

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

#### **3.IDEATION & PROPOSED SOLUTION**

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit
- 3.5 Solution Architecture

#### **4.REQUIREMENT ANALYSIS**

- 4.1 Functional requirement
- **4.2 Non-Functional requirements**

#### **5.PROJECT DESIGN**

- **5.1 Data Flow Diagrams**
- 5.2 Technology Stack
- 5.3 User Stories
- **5.4 Customer Journey**

#### **6.PROJECT PLANNING & SCHEDULING**

- **6.1 Sprint Planning & Estimation**
- **6.2 Sprint Delivery Schedule**

#### 7.CODING & SOLUTIONING

- 7.1 Python Script
- 7.2 Publishing datas to IBM Watson
- 7.3 Pushing datas from IBM Watson to Node-RED

#### 8.TESTING

- 8.1 Test Cases
- **8.2 User Acceptance Testing**

#### 9.RESULTS

- 9.1 Performance Metrics
- **10.ADVANTAGES & DISADVANTAGES**
- 11.CONCLUSION
- **12.FUTURE SCOPE**
- 13.APPENDIX
  - 13.1 GitHub Link
  - 13.2 Project Demo Link

### 1.INTRODUCTION

#### 1.1 Project Overview:

#### **River Water quality monitoring System**

River water which is used as drinking water is a very precious commodity for all human beings. The system consists of several sensors which are used for measuring physical and chemical parameters of water. The parameters such as temperature, pH, and dissolved oxygen of the water can be measured. Using this system a person can detect pollutants from a water body from anywhere in the world. Current water quality monitoring system is a manual system with a monotonous process and is very time-consuming This paper proposes a sensor-based water quality monitoring system. The main components of Wireless Sensor Network (WSN) include a micro-controller for processing the system, communication system for inter and intra node communication and several sensors Real-time data access can be done by using remote monitoring and Internet of Things (IoT) technology Data collected at the IBM cloud Server and verify them to trigger the actions to be performed.

### 1.2 Purpose:

Water quality refers to chemical, physical biological and radio logical characteristics of water. It is a measure of the condition of water relative to the necessities of one or more bio-tic species and or to any human need or purposes . Water quality monitoring is defined as a sampling and analysis of the water in lake, stream, ocean and river and conditions of the water body. Smart water quality monitoring is a process of real-time monitoring and the analysis of water to identify changes in parameters based on the physical, chemical and biological characteristics. Monitoring water quality is clearly important: in our seas, our rivers, on the surface and in our ports, for both companies and the public. It enables us to assess how they are changing, analyze trends and to inform plans and strategies that improve

water quality and ensures that water meets its designated use. There are several indicators determining water quality. These include dissolved oxygen, turbidity, bio indicators, nitrates, pH scale and water temperature. Monitoring water quality helps to identify specific pollutants, a certain chemical, and the source of the pollution. There are many sources of water pollution: wastewater from sewage seeping into the water supply; agricultural practices (e.g., the use of pesticides and fertilizer); oil pollution, river and marine dumping, port, shipping and industrial activity. Monitoring water quality and a water quality assessment regularly provides a source of data identify immediate issues – and their source.

- Identifying trends, short and long-term, in water quality.
- Data collected over a period of time will show trends, for example identifying increasing concentrations of nitrogen pollution in a river or an inland waterway.
   The total data will then help to identify key water quality parameters.
- Environmental planning methods: water pollution prevention and management.
- Collecting, interpreting and using data is essential for the development of a sound and effective water quality strategy. The absence of real-time data will however hamper the development of strategies and limit the impact on pollution control. Using digital systems and programs for data collection and management is a solution to this challenge.
- Monitoring water quality is a global issue and concern: on land and at sea. Within the European Union, the European Green Deal sets out goals for restoring biological biodiversity and reducing water pollution, as well as publishing various directives to ensure standards of water quality. Individual nation states, for example France, have also clear regulatory frameworks requiring the effective monitoring of water quality. In the United States, the Environmental Protection Agency (EPA) enforces regulations to address water pollution in each state. Across the world, countries increasingly understand the importance of effective water quality monitoring parameters and methods.

### 2.LITERATURE SURVEY

### 2.1 Existing problem:

| 6  | I   | T  |  |
|--|---|--|--|
| TITLE  | TECHNOLOGY  | ADVANTAGES   | DRAWBACKS  |
| Design And Development Of A Water Quality Monitoring System By Using IOT | This system checks the quality of water in real time through various sensors (one for each parameter ,Ph, Temp, Pollution)and uses with module to transfer the data collected from sensor to smart Phone/Pc | This system consists of multiple sensors to measure a various parameter. It is more accuracy and requires less man power.  | This method consumes more time and cost of the system depends on the number of parameter   |
| Water Quality Monitoring System Using IOT And Machine Learning           | To measure various chemical and physical properties of water like temperature and particle density of water using sensor  | Due to automation it will reduce the time to check the parameter.  This is economically affordable for common people. Accuracy in measurement. Email alert is sent to user | System hardware need to be handled with care.  Only limited user are added to handle the system. Only one person authorized to system able to access it. |
| Real-Time Water Quality Monitoring System                                | Existing method, the system which are semi-automated or manually controlled device which are handle by the person responsible of monitoring the water quality   | Based on the existing water quality monitoring system and scenario of water stay that proposed system is more suitable to monitor the water.                               | These analysis can be performed by human intervention which are specific period only.  |

| Cloud-Based Smart Water Quality Monitoring System Using IOT Sensors And Machine Learning            | The advancement of technologies also plays major role to monitor water quality remotely on the large scale. Nikhil implemented the Azure cloud platform based water quality monitoring system using Node MCU microcontroller to collect the data from the sensor in Jason format | First phase we are going to conduct a survey on the recent water monitoring system and in second phase for development of the cloud-based water quality monitoring framework which checks the water nature of groundwater which is overhead | These sensor are deployed inside the tank to read parameters associated with the quality and the level of water inside the water tank |
|---|--|---|---|
| IOT Based Real-Time River<br>Water Quality Monitoring<br>System                                     | Environmental consist of five keywords example soil, water, climate, natural vegetation and landforms. It's using different sensor and various parameter from water.   | It can detect forest fire, early earthquake, reduce air pollution, monitoring snow level, prevent landslide.  | It develop only water quality monitoring system based on GPRS/GSM. It required more cost.   |
| River Water Monitoring System Using Internet Of Things To Determine The Location Of River Pollution | This system uses monitoring points like web based application sent the notification when there is a change in parameter and the process the incoming data then do calculation and produce the classification of status   | This system uses many sensor for more parameter and is real time encryption decryption flow in this algorithm.  | This system connects through so the wifi connectivity Is narrow and consumes more power and less accuracy.                            |

| Water Quality Monitoring<br>System Using Arduino UNO           | In this techniques, we propose a development and extension of real time water computing structure using IOT parameters and through wifi the data been transferred.                                | This system attach the consistency and possibility of using for real time monitoring the parameters and exclusive and cost efficient                 | WIFI connectivity is narrow and not more accuracy.   |
|--|---|--|--|
| Water Quality Monitoring System Using IOT And Machine Learning | To measure various physical and chemical properties of water sensors have using send the data connects is node MCU, since the data and send to cloud based database using wired/wireless channel. | Due to automation is reduce time to check prevention from diseases and more accuracy   | System hardware need to be handled with care (as we are using difference sensors and node MCU).Only limited users are added. |
| IOT Technology For Smart<br>Water System                       | This techniques is one of<br>the conventional methods of<br>analyzing the water quality<br>using IOT technology   | This provides high recurs to the data and device used. It also help to treat the waste water   | As more techniques are blooming has to improve its techniques and it requires lot of cost.                                   |
| Real- Time River Water Quality Monitoring And Control System   | Current water quality monitoring system with a monotonous process and is very time consuming. The Wireless Sensor Network(WSN)include a microcontroller for processing the system.                | This system is used to collect the data and can displayed in visual format on the sever Pc with help of spark streaming analysis through Spark MLib. | In these requires more data. Sometimes acquires network problem.   |

### 2.2 References:

1. K.S. Adu-Manu, C. Tapparello, W. Heinzelman, F.A. Katsriku, J.-D. Abdulai

Water quality monitoring using wireless sensor networks: Current trends and future research directions ACM Transactions on Sensor Networks (TOSN) (2017).

2. S. Thombre, R.U. Islam, K. Andersson, M.S. Hossain

**IP based Wireless Sensor Networks: performance Analysis using Simulations and Experiments.** Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, 7 (2016).

3. Rushikesh Kshirsagar, R.Mudhalwadkar, Saish Kalaskar

**Design and Development of IoT Based Water Quality Measurement System.** The idea about low-cost IOT based portable approach for water quality measurements system. Because of its low-cost approach, everyone can afford to use it to determine quality of water(2019).

4. N. Vijayakumar, R. Ramya

The real time monitoring of water quality in IoT environment. The parameters such as temperature, PH, turbidity, conductivity, dissolved oxygen of the water can be measured. The measured values from the sensors can be processed by the core controller. The raspberry PI B+ model can be used as a core controller (2015).

5. M.Chitra, D. Sadhihskumar, R. Aravindh, M. Murali, R. Vaittilingame

**loT** based Water Flood Detection and Early Warning System. The collected information (data) from the water level sensor and temperature and humidity sensor passed to Thingview Android application in order to find the flow graph level of the water level in the river and temperature, humidity values and sends SMS to the registered contact mobile numbers (2020).

6. Dr.Geetha

#### IoT based real time water quality monitoring system using smart sensor

WQM is a cost effective and efficient system designed to monitor drinking water quality with the help of IOT(2020).

#### 2.3 Problem Statement:


Due to the fast growing urbanization supply of safe drinking water is a challenge for the every city authority. Water can be polluted any time. • So the water we reserved in the water tank at our roof top or basement in our society or apartment may not be safe. Still in India most of the people use simple water purifier that is not enough to get surety of pure water. The traditional water quality monitoring system has certain drawbacks. • Sometimes the water has dangerous particles or chemical mixed and general purpose water purifier cannot purify that. It relies on collecting of water

samples, testing and analyses in laboratories and it's impossible to check the quality of water manually in every time. • It results in more cost, more man power and more time. Also, it lacks capability for real-time data collections. So an automatic real-time monitoring system is required to monitor the health of the water reserved in our water tank of the society or apartment. So it can warn us automatically if there is any problem with the reserved water. And we can check the quality of the water anytime and from anywhere. By keeping this mind we designed this system especially for residential areas.

#### 3. IDEATION & PROPOSED SOLUTION

#### 3.1 Empathy Map Canvas:


An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.




#### 3.2 Ideation & Brainstorming:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.








#### Brainstorn

Write down any ideas that come to mind that address your problem statement.

© 10 minutes











#### **Group ideas**

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

① 20 minutes







# 3.3 Proposed Solution:

| S.No. | Parameter                   | Description                                   |
|-------|-----------------------------|---|
| 1.    | Problem Statement           | Most of the water is affected by the          |
|       | (Problem to be solved)      | industrial wastes containing chemicals,       |
|       |                             | medical wastes and by washing vehicles        |
|       |                             | the engine oil is mix with the river water.   |
| 2.    | Idea / Solution description | * To measure various chemical and physical    |
|       |                             | properties of water like pH, temperature and  |
|       |                             | particle density of water using sensors.      |
|       |                             | * Dispose the industrial waste, toxic         |
|       |                             | chemicals and medical waste properly.         |
| 3.    | Novelty / Uniqueness        | * If the acquired value is above the          |
|       |                             | threshold value automated warning SMS         |
|       |                             | will be sent to the agent.                    |
|       |                             | * The uniqueness of our proposed paper is to  |
|       |                             | obtain the water monitoring system with high  |
|       |                             | frequency, high mobility and low powered.     |
| 4.    | Social Impact /             | * Everyday peoples and animals will drink     |
|       | Customer                    | only the pure water.                          |
|       | Satisfaction                | * The risk of water-borne diseases can be     |
|       |                             | reduced.                                      |
|       |                             | * Good environment surrounding the river.     |
|       |                             | * The good quality river water is mainly used |
|       |                             | for farmers.                                  |
|       | Business Model              | By using this system we can find the quality  |
|       | (Revenue Model)             | of water because river water is the basic     |
| 5.    |                             | raw material for food and beverage            |
|       |                             | industries.                                   |
|       |                             |   |
|       |                             |   |
|       |                             |   |
|       |                             |   |

| 6. | Scalability of the Solution | * Water quality data with a high spatial and  |
|----|-----------------------------|---|
|    |                             | temporal resolution for thousands of lakes    |
|    |                             | at a time.                                    |
|    |                             | * It supports the evaluation of environmental |
|    |                             | problems and potential health risks through   |
|    |                             | the analysis of changes in water quality and  |
|    |                             | the detection of harmful algal blooms.        |
|    |                             |   |
|    |                             |   |
|    |                             |   |

# 3.4 PROBLEM SOLUTION:

#### PROBLEM SOLUTION FIT DOCUMENT


Purpose/Vision

| DefineCS, fitintoCC                   | Government authorities, Farmers and Drinking Water supplier.   | 6.CUSTOMER CONSTRAINTS  River water quality analysis replaces the need for using laboratory checking and reduces the time of delay required for result. The give instant solutions and suggestions like what it is and what can be done to change.                                   | This work presents the architecture of river water monitoring systems based on contemporary IoT communication technology, AI, and Wireless Networks.  AI-based IoT applications to boost and save time for results and suggestions to the problems. |
|---------------------------------------|--|--|---|
| Focus on J&P, tapintoBE, understandRC | 2.JOBS-TO-BE-DONE / PROBLEMS  Check the water quality. Check the level of chlorine in water. Check temperature of water. Check the pH level of water. Find if the water is suitable for drinking, agriculture and aquaculture.   | 9.PROBLEM ROOT CAUSE  Root Cause Analysis supported by input from the problems-sufferers, instruction manual studies, comparing design and actual operating data, gathering know how from relevant literature, tech journals articles and advertisements especially on new products. | 7.BEHAVIOUR  Understand this decision-making process, the study attempts to assess river water monitoring technology model based on available resources, prevailing social and economic conditions and personal aspects of users India.             |
| IdentifystrongTR&EM                   | 3.TRIGGERS River water quality analysis work by checking the river water quality for providing clean drinking water for the people, farming, promoting aquaculture and other industries. It is a best replacement for checking water quality in laboratories. The best quality is that it is user friendly.  4.EMOTIONS: BEFORE /AFTER Without river water quality analysis it becomes difficult for government authorities, farmers, water suppliers and many more to analyze the quality of water for their purpose. After river water quality analysis, the process is made much simpler and easy to use. | Implement IOT based river water quality monitoring system to get instant results.     Suggestions can be made to solve if any problem arises.  | 8.CHANNELS OF BEHAVIOURS  Online portal for making recommendations for problems based on pH parameters using Machine Learning.  |



Problem-Solutionit/cassvasislicene-dunders/CreativeCommonsAttribution-Not No Derivatives4.0licenseCreatedbyDariaNepriakhima/amakama.com

### **3.5 SOLUTION ARCHITECTURE:**



### **4. REQUIREMENT ANALYSIS**

### 4.1 Functional Requirements:

Following are the functional requirements of the proposed solution.

| FR   | Functional                 | Sub Requirement (Story / Sub-               |
|------|----------------------------|---|
| No.  | Requirement (Epic)         | Task)                                       |
| FR-1 | Users Authorization levels | Complete mapping are shown in a             |
|      |                            | hierarchical manner in order to show        |
|      |                            | only the specific Data.                     |
| FR-2 | Historical Data            | The datas collected are stored in the       |
|      |                            | cloud from the starting stage till updation |
|      |                            | is completed.                               |
| FR-3 | User Authentication        | The credentials is accessible only to the   |
|      |                            | authorized users to access the model.       |

| FR-4 | Users rules and laws | There are some specific guidelines and |
|------|----------------------|--|
|      |                      | procedures which has to befollowed by  |
|      |                      | the users.                             |

# 4.2 Non-functional Requirements:


Following are the non-functional requirements of the proposed solution.

| Non-Functional Requirement Description |  |  |
|--|--|--|
| Usability                              | The Final data should be easily  |  |
|  | understandable.  |  |
|  |  |  |
| Security                               | The model are designed in a safe   |  |
|  | and secured manner inorder to  |  |
|  | maintain the privacy.  |  |
| Reliability                            | Even if there is any firmware  |  |
|  | issues (failures) thelast updated  |  |
|  | datas are stored in a default  |  |
|  | manner.  |  |
| Performance                            | High quality sensors are used to   |  |
|  | provide accurate datas.  |  |
| Availability                           | The model is designed in such a  |  |
|  | way that are   |  |
|  | available,usable,accesible and can                                       |  |
|  | be modified anytime.   |  |
| Scalability                            | The system is scaled according to  |  |
|  | the size of The river(water bodies)                                      |  |
| Stability                              | The ability of the system to bring                                       |  |
|  | itself back to its stable configuration.                                 |  |
|  | The stability is high.   |  |
| Efficiency                             | The monitoring system is highly  |  |
|  | efficient,high mobility with   |  |
|  | consumption of power.  |  |
|  | Security  Reliability  Performance  Availability  Scalability  Stability |  |

#### **5. PROJECT DESIGN**

### 5.1 Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



# 5.2 Technology Stack


#### Components & Technologies:

| S.No | Component                       | Description  | Technology  |
|------|---------------------------------|--|---|
| 1.   | User Interface                  | How user interacts with application e.g. Web UI, Mobile App, Chatbot etc.                                    | HTML, CSS, Node-Red ,Cloud,etc.                                   |
| 2.   | Application Logic-1             | Logic for a process in the application   | Java / Python   |
| 3.   | Application Logic-2             | Logic for a process in the application   | IBM Watson STT service  |
| 4.   | Application Logic-3             | Logic for a process in the application   | IBM Watson Assistant  |
| 5.   | Database                        | Data Type, Configurations etc.   | MySQL, NoSQL, etc.  |
| 6.   | Cloud Database                  | Database Service on Cloud  | IBM DB2, IBM Cloudant etc.  |
| 7.   | File Storage                    | File storage requirements  | IBM Block Storage or Other Storage<br>Service or Local Filesystem |
| 8.   | External API-1                  | Purpose of External API used in the application  | IBM Weather API, etc.   |
| 9.   | External API-2                  | Purpose of External API used in the application  | Aadhar API, etc.  |
| 10.  | Machine Learning Model          | Purpose of Machine Learning Model  | Object Recognition Model, etc.                                    |
| 11.  | Infrastructure (Server / Cloud) | Application Deployment on Local System / Cloud<br>Local Server Configuration:<br>Cloud Server Configuration: | Local, Cloud Foundry, Kubernetes, etc.                            |

#### **Application Characteristics:**

| S.No | Characteristics          | Description   | Technology   |
|------|--------------------------|---|--|
| 1.   | Open-Source Frameworks   | List the open-source frameworks used  | Technology of Opensource framework                     |
| 2.   | Security Implementations | List all the security / access controls implemented, use of firewalls etc.  | e.g. SHA-256, Encryptions, IAM<br>Controls, OWASP etc. |
| 3.   | Scalable Architecture    | Justify the scalability of architecture (3 – tier, Micro-services)  | Technology used  |
| 4.   | Availability             | Justify the availability of application (e.g. use of load balancers, distributed servers etc.)                            | Technology used  |
| 5.   | Performance              | Design consideration for the performance of the application (number of requests per sec, use of Cache, use of CDN's) etc. | Technology used  |

#### **Technical Architecture:**




### **5.3 User Stories**

#### **User Stories**

| User Type                 | Functional<br>Requirement<br>(Epic) | User Story<br>Number | User Story / Task  | Acceptance criteria                                      | Priority | Release  |
|---------------------------|-------------------------------------|----------------------|--|--|----------|----------|
| Customer<br>(Mobile user) | Registration                        | USN-1                | As a user, I can register for the application by entering email, password, and confirming my password. | I can access my account/dashboard                        | High     | Sprint-1 |
|                           |                                     | USN-2                | As a user, I will receive a confirmation<br>email once I have registered for the<br>application        | I can receive e<br>confirmation email &<br>click confirm | High     | Sprint-2 |
|                           |                                     | USN-3                | As a user, I can register for the application through Google   | I can register & access<br>the dashboard with<br>Google  | High     | Sprint-1 |
|                           |                                     | USN-4                | As a user, I can register for the application through Gmail  | I can register through the mail.                         | Medium   | Sprint-2 |
|                           | Login                               | USN-5                | As a user, I can log into the application by entering email, password & captcha                        | l can receive login<br>credentials.                      | High     | Sprint-1 |
|                           | Interface                           | USN-6                | As a user, the interface should be user-friendly<br>manner   | I can able to access easily.                             | Medium   | Sprint-1 |
| Customer (Web user)       | dashboard                           | USN-7                | As a user, I can access the specific info(ph value, temp, humidity, quality).                          | I can able to know the<br>quality of the water.          | High     | Sprint-1 |
| Customer (input)          | View manner                         | USN-8                | As a user, I can view data in visual representation manner(graph)                                      | I can easily understand<br>by visuals.                   | High     | Sprint-1 |
|                           | Taste                               | USN-9                | As a user , I can able to view the quality(salty) of the water   | I can easily know whether it<br>is salty or not          | High     | Sprint-1 |
|                           | Color visibility                    | USN-10               | As a user , I can able predict the water color   | I can easily know the condition by color                 | High     | Sprint-1 |
| Administrator             | Risk tolerant                       | USN-11               | An administrator who Is handling the system should update and take care of the application.            | Admin should monitor the<br>records properly.            | Medium   | Sprint-2 |

### 5.4 Customer Journey:



# **6.PROJECT PLANNING AND SCHEDULING**

### **6.1 SPRINT PLANNING & SCHEDULING:**

| TITLE                                     | DESCRIPTION   | DATE               |
|---|---|--------------------|
| Literature Survey & Information Gathering | Literature survey on the selected project is done by gathering information about related details on technical papers and web browsing.                | 06 OCTOBER<br>2022 |
| Empathy Map                               | Prepared Empathy Map Canvas to combine thoughts and pains, gains of the project with all team members.  |                    |
| Ideation                                  | Brainstorming session is conducted with all team members to list out all the ideas and prioritise the top 3 ideas.                                    | 09 OCTOBER<br>2022 |
| Proposed Solution                         | Prepared the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact scalability of solution, etc. | 2022               |
| Problem Solution<br>Fit                   | Prepared problem - solution fit document.   | 30 OCTOBER<br>2022 |

### **6.2 SPRINT DELIVERY SCHEDULE**

# **Product Backlog, Sprint Schedule, and Estimation**

#### Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

| Sprint   | Functional<br>Requirement(Epic) | User<br>Story<br>Number | User<br>Story/Task  | Story<br>Points | Priority | Team Members |
|----------|---------------------------------|-------------------------|---|-----------------|----------|--------------|
| Sprint 1 | Registration                    | USN-1                   | As a user, I<br>can register<br>for the<br>application<br>by entering<br>my email,<br>password,<br>and<br>confirming<br>my<br>password. | 2               | High     | 5            |
| Sprint-1 |                                 | USN-2                   | As a user, I<br>will receive<br>confirmation<br>email once I<br>have<br>registered for<br>the<br>application                            | 1               | High     | 5            |
| Sprint-2 |                                 | USN-3                   | As a user, I<br>can register<br>for the<br>application<br>through<br>Facebook   | 2               | Low      | 2            |
| Sprint-1 |                                 | USN-4                   | As a user, I<br>can register<br>for the<br>application<br>through<br>Gmail  | 2               | Medium   | 3            |

| Sprint-1 | Login | USN-5 | As a user, I | 1 | High | 5 |
|----------|-------|-------|--------------|---|------|---|
|          |       |       | can log into |   |      |   |
|          |       |       | the          |   |      |   |
|          |       |       | application  |   |      |   |
|          |       |       | by Entering  |   |      |   |
|          |       |       | email &      |   |      |   |
|          |       |       | password     |   |      |   |
|          |       |       |              |   |      |   |

### **Project Tracker, Velocity & Burndown Charts**


#### Project Tracker, Velocity & Burndown Charts (4 Marks):

| Sprint   | Total Story<br>Points | Duration | Sprint Start<br>Date | Sprint End Date<br>(Planned) | Story Points<br>Completed<br>(as on<br>Planned End<br>Date) | Sprint Release Date<br>(Actual) |
|----------|-----------------------|----------|----------------------|------------------------------|---|---------------------------------|
| Sprint-1 | 20                    | 6 Days   | 24 Oct 2022          | 29 Oct 2022                  | 20  | 29 Oct 2022                     |
| Sprint-2 | 20                    | 6 Days   | 31 Oct 2022          | 05 Nov 2022                  | 30  | 30 Oct 2022                     |
| Sprint-3 | 20                    | 6 Days   | 07 Nov 2022          | 12 Nov 2022                  | 49  | 06 Nov 2022                     |
| Sprint-4 | 20                    | 6 Days   | 14 Nov 2022          | 19 Nov 2022                  | 50  | 07 Nov 2022                     |

# Velocity:

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

#### **Burndown Chart:**



#### 7.CODING AND SOLUTIONING

#### 7.1 Python Script:


```
BM PROJECT.py - C:\Users\Jeevitha K\IBM PROJECT.py (3.11.0)
                                                                                                                                                                                                                                      ā ×
 File Edit Format Run Options Window Help
import time
import sys
import ibmiotf.application
import ibmiotf.device
♦ Provide your IBM Watson Device Credentials
organization = "xfptfb"  # replace it with organization ID deviceType = "NodeMCU"  # replace it with device type deviceId = "19141"  # replace with device id authMethod = "use-token-auth" authToken = "1914137383010209"  # replace with token
def myCommandCallback(cmd):
    print("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status == 'lighton':
        print("LIGHT ON")
    elif status == 'lightoff':
        print("LIGHT OFF")
    else:
        print("Light OFF")
            e:
print ("please send proper command")
f .....
except Exception as e:
   print("Caught exception connecting device: %s" % str(e))
   sys.exit()
deviceCli.connect()
while True:
pH = random.randint(0,100)
BM PROJECT.py - C:\Users\Jeevitha K\IBM PROJECT.py (3.11.0)
 File Edit Format Run Options Window Help
     print("LIGHT OFF")
            print ("please send proper command")
except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()
while True:
    pH = random.randint(0,100)
    conductivity = random.randint(0,100)
    T = random.randint(0,100)
    oxygen = random.randint(0,100)
    oxygen = random.randint(0,100)
    turbidity = random.randint(0,100)
    * Send Temperature & Humidity to IBM Watson
    data = {'temperature': T,'ph':pH,'conductivity':conductivity,'oxygen':oxygen,"turbidity":turbidity}
      # print data
def myOnPublishCallback():
    print("Published data",data, "to IBM Watson")
      success = deviceCli.publishEvent("event", "json", data, 0, myOnPublishCallback)
if not success:
    print("Mot connected to IoTF")
time.sleep(5)
      deviceCli.commandCallback = myCommandCallback
 # Disconnect the device and application from the cloud
```

#### **OUTPUT:**


```
Fite Bill Format Run Options Window Help

Import India
Import imem
Import imem
Import ibmiotif. application
Import ibmiotif. applica
```


#### 7.2 Publishing datas to IBM Watson:



#### 7.3 Pushing datas from IBM Watson to Node-RED:



# Node-RED dashboard:




### 7.4 Mit-app inventor:











### **OUTPUT:**

### REAL TIME RIVER WATER QUALITY MONITIORING

# **MONITORING WINDOW**

**ph**: 61

Conductivity: 27

**Temperature:** 96

Oxygen: 48

**Turbidity:** 73

**LIGHT ON** 

LIGHT OFF

 $\triangleleft$ 

#### 8.TESTING

### **8.1 TEST CASES:**

- We want to check the water condition whether drinkable or not based on data received.
- If the water conditions are normal and drinkable water nothing needs to be done.
- If the water conditions are not normal, water is polluted or spoiled and needs to be changed and alert the people.

### **8.2 USER ACCEPTANCE TESTING:**

### 1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEMS project at the time of the release to User Acceptance Testing (UAT).

### 2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

| Resolution        | Severity<br>1 | Severity<br>2 | Severity 3 | Severity<br>4 | Subtotal |
|-------------------|---------------|---------------|------------|---------------|----------|
| By Design         | 9             | 5             | 4          | 3             | 21       |
| Duplicate         | 2             | 0             | 2          | 0             | 4        |
| External          | 3             | 4             | 1          | 2             | 10       |
| Fixed             | 10            | 1             | 5          | 17            | 33       |
| Not<br>Reproduced | 0             | 0             | 1          | 0             | 1        |
| Skipped           | 0             | 0             | 1          | 2             | 3        |
| Won't Fix         | 0             | 3             | 3          | 1             | 7        |
| Totals            | 24            | 13            | 17         | 25            | 79       |

# 9.RESULT

# PERFORMANCE TABLE

| PARAMETER        | PERFORMANCE      | DESCRIPTION           |
|------------------|------------------|-----------------------|
| ADMIN TESTING    | 95%-100%         | THE TESTING DONE      |
|                  |                  | BEFORE IT IS DEPLOYED |
|                  |                  | AS AN APP             |
| CUSTOMER         | 75-85%           | THE CUSTOMER NEED TO  |
| SATISFACTION     |                  | BE SATISFIED WITH THE |
|                  |                  | MOBILE APPLICATION    |
| USER INTERFACE   | 65-85%           | THE APP CAN USED BY   |
|                  |                  | ANYONE.(EASE OF       |
|                  |                  | ACCESS)               |
| SEVER RESPONSE   | 50-75%           | url - response        |
| DATA VALIDATION  | 60-80%           | VALID DATA FROM THE   |
| WITH NO. OF TEST | (15-30 TESTCASE) | APP                   |
| CASE             |                  |                       |
| ERROR            | 3-5%             | REAL-TIME DELAY MAY   |
|                  |                  | OCCUR                 |

#### **10.ADVANTAGES AND DISADVANTAGES**

#### **ADVANTAGES:**

- The prototype developed for water quality maintenance is very beneficial for safeguarding public health and also adds to the clean environment.
- The automation of this water monitoring, cleaning and control process removes the need of manual labor and thus saves time and money.
- The automation of the system makes the control and monitoring process more
  efficient and effective. Real time monitoring on mobile phone which is possible
  through the interface of plc with Arduino and Bluetooth module allows remote
  controlling of the system.

#### **DISADVANTAGES:**

- It is difficult to collect the water samples from all the area of the water body.
- The cost of analysis is very high.
- The lab testing and analysis takes some time and hence the lab results does not reflect real time water quality measurement due to delay in measurement.
- The process is time consuming due to slow process of manual data collection from different locations of the water body.
- The method is prone to human errors of various forms.

#### 11.CONCLUSION

Thus our project is used to Monitoring of Turbidity, PH & Temperature of Water makes use of water detection sensor with unique advantage and existing GSM network. The system can monitor water quality automatically, and it is low in cost and does not require people on duty. So the water quality testing is likely to be more economical, convenient and fast. The system has good flexibility. Only by replacing the corresponding sensors and changing the relevant software programs, this system can be used to monitor other water quality parameters.

The operation is simple. The system can be expanded to monitor hydrologic, air pollution, industrial and agricultural production and so on. It has widespread application and extension value. By keeping the embedded devices in the environment for monitoring enables self protection (i.e., smart environment) to the environment. To implement this need to deploy the sensor devices in the environment for collecting the data and analysis. By deploying sensor devices in the environment, we can bring the environment into real life i.e. it can interact with other objects through the network.

Then the collected data and analysis results will be available to the end user through the Wi-Fi.

#### **12. FUTURE SCOPE**

We use water detection sensor has unique advantage. It consumes less time to monitor than a manual method for checking polluted levels, and notifies immediately to reduce affected rate of pollution in water. People who are living in rural areas near to the river will be very satisfied with our idea. It will be useful to monitor water pollution in specific area. So this system prevent people from water pollution. It will be used for farming purpose to check quality water, temperature and PH level. Our Impact of this project is also create a social satisfaction for farmers too. The scalability of this project gives the addition of more different type of sensors. By interfacing the relay we can control the supply of water. We can also implement as a revenue model. This system could also be implemented in various industrial processes. The system can be modified according to the needs of the user and can be implemented along with lab view to monitor data on computers.

### 13. APPENDIX:

#### 13.1 GIT-HUB LINK:

https://github.com/IBM-EPBL/IBM-Project-11521-1659331945

#### **13.2 PROJECT DEMO LINKS:**

- 1) https://node-red-xdyfi-2022-11-11.eu-gb.mybluemix.net/red/#flow/9d96f14f11d72727
- 2) https://youtu.be/LxVWGfaB9zl
- 3)https://drive.google.com/file/d/11d6Kgz3PMkU4\_uLZzJ9P0dax6wJaPtTu/view?usp=drivesdk