ASSIGNMENT-3

Project Name: Personal Expense Tracker


Team ID: PNT2022TMID13651 Roll Number: 621319205031

Student Name: Pooja S S

Question-1:

Create a Bucket in IBM object storage.

Solution:



Question-2:

Upload an 5 images to ibm objectstorage and make it public. write html code to displaying all the 5 images.

Solution:




Question-3:

Upload a css page to the objectstorage and use the same page in your HTML code.write html code to displaying all the 5 images.

Solution:

```
html
    chead
        <meta charset="utf-8">
        meta name="viewport" content="width=device-width,
initial-scale=1, shrink-to-fit=no">
        link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font
awesome/4.7.0/css/font-awesome.min.css">
        link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.c"
        link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min
       <link rel="stylesheet" href="https://s3.au-syd.cloud-object</pre>
storage.appdomain.cloud/my
</head:
    body
```

```
div class="signup">
             form action="\result" method="post">
             h2>LOGIN</h2>
             div class="form-group">
                 div class="input-group">
                      span class="input-group-addon"><i class="fa fa</pre>
envelope"></i>></span>
                      <input type="email" name="email" class=" form</pre>
control"placeholder="Email" required>
                 </div>
            </div
             div class="form-group">
                 <div class="input-group">
                      span class="input-group-addon"><i class="fa fa</pre>
lock"></i></span>
                     input type="password" name="password" class=" form
control"placeholder="password" required>
                </div>
            </div
             div class="form-group">
                  button type="submit" class="btn btn-primary btn-lg btn
block">Login</button>
            </div
        </form>
        </div
    </body
</html>
```



Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Solution:

https://web

<u>chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F</u>
<u>%</u>

<u>2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3-852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-7db9327ba407&integrationID=4eb80521-2d5d4e2b-ac4b-5124347d8655®ion=au-syd&serviceInstanceID=f8e994d6-a0d7-422f-a9f3-852a308d5f26</u>

Question-5:

Create Watson assistantservice with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
DOCTYPE html>
html lang="en">
head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    meta name="viewport" content="width=device-width,
    initial-scale=1.0"> <title>Document</title</pre>
</head:
body
  script
   window.watsonAssistantChatOptions = {
     integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of
this integration.
     region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of your
service instance.
     onLoad: function(instance) { instance render(); }
    setTimeout(function(){
      const t=document.createElement('script');
     t.src="https://web
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest')
+ "/WatsonAssistantChatEntry.js";
     document.head.appendChild(t);
  </script:
</body>
</html>
```

