
Assignment -4 Kubernetes / Docker


PROJECT NAME	Personal Expense Tracker Application
Team ID	PNT2022TMID13651
Student Name	POOJA S S
Student Roll Number	621319205031

Question-1:

Pull an Image from docker hub and run it in docker playground.

Solution:





Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

Solution:

app.py

```
from flask import *
app = Flask(__name__)
@app.route("/")
def home():
    return "Hello World"
if__name__ == "__main__":
    app.run(debug=True)
```

Dockerfile:

FROM python:3.6

WORKDIR /app

ADD . /app

COPY requirements.txt /app

RUN python3 -m pip install -r requirements.txt


RUN python3 -m pip install ibm_db


EXPOSE 5000

CMD ["python","app.py"]

C:\Windows\System32\cmd.e × + v			o ×	
D:\OneDrive\Desktop\IBM Docs\Assigments\assignment-four>				
REPOSITORY D SIZE	TAG	IMAGE ID	CREATE	
D SIZE assigrment-four onds ago 1.08GB	latest	c078f0dadaef	55 sec	
nus ago 1.0006 intes ago 913MB	<none></none>	43c70dac96eb	15 min	
ocker101tutorial ago 28.9MB	latest	3da8546f1c85	5 days	
alpine/git s ago 43.6MB	latest	42a1cda0ba24	2 week	
locker/desktop-git-helper s ago 45.8MB	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week	
nubproxy.docker.internal:5000/docker/desktop-kubernetes ago 363MB	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	09d7e1dbc2c4	6 week	
8s.gcr.io/kube-apiserver ago 128MB	v1.25.2	97801f839490	6 week	
8s.gcr.io/kube-scheduler ago 50.6MB	v1.25.2	ca0ea1ee3cfd	6 week	
8s.gcr.io/kube-controller-manager ago 117MB	v1.25.2	dbfceb93c69b	6 week	
:8s.gcr.io/kube-proxy : ago 61.7MB	v1.25.2	1c7d8c51823b	6 week	
:8s.gcr.io/pause ns ago 711kB	3.8	4873874c08ef	4 mont	
:8s.gcr.io/etcd ns ago 300MB	3.5.11-0	a8a176a5d5d6	5 mont	
8s.gcr.io/coredns ns ago 48.8MB	v1.9.3	5185b96f0bec	5 mont	
locker/getting-started ns ago 28.8MB	latest	cb90f98fd791	7 mont	
locker/desktop-git-helper :hs ago 44.2MB	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mon	
locker/desktop-vpnkit-controller :hs ago 21MB	v2.0	8c2c38aa676e	18 mon	
docker/desktop-storage-provisioner ths ago 41.9MB	v2.0	99f89471f470	18 mon	
):\OneDrive\Desktop\IBM Docs\Assigments\assignment-four>docker run -p 5000:5000 assignment-four * Serving Flask app 'app' (lazy loading) * Environment: production WARNING: This is a development server. Do not use it in a production deployment.				

C:\Windows\System32\cmd.e × + v			o ×	
docker101tutorial ago 23.9MB	latest	3da8546f1c85	5 days	
alpine/git	latest	42a1cda0ba24	2 week	
docker/desktop-git-helper	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week	
s ago 45.8MB hubproxy.docker.internal:5000/docker/desktop-kubernetes	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	09d7e1dbc2c4	6 week	
s ago 363MB k8s.gcr.io/kube-apiserver	v1.25.2	97801f839490	6 week	
s ago 128MB k8s.gcr.io/kube-scheduler	v1.25.2	ca0ea1ee3cfd	6 week	
s ago 50.6MB k8s.gcr.io/kube-controller-manager	v1.25.2	dbfceb93c69b	6 week	
s ago 117MB k8s.gcr.io/kube-proxy	v1.25.2	1c7d8c51823b	6 week	
s ago 61.7MB k8s.gcr.io/pause	3.8	4873874c08ef	4 mont	
hs age 711kB k8s.gcr.io/etcd	3.5.4-0	a8a176a5d5d6	5 mont	
hs ago 300MB k8s.gcr.io/coredns	v1.9.3	5185b96f0bec	5 mont	
hs age 48.8MB docker/getting-started	latest	cb90f98fd791	7 mont	
hs ago 28.8MB docker/desktop-git-helper	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mon	
ths ago 44.2MB docker/desktop-vpnkit-controller	v2.0	8c2c38aa676e	18 mon	
ths ago 21MB docker/desktop-storage-provisioner ths aco 41.9MB	v2.0	99f89471f470	18 mon	
D:\OneDrivop:\Desktop\IEM Docs\Assignments\assignment-four>docker run -p 5000:5000 assignment-four * Serving Flask app 'app' (lazy loading) * Environment: production WANNING: lhas is a development server. Do not use it in a production deployment. Use a production WSGI server instead. * Debug mode: on * Running on http://127.8.0 1:5000/ (Press CTRL+C to cuit) * Restarting with stat * Debugger is active! * Debugger PIN: 509-750-282				






Question-3:

Create a IBM container registry and deploy helloworld app or jobportalapp.

Solution:



```
C:\Users\ASUS>docker login
Login with your Docker ID to push and pull images from Docker Hub. If you don't have a Docker ID, head over to https://hub.docker.com to create one.

Username: sathiyananth
Passwerd:
Login Succeeded

Loging in with your password grants your terminal complete access to your account.
For better security, login with a Limited-privilege personal access token. Learn more at https://docs.docker.com/go/access-tokens/

C:\Users\ASUS>ibmeloud cr login
Logging 'docker' in to 'icr.io'...
Logger in to 'icr.io'...

OR

C:\Users\ASUS>ibmeloud cr namespace-add helloworldapp
Mo resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.


Adding namespace 'helloworldapp' in resource group 'Default' for account SATHIYANANTH PERIYASANY's Account in registry icr.io...


The requested namespace is already owned by your accourt.

OR

C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest
The push refers to repository [icr.io/helloworldapp/testrepo:helloworldtest
7/5846_388bac: Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D3efoeder Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D3efoeder Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D9486D2efoe: Pushed
3D948CD2efoe: Pushed
```







Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld imageor jobportal image and also expose the same app to run in nodeport.

Solution:

