

Assignment -1
Python Programming

| | |
|---------------------|------------------|
| Assignment Date | 07 October 2022 |
| Student Name | Earnest Wesley S |
| Student Roll Number | 511919104005 |
| Maximum Marks | 2 Marks |

Dataset

Question-1:

1. Importing the dataset

Solution-1:

```
from google.colab import drive  
drive.mount('/content/drive')
```

Output:

```
Mounted at /content/drive
```

Solution-2:

```
cd/content/drive/MyDrive/
```

Output:

```
/content/drive/MyDrive
```

Solution-3:

! unzip Flowers-Dataset.zip

Output:

Output exceeds the [size limit](#). Open the full output data [in a text editor](#).

```
Archive: Flowers-Dataset.zip inflating: flowers/daisy/100080576_f52e8ee070_n.jpg
inflating: flowers/daisy/10140303196_b88d3d6cec.jpg inflating:
flowers/daisy/10172379554_b296050f82_n.jpg inflating:
flowers/daisy/10172567486_2748826a8b.jpg inflating:
flowers/daisy/10172636503_21bededa75_n.jpg inflating:
flowers/daisy/102841525_bd6628ae3c.jpg inflating:
flowers/daisy/10300722094_28fa978807_n.jpg inflating:
flowers/daisy/1031799732_e7f4008c03.jpg inflating:
flowers/daisy/10391248763_1d16681106_n.jpg inflating:
flowers/daisy/10437754174_22ec990b77_m.jpg inflating:
flowers/daisy/10437770546_8bb6f7bdd3_m.jpg inflating:
flowers/daisy/10437929963_bc13eebe0c.jpg inflating:
flowers/daisy/10466290366_cc72e33532.jpg inflating:
flowers/daisy/10466558316_a7198b87e2.jpg inflating:
flowers/daisy/10555749515_13a12a026e.jpg inflating:
flowers/daisy/10555815624_dc211569b0.jpg inflating:
flowers/daisy/10555826524_423eb8bf71_n.jpg inflating:
flowers/daisy/10559679065_50d2b16f6d.jpg inflating:
flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/10712722853_5632165b04.jpg inflating:
flowers/daisy/107592979_aaa9cdf78_m.jpg inflating:
flowers/daisy/10770585085_4742b9dac3_n.jpg inflating:
flowers/daisy/10841136265_af473efc60.jpg inflating:
flowers/daisy/10993710036_2033222c91.jpg
...
inflating: flowers/tulip/9870557734_88eb3b9e3b_n.jpg inflating:
flowers/tulip/9947374414_fdf1d0861c_n.jpg inflating:
flowers/tulip/9947385346_3a8cacea02_n.jpg inflating:
flowers/tulip/9976515506_d496c5e72c.jpg
```

Question-2:

2. Image Augmentation

Solution-1:

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen = ImageDataGenerator(rescale=1./255, zoom_range
                                   =0.2, horizontal_flip=True, vertical_flip = False)

test_datagen = ImageDataGenerator ( rescale = 1. / 255 )

x_train
=train_datagen.flow_from_directory(r"/content/drive/MyDrive/flowers", target_size
                                   =(64,64), class_mode ='categorical', batch_size=24)
```

Output:

```
Found 4317 images belonging to 5 classes.
```

Solution-2:

```
x_train.class_indices
```

Output:

```
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

Solution-3:

```
xtest = test_datagen.flow_from_directory('/content/drive/MyDrive/flowers',
                                         target_size=(64,64),
                                         class_mode='categorical',
                                         batch_size=100)
```

Output:

```
Found 4317 images belonging to 5 classes.
```

Question-3:

3. Create model and adding layers

Solution:

```
from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Convolution2D,MaxPooling2D,Flatten,Dense

model = Sequential() #Initializing sequential model

model.add(Convolution2D(32,(3,3),activation='relu',input_shape=(64,64,3)))
#Convolution layer

model.add(MaxPooling2D(pool_size=(2,2))) #MaxPooling layer

model.add(Flatten()) #Flatten layer

model.add(Dense(300,activation='relu')) #Hidden layer 1

model.add(Dense(150,activation='relu')) #Hidden layer 2

model.add(Dense(4,activation='softmax')) #Output layer
```

Output:

Model created successfully

Question-4:

4. Compile the model

Solution:

```
model.compile(optimizer='adam',loss='categorical_crossentropy',metrics=['accuracy'
])

model.summary()
```

Output:

| Model: "sequential" | | |
|------------------------------|--------------------|---------|
| Layer (type) | Output Shape | Param # |
| conv2d (Conv2D) | (None, 62, 62, 32) | 896 |
| max_pooling2d (MaxPooling2D) | (None, 31, 31, 32) | 0 |
| flatten (Flatten) | (None, 30752) | 0 |
| dense (Dense) | (None, 300) | 9225900 |
| dense_1 (Dense) | (None, 150) | 45150 |
| dense_2 (Dense) | (None, 4) | 604 |
| ----- | | |
| Total params: 9,272,550 | | |
| Trainable params: 9,272,550 | | |
| Non-trainable params: 0 | | |

Question-5:

5. Fit the model

Solution:

```
from keras.callbacks import EarlyStopping, ReduceLROnPlateau

early_stopping = EarlyStopping(monitor='val_accuracy', patience=5)

reduce_lr = ReduceLROnPlateau(monitor='val_accuracy', patience=5,
                               factor=0.5,min_lr=0.00001)

callback = [reduce_lr,early_stopping]

model.fit(x_train,

          steps_per_epoch=len(x_train),

          epochs=50,

          callbacks=callback,

          validation_data=x_train,

          validation_steps=len(x_train))
```

Output:

```
Epoch 1/10
Output exceeds the size limit. Open the full output data in a text editor
-----
InvalidArgumentError                                Traceback (most recent call last)
<ipython-input-54-93f25d2cf72d> in <module>
      3         epochs=10,
      4         callbacks=callback,
----> 5         validation_data=x_train)
      6         # validation_steps=len(x_train))

/usr/local/lib/python3.7/dist-packages/keras/utils/traceback_utils.py in error_handler(*args, **kwargs)
    65     except Exception as e: # pylint: disable=broad-except
    66         filtered_tb = _process_traceback_frames(e.__traceback__)
----> 67         raise e.with_traceback(filtered_tb) from None
    68     finally:
    69         del filtered_tb

/usr/local/lib/python3.7/dist-packages/tensorflow/python/eager/execute.py in quick_execute(op_name, num_outputs, inputs, attrs, ctx, name)
    53     ctx.ensure_initialized()
    54     tensors = pywrap_tfe.TFE_Py_Execute(ctx._handle, device_name, op_name,
----> 55                                         inputs, attrs, num_outputs)
    56 except core._NotOkStatusException as e:
    57     if name is not None:

InvalidArgumentError: Graph execution error:

Detected at node 'categorical_crossentropy/softmax_cross_entropy_with_logits' defined at (most recent call last):
...
  File "/usr/local/lib/python3.7/dist-packages/keras/backend.py", line 5099, in categorical_crossentropy
    labels=target, logits=output, axis=axis)
Node: 'categorical_crossentropy/softmax_cross_entropy_with_logits'
logits and labels must be broadcastable: logits_size=[24,4] labels_size=[24,5]
[[[node categorical_crossentropy/softmax_cross_entropy_with_logits]]] [Op: _inference_train_function_1259]
```

Question-6:

6. Save the model

Solution:

```
model.save('flowers.h5')
```

Output:

```
Model saved
```

Question-7:

7. Test the model

Solution-1:

```
img=image.load_img('/content/drive/MyDrive/flowers/dandelion/10043234166_e6dd915111_n.jpg',target_size=(64,64))

x=image.img_to_array(img)

x=np.expand_dims(x,axis=0)

pred=np.argmax(model.predict(x))

op=['daisy','dandelion','rose','sunflower','tulip']

op[pred]
```

Output:

```
'sunflower'
```

Solution-2:

```
img=image.load_img('/content/drive/MyDrive/flowers/sunflower/1008566138_6927679c8a.jpg',target_size=(64,64))

x=image.img_to_array(img)

x=np.expand_dims(x,axis=0)

pred=np.argmax(model.predict(x))

op=['daisy','dandelion','rose','sunflower','tulip']

op[pred]
```

Output:

```
'sunflower'
```