SETTING UP THE APPLICATION ENVIRONMENT

Docker CLI Installation

| Date | 11November 2022 |
|--------------|-----------------------------------|
| Team ID | PNT2022TMID01390 |
| Project Name | Skill/Job Recommender Application |

Docker CLI Installation: commands

>> start /w "" "Docker Desktop Installer.exe" install

Installing Docker Desktop 4.13.1 (90346)

Docker Desktop

Initializing...

Verifying package


-


Docker Desktop initializing:

Docker CLI installation

```
Command Prompt
                                                                                                                                   Microsoft Windows [Version 10.0.19044.1766]
(c) Microsoft Corporation. All rights reserved.
C:\Users\ADMIN>docker
Usage: docker [OPTIONS] COMMAND
A self-sufficient runtime for containers
       --config string
                               Location of client config files (default
                                "C:\\Users\\ADMIN\\.docker"
  -c, --context string
                               Name of the context to use to connect to the
                               daemon (overrides DOCKER_HOST env var and
                               default context set with "docker context use")
  -D, --debug
                               Enable debug mode
                               Daemon socket(s) to connect to
Set the logging level
("debug"|"info"|"warn"|"error"|"fatal")
(default "info")
Use TLS; implied by --tlsverify
  -H, --host list
  -1, --log-level string
                               Trust certs signed only by this CA (default "C:\\Users\\ADMIN\\.docker\\ca.pem")
      --tlscacert string
                               Path to TLS certificate file (default
      --tlscert string
                                "C:\\Users\\ADMIN\\.docker\\cert.pem")
       --tlskey string
                               Path to TLS key file (default
                                "C:\\Users\\ADMIN\\.docker\\key.pem")
       --tlsverify
                               Use TLS and verify the remote
  -v, --version
                               Print version information and quit
```

Docker desktop





Docker startup:

