```
from google.colab import drive
drive.mount('/content/drive')

Mounted at /content/drive

from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,
zoom_range=0.2,horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)
```

## Image Augmentation

```
x_train = train_datagen.flow_from_directory('/content/drive/MyDrive/Flowers-Dataset/flower
target_size=(64,64),
class_mode='categorical',
batch_size=100)
    Found 2880 images belonging to 5 classes.

x_test=test_datagen.flow_from_directory('/content/drive/MyDrive/Flowers-Dataset/flowers',
target_size=(64,64),
class_mode='categorical',
batch_size=100)
    Found 2880 images belonging to 5 classes.

x_train.class_indices
    {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Dense, Flatten
from keras.callbacks import EarlyStopping, ReduceLROnPlateau
```

## → INITIALISING AND CREATING MODEL

```
model = Sequential()
model.add(Convolution2D(32,(3,3),activation='relu',input_shape=(64,64,3)))
model.add(MaxPooling2D((2,2)))
model.add(Flatten())
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(5,activation='softmax'))
```

model.summary()

Model: "sequential"

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
<pre>max_pooling2d (MaxPooling2D )</pre>	(None, 31, 31, 32)	0
flatten (Flatten)	(None, 30752)	0
dense (Dense)	(None, 300)	9225900
dense_1 (Dense)	(None, 150)	45150
dense_2 (Dense)	(None, 5)	755
	=======================================	========

Total params: 9,272,701 Trainable params: 9,272,701 Non-trainable params: 0

model.compile(optimizer='adam',loss='categorical\_crossentropy',metrics=['accuracy'])

model.fit\_generator(x\_train,steps\_per\_epoch=len(x\_train), validation\_data=x\_test, validati

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning: `Mode
"""Entry point for launching an IPython kernel.
Epoch 1/30
29/29 [============= ] - 70s 2s/step - loss: 0.9804 - accuracy: 0.
Epoch 2/30
29/29 [=============== ] - 42s 1s/step - loss: 0.8774 - accuracy: 0.
Epoch 3/30
29/29 [============= ] - 43s 1s/step - loss: 0.8238 - accuracy: 0.
Epoch 4/30
29/29 [============= ] - 42s 1s/step - loss: 0.7804 - accuracy: 0.
Epoch 5/30
Epoch 6/30
Epoch 7/30
Epoch 8/30
Epoch 9/30
Epoch 10/30
Epoch 11/30
Epoch 12/30
Epoch 13/30
Epoch 14/30
```

```
Epoch 15/30
Epoch 16/30
29/29 [============= ] - 43s 1s/step - loss: 0.4847 - accuracy: 0.4
Epoch 17/30
29/29 [============ ] - 43s 1s/step - loss: 0.4389 - accuracy: 0.1
Epoch 18/30
29/29 [============== ] - 43s 1s/step - loss: 0.4335 - accuracy: 0.1
Epoch 19/30
29/29 [============ ] - 43s 1s/step - loss: 0.4049 - accuracy: 0.1
Epoch 20/30
29/29 [============== ] - 42s 1s/step - loss: 0.4192 - accuracy: 0.1
Epoch 21/30
Epoch 22/30
Epoch 23/30
Epoch 24/30
Epoch 25/30
29/29 [============ ] - 42s 1s/step - loss: 0.3314 - accuracy: 0.1
Epoch 26/30
29/29 [============= ] - 43s 1s/step - loss: 0.3209 - accuracy: 0.1
Epoch 27/30
29/29 [============== ] - 44s 2s/step - loss: 0.2855 - accuracy: 0.1
```

## SAVE THE MODEL

```
model.save('flowers.h5')
```

## Test the model

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

model=load_model('flowers.h5')

val = list(x_train.class_indices.keys())
val

    ['daisy', 'dandelion', 'rose', 'sunflower', 'tulip']

img=image.load_img("/content/drive/MyDrive/Flowers-Dataset/flowers/rose/12240303_80d87f77a
x=image.img_to_array(img)
```

Colab paid products - Cancel contracts here