
Date	12 November 2022
Team ID	PNT2022TMID15704
Project Name	Real-Time Communication System Powered by AI for Specially Abled
Marks	8

#### IMPORTING LIBRARIES


import os import cv2 import numpy as np import matplotlib.pyplot as plt from keras.preprocessing.image import ImageDataGenerator

#### **Define DATA FILES**


```
def rename_imgs(file_name):
  folder path = r'test dataset/'+file name
  num = 0 for file in
os.listdir(folder path):
    # if num\%10 == 0:
    # print(f'Renamed {num} files...')
    \# os.rename(folder\_path+'\'+file,folder\_path+'\'+file\_name+'\_'+str(num)+'.jpeg')
num += 1
fn = 'Space' rename_imgs(fn)
file_names = '0123456789'+'ABCDEFGHIJKLMNOPQRSTUVWXYZ' for fn in file_names:
rename_imgs(fn)
SAMPLE IMAGES FROM DATASET
train_data_path = 'train_dataset/' test_data_path = 'test_dataset/'
                                                                               def display(img,sign=None):
  img = cv2.cvtColor(img,cv2.COLOR_BGR2RGB)
fig = plt.figure(figsize=(7,7))
  ax = fig.add\_subplot(111)
plt.title(sign)
  ax.imshow(img) Training
Data Set
sign_img = cv2.imread(train_data_path+'A/A_204.jpeg') display(sign_img,'A')
```




 $sign\_img = cv2.imread(train\_data\_path+'3/3\_340.jpeg') \ display(sign\_img,'3')$ 




 $sign\_img = cv2.imread(train\_data\_path + 'S/S\_10.jpeg') \ display(sign\_img, 'Space')$ 



**Test Data Set** sign\_img = cv2.imread(test\_data\_path+'S/S\_15.jpeg') display(sign\_img,'S')



 $sign\_img = cv2.imread(test\_data\_path + 'Z/Z\_1.jpeg') \ display(sign\_img, 'Z')$ 




## **Image Data Generator**

image\_gen = ImageDataGenerator(rotation\_range=30,

width\_shift\_range=0.1,
height\_shift\_range=0.1,
shear\_range=0.2,
zoom\_range=0.2,
horizontal\_flip=True,
fill\_mode='nearest',
validation\_split=0.25)


## **Original Image**

 $sign\_img = cv2.imread(train\_data\_path+'3/3\_100.jpeg') \ display(sign\_img,'3')$ 



# **Augmented Images**

display(image\_gen.random\_transform(sign\_img))



## Split into Test & Validation dataset Train Data Generator

batch\_size=16,

```
class_mode='binary',
subset='training')
Found 41625 images belonging to 37 classes.
Validation Data Generator
                                          validation_data_gen = image_gen.flow_from_directory(train_data_path,
                           target_size=(250,250),
batch_size=16,
                                            shuffle=True,
class_mode='binary',
subset='validation')
Found 13875 images belonging to 37 classes.
Test Data Generator
                                                  test_data_gen = image_gen.flow_from_directory(test_data_path,
                           target_size=(250,250),
batch_size=8,
                                          shuffle=True,
                           class_mode='categorical',
)
Found 2586 images belonging to 37 classes.
train_data_gen.class_indices
{'0': 0,
'1': 1,
'2': 2,
'3': 3,
'4': 4,
'5': 5,
'6': 6, '7':
7,
'8': 8,
'9': 9,
'A': 10,
'B': 11,
'C': 12,
'D': 13,
'E': 14,
'F': 15,
'G': 16,
'H': 17,
'I': 18,
'J': 19,
'K': 20,
'L': 21,
'M': 22,
'N': 23,
'O': 24,
'P': 25,
'Q': 26,
'R': 27,
'S': 28,
'Space': 29,
'T': 30,
'U': 31,
'V': 32,
'W': 33,
```

'X': 34,

'Y': 35,

'Z': 36}

test\_data\_gen.classes

array([ 0, 0, 0, ..., 36, 36, 36])

len(train\_data\_gen.classes)

41625