Assignment – 3

Build CNN Model for Classification of Flowers

Assignment Date	02 October 2022
Student Name	Mr. T. Logavarthan
Student Roll Number	142219106048
Maximum Marks	2 Marks

TASKS:

- 1. Download the dataset
- 2. Image Augmentation

```
In [7]:
          from tensorflow.keras.preprocessing.image import ImageDataGenerator
 In [5]:
          train_datagen = ImageDataGenerator(rescale=1./255,
                                              zoom range=0.2,
                                              horizontal_flip=True)
 In [6]:
          test_datagen = ImageDataGenerator(rescale=1./255)
 In [8]:
          xtrain = train_datagen.flow_from_directory('/content/flowers',
                                                      target_size=(64,64),
                                                      class_mode='categorical',
                                                      batch size=100)
         Found 4317 images belonging to 5 classes.
In [10]:
          xtest = test_datagen.flow_from_directory('/content/flowers',
                                                    target_size=(64,64),
                                                    class_mode='categorical',
                                                    batch_size=100)
         Found 4317 images belonging to 5 classes.
```

3. Create model

```
In [11]: from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten, Dense

In [12]: model = Sequential()
```

4. Adding Layers

```
In [13]: model.add(Convolution2D(32,(3,3),activation='relu',input_shape=(64,64,3)))
```

MaxPooling

```
In [14]: model.add(MaxPooling2D(pool_size=(2,2)))
```

Flatten

```
In [15]: model.add(Flatten())
```

Dense Layer

```
In [16]: model.add(Dense(300,activation='relu')) #hiddenlayer 1
model.add(Dense(150,activation='relu')) #hiddenlayer 2
```

5. Compile the model

```
In [18]: model.compile(optimizer='adam',loss='categorical_crossentropy',metrics=['accuracy'])
```

6. Fit the model

```
In [19]:
           from keras.callbacks import EarlyStopping, ReduceLROnPlateau
 In [20]:
           early_stopping = EarlyStopping(monitor='val_accuracy',
                                  patience=5)
           reduce_lr = ReduceLROnPlateau(monitor='val_accuracy',
                                  patience=5,
                                 factor=0.5,min_lr=0.00001)
           callback = [reduce_lr,early_stopping]
In [21]:
            # Train model
            model.fit_generator(xtrain,
                                    steps_per_epoch=len(xtrain),
                                    epochs=100,
                                    callbacks=callback,
                                   validation_data=xtest,
```

validation_steps=len(xtest))

```
curacy: 0.4003 - val loss: 1.2238 - val accuracy: 0.4964 - lr: 0.0010
Epoch 2/100
curacy: 0.5548 - val loss: 1.1712 - val accuracy: 0.5395 - lr: 0.0010
Epoch 3/100
curacy: 0.5956 - val loss: 0.9753 - val accuracy: 0.6284 - lr: 0.0010
Epoch 4/100
44/44 [============== ] - 39s 886ms/step - loss: 0.9719 - ac
curacy: 0.6206 - val loss: 0.9336 - val accuracy: 0.6275 - lr: 0.0010
Epoch 5/100
curacy: 0.6518 - val loss: 0.8369 - val accuracy: 0.6919 - lr: 0.0010 Epoch
curacy: 0.6750 - val loss: 0.8504 - val accuracy: 0.6889 - lr: 0.0010
Epoch 7/100
curacy: 0.6891 - val loss: 0.7804 - val accuracy: 0.7100 - lr: 0.0010
Epoch 8/100
curacy: 0.7074 - val loss: 0.7501 - val accuracy: 0.7206 - lr: 0.0010
Epoch 9/100
44/44 [============== ] - 39s 887ms/step - loss: 0.7232 - ac
curacy: 0.7301 - val loss: 0.7413 - val accuracy: 0.7285 - lr: 0.0010
Epoch 10/100
curacy: 0.7352 - val_loss: 0.6529 - val_accuracy: 0.7607 - lr: 0.0010 Epoch
curacy: 0.7461 - val loss: 0.7277 - val accuracy: 0.7246 - lr: 0.0010
Epoch 12/100
curacy: 0.7626 - val loss: 0.6243 - val accuracy: 0.7688 - lr: 0.0010
Epoch 13/100
curacy: 0.7642 - val loss: 0.5709 - val accuracy: 0.7869 - lr: 0.0010
Epoch 14/100
curacy: 0.7741 - val_loss: 0.6153 - val_accuracy: 0.7772 - lr: 0.0010
Epoch 15/100
curacy: 0.7878 - val loss: 0.5209 - val accuracy: 0.8050 - lr: 0.0010
44/44 [============== ] - 39s 881ms/step - loss: 0.5262 - ac
curacy: 0.8087 - val loss: 0.5211 - val accuracy: 0.8117 - lr: 0.0010
Epoch 17/100
curacy: 0.8156 - val loss: 0.3861 - val accuracy: 0.8622 - lr: 0.0010 Epoch
curacy: 0.8288 - val_loss: 0.3981 - val_accuracy: 0.8536 - lr: 0.0010 Epoch
19/100
curacy: 0.8309 - val loss: 0.3904 - val accuracy: 0.8582 - lr: 0.0010 Epoch
20/100
```

```
curacy: 0.8309 - val loss: 0.5840 - val accuracy: 0.7802 - lr: 0.0010
Epoch 21/100
curacy: 0.8251 - val loss: 0.4176 - val accuracy: 0.8464 - lr: 0.0010
Epoch 22/100
curacy: 0.8543 - val loss: 0.3450 - val accuracy: 0.8728 - lr: 0.0010
Epoch 23/100
curacy: 0.8434 - val loss: 0.3122 - val accuracy: 0.8955 - lr: 0.0010
Epoch 24/100
curacy: 0.8740 - val loss: 0.3274 - val accuracy: 0.8795 - lr: 0.0010
Epoch 25/100
curacy: 0.8608 - val loss: 0.2577 - val accuracy: 0.9099 - lr: 0.0010
Epoch 26/100
curacy: 0.8870 - val loss: 0.2300 - val accuracy: 0.9187 - lr: 0.0010
Epoch 27/100
curacy: 0.8819 - val loss: 0.2780 - val accuracy: 0.8969 - lr: 0.0010
Epoch 28/100
44/44 [============== ] - 39s 881ms/step - loss: 0.3346 - ac
curacy: 0.8809 - val loss: 0.2399 - val accuracy: 0.9166 - lr: 0.0010
Epoch 29/100
curacy: 0.8911 - val loss: 0.2409 - val accuracy: 0.9085 - lr: 0.0010
Epoch 30/100
curacy: 0.8883 - val loss: 0.2281 - val accuracy: 0.9155 - lr: 0.0010
Epoch 31/100
curacy: 0.9155 - val loss: 0.2137 - val accuracy: 0.9266 - lr: 0.0010
Epoch 32/100
curacy: 0.9148 - val loss: 0.2318 - val accuracy: 0.9192 - lr: 0.0010
Epoch 33/100
curacy: 0.9201 - val loss: 0.1724 - val accuracy: 0.9358 - lr: 0.0010 Epoch
34/100
curacy: 0.9247 - val loss: 0.1982 - val accuracy: 0.9314 - lr: 0.0010 Epoch
44/44 [============= ] - 40s 911ms/step - loss: 0.1841 - ac
curacy: 0.9375 - val loss: 0.1722 - val accuracy: 0.9405 - lr: 0.0010
Epoch 36/100
curacy: 0.9361 - val loss: 0.1426 - val accuracy: 0.9502 - lr: 0.0010
Epoch 37/100
curacy: 0.9349 - val loss: 0.1617 - val_accuracy: 0.9442 - lr: 0.0010
Epoch 38/100
curacy: 0.9229 - val loss: 0.1500 - val accuracy: 0.9470 - lr: 0.0010 Epoch
39/100
```

```
curacy: 0.9363 - val loss: 0.1106 - val accuracy: 0.9622 - lr: 0.0010
Epoch 40/100
curacy: 0.9338 - val loss: 0.2038 - val accuracy: 0.9266 - lr: 0.0010
Epoch 41/100
curacy: 0.9486 - val loss: 0.1293 - val accuracy: 0.9560 - lr: 0.0010
Epoch 42/100
curacy: 0.9583 - val loss: 0.1023 - val accuracy: 0.9641 - lr: 0.0010
Epoch 43/100
curacy: 0.9590 - val loss: 0.0941 - val accuracy: 0.9720 - lr: 0.0010
Epoch 44/100
curacy: 0.9581 - val loss: 0.1591 - val accuracy: 0.9456 - lr: 0.0010 Epoch
curacy: 0.9574 - val loss: 0.1165 - val accuracy: 0.9625 - lr: 0.0010
Epoch 46/100
curacy: 0.9574 - val loss: 0.0675 - val accuracy: 0.9773 - lr: 0.0010
Epoch 47/100
44/44 [============== ] - 39s 882ms/step - loss: 0.1650 - ac
curacy: 0.9423 - val loss: 0.1186 - val accuracy: 0.9618 - lr: 0.0010
Epoch 48/100
curacy: 0.9627 - val loss: 0.0573 - val accuracy: 0.9822 - lr: 0.0010
Epoch 49/100
curacy: 0.9743 - val loss: 0.0733 - val accuracy: 0.9764 - lr: 0.0010 Epoch
50/100
curacy: 0.9627 - val loss: 0.1269 - val accuracy: 0.9578 - lr: 0.0010
Epoch 51/100
curacy: 0.9666 - val loss: 0.0730 - val accuracy: 0.9778 - lr: 0.0010
Epoch 52/100
curacy: 0.9701 - val_loss: 0.0715 - val_accuracy: 0.9787 - lr: 0.0010
Epoch 53/100
curacy: 0.9683 - val loss: 0.0742 - val accuracy: 0.9761 - lr: 0.0010
Out[21]:
<keras.callbacks.History at 0x7f438af89490>
```

7. Save the model

```
In [22]: model.save('Flowers.h5')
```

8. Test the model

```
In [23]: import numpy as np
                  from tensorflow.keras.preprocessing import image
          In [24]: img = image.load_img('/content/flowers/daisy/10300722094_28fa978807_n.jpg',target_size=(64,64))
           In [25]:
                      img
           Out[25]:
           In [26]:
                      x = image.img_to_array(img)
array([[[ 35., 12.,
                        56.],
[ 52., 32., 60.],
[ 59., 46.,
                       63.],
         [151., 156., 124.],
         [109., 133., 73.],
         [162., 166., 141.]],
        [[ 65., 54., 68.],
        [ 92., 88.,
                        77.],
         [ 89.,
                85.,
                        74.],
. . . ,
         [158., 165., 132.],
         [104., 126., 77.],
         [140., 153., 125.]],
        [[123., 128., 88.],
        [135., 143., 106.],
         [132., 136., 99.],
         [148., 158., 121.],
         [140., 163., 111.],
         [138., 152., 117.]],
        . . . ,
        [[ 3., 1., 14.],
        [101., 122.,
                        83.],
        [ 78., 103., 63.],
. . . ,
         [ 79., 122.,
                         6.],
         [ 83., 113.,
                        17.],
         [ 98., 135.,
                        39.]],
        [[147., 172., 140.],
        [145., 173., 135.],
         [152., 175., 133.],
. . . ,
        [ 61., 99., 38.],
```

```
[133., 166., 113.],
        [ 0., 10., 7.]],
       [[149., 171., 135.],
        [137., 156., 124.],
        [147., 170., 126.],
        [ 97., 123., 60.],
        [145., 182., 105.],
        [105., 128., 58.]]], dtype=float32)
         In [27]:
                   x = np.expand_dims(x,axis=0)
array([[[[ 35., 12.,
                       56.],
[ 52., 32., 60.],
         [ 59., 46.,
                       63.],
. . . ,
         [151., 156., 124.],
         [109., 133., 73.],
         [162., 166., 141.]],
        [[ 65., 54.,
                      68.],
         [ 92., 88., 77.],
         [ 89.,
                85.,
                      74.],
         . . . ,
         [158., 165., 132.],
         [104., 126., 77.],
         [140., 153., 125.]],
        [[123., 128., 88.],
         [135., 143., 106.],
         [132., 136., 99.],
. . . ,
         [148., 158., 121.],
         [140., 163., 111.],
         [138., 152., 117.]],
        . . . ,
        [[ 3., 1., 14.],
                       83.],
         [101., 122.,
         [ 78., 103.,
                       63.],
         . . . ,
         [ 79., 122.,
                       6.],
         [ 83., 113.,
                       17.],
         [ 98., 135.,
                       39.]],
        [[147., 172., 140.],
         [145., 173., 135.],
         [152., 175., 133.],
. . . ,
         [ 61., 99., 38.],
         [133., 166., 113.],
         [ 0., 10.,
                      7.]],
        [[149., 171., 135.],
```

```
[137., 156., 124.],
         [147., 170., 126.],
. . . ,
         [ 97., 123., 60.],
         [145., 182., 105.],
         [105., 128., 58.]]]], dtype=float32)
           In [28]:
                     model.predict(x)
                    array([[0., 0., 0., 1., 0.]], dtype=float32)
           Out[28]:
           In [29]:
                     xtrain.class_indices
                    {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
           Out[29]:
           In [31]:
                     op = ['daisy','sunfolower','rose','tulip','dandelion']
                     pred = np.argmax(model.predict(x))
                     op[pred]
                    'tulip'
           Out[31]:
```