

## ASSIGNMENT 3

### Python Programming

Assignment Date	4 October 2022
Student Name	Sreshta.B
Student Roll Number	211519104156
Maximum Marks	10 Marks

```
import numpy as np
import matplotlib.pyplot as plt
from google.colab import files
import io
import pandas as pd

data = files.upload()
```

No file chosen Upload widget is only available when the cell has been executed in the current browser session. Please rerun this cell to enable.  
Saving abalone.csv to abalone (1).csv

```
[ ] data = pd.read_csv('/content/abalone.csv')
```

```
[ ] data.head()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7

Qn 3:

Perform Below Visualizations.

- Univariate Analysis
- Bi-Variate Analysis
- Multivariate Analysis

### Univariate Analysis

```
import matplotlib.pyplot as plt
import seaborn as sns

data.dtypes
plt.scatter(data.index, data['Height'])
plt.show()
```

### Bi-Variate Analysis

```
import seaborn as sns


sns.boxplot(x='Sex', y='Height', data=data)
plt.show()
```

## Multi-Variate Analysis

```
import seaborn as sns
sns.pairplot(data, hue="Rings", height=3)
plt.show()
```


### UNIVARIATE ANALYSIS

```
import matplotlib.pyplot as plt
import seaborn as sns
data.dtypes
plt.scatter(data.index, data['Height'])
plt.show()
```




### BIVARIATE ANALYSIS

```
import seaborn as sns
sns.boxplot(x='Sex', y='Height', data=data)
plt.show()
```



### MULTIVARIATE ANALYSIS



Qn 4. Perform descriptive statistics on the dataset.

```
import pandas as pd
import numpy as np
df = pd.DataFrame(data)
print (df)
df.describe()
df.count()
```

```

   Sex  Length  Diameter  Height  Whole weight  Shucked weight  \
0    M   0.455   0.365   0.095   0.5140      0.2245
1    M   0.350   0.265   0.090   0.2255      0.0995
2    F   0.530   0.420   0.135   0.6770      0.2565
3    M   0.440   0.365   0.125   0.5160      0.2155
4    I   0.330   0.255   0.080   0.2050      0.0895
...  ..   ...   ...   ...   ...   ...
4172  F   0.565   0.450   0.165   0.8870      0.3700
4173  M   0.590   0.440   0.135   0.9660      0.4390
4174  M   0.600   0.475   0.205   1.1760      0.5255
4175  F   0.625   0.485   0.150   1.0945      0.5310
4176  M   0.710   0.555   0.195   1.9485      0.9455

   Viscera weight  Shell weight  Rings
0              0.1010      0.1500    15
1              0.0485      0.0700     7
2              0.1415      0.2100     9
3              0.1140      0.1550    10
4              0.0395      0.0550     7
...           ...   ...   ...
4172           0.2390      0.2490    11
4173           0.2145      0.2605    10
4174           0.2875      0.3080     9
4175           0.2610      0.2960    10
4176           0.3765      0.4950    12
```

```
[4177 rows x 9 columns]
```

`df.describe()`

	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
count	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
mean	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	9.933684
std	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	1.000000
25%	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	8.000000
50%	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	9.000000
75%	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	11.000000
max	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	29.000000

`[ ] df.count()`

Sex	4177
Length	4177
Diameter	4177
Height	4177
Whole weight	4177
Shucked weight	4177
Viscera weight	4177
Shell weight	4177
Rings	4177
dtype:	int64

Qn 5. Check for Missing values and deal with them.

`df.isnull().sum()`

`df.isnull().sum()`

Sex	0
Length	0
Diameter	0
Height	0
Whole weight	0
Shucked weight	0
Viscera weight	0
Shell weight	0
Rings	0
dtype:	int64

Qn 6 Find the outliers and replace them outliers


`import seaborn as sns`

`sns.boxplot(x='Height', data=data)`



```
import seaborn as sns
sns.boxplot(x='Height', data=data)
```

<matplotlib.axes.\_subplots.AxesSubplot at 0x7f6bfe1ece50>



Qn 7. Check for Categorical columns and perform encoding.

```
df = pd.DataFrame(data)
import pandas as pd
x=df.iloc[:,3:13].values
y=df.iloc[:,13:14].values
x.shape
```

## CATEGORICAL COLUMNS



```
df = pd.DataFrame(data)
import pandas as pd
x=df.iloc[:,3:13].values
y=df.iloc[:,13:14].values
x.shape
```

➡ (4177, 6)

Qn 8 Split the data into dependent and independent variables.

```
x=df.iloc[:,3:13].values
y=df.iloc[:,13:14].values
x.shape
```

## DEPENDENT AND INDEPENDENT VARIABLES

```
x=df.iloc[:,3:13].values  
y=df.iloc[:,13:14].values  
x.shape
```

```
(4177, 6)
```

### 9. Scale the independent variables

```
X = df.iloc[:, :-1].values
```

```
print(X)
```

#### SCALE INDEPENDENT VARIABLES

```
X = df.iloc[:, :-1].values  
print(X)
```

```
[['M' 0.455 0.365 ... 0.2245 0.101 0.15]  
 ['M' 0.35 0.265 ... 0.0995 0.0485 0.07]  
 ['F' 0.53 0.42 ... 0.2565 0.1415 0.21]  
 ...  
 ['M' 0.6 0.475 ... 0.5255 0.2875 0.308]  
 ['F' 0.625 0.485 ... 0.531 0.261 0.296]  
 ['M' 0.71 0.555 ... 0.9455 0.3765 0.495]]
```

### Qn 10. Split the data into training and testing

```
from sklearn.model_selection import train_test_split
```

```
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=0)
```

```
x_train.shape
```

```
x_test.shape
```

```
x_train.shape
```

```
from sklearn.model_selection import train_test_split  
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=0)  
x_train.shape
```

```
(3341, 6)
```

```
[ ] x_test.shape
```

```
(836, 6)
```

```
[ ] x_train.shape
```

```
(3341, 6)
```

## Qn 11. Build the Model

```
my_dict=pd.read_csv("/content/abalone.csv")
df = pd.DataFrame(my_dict)
print(df)
```

```
0   Sex  Length  Diameter  Height  Whole weight  Shucked weight \
1     M    0.455    0.365    0.095    0.5140    0.2245
2     M    0.350    0.265    0.090    0.2255    0.0995
3     F    0.530    0.420    0.135    0.6770    0.2565
4     M    0.440    0.365    0.125    0.5160    0.2155
...   ...    ...    ...    ...    ...    ...
4172  F    0.565    0.450    0.165    0.8870    0.3700
4173  M    0.590    0.440    0.135    0.9660    0.4390
4174  M    0.600    0.475    0.205    1.1760    0.5255
4175  F    0.625    0.485    0.150    1.0945    0.5310
4176  M    0.710    0.555    0.195    1.9485    0.9455

Viscera weight  Shell weight  Rings
0              0.1010      0.1500    15
1              0.0485      0.0700     7
2              0.1415      0.2100     9
3              0.1140      0.1550    10
4              0.0395      0.0550     7
...           ...      ...      ...
4172           0.2390      0.2490    11
4173           0.2145      0.2605    10
4174           0.2875      0.3080     9
4175           0.2610      0.2960    10
4176           0.3765      0.4950    12

[4177 rows x 9 columns]
```

```
import csv
with open ("/content/abalone.csv") as csv_file:
    csv_reader = csv.reader(csv_file)
    df = pd.DataFrame([csv_reader], index = None)
for val in list(df[1]):
    print(val)
```

```
[31] import csv
with open ("/content/abalone.csv") as csv_file:
    csv_reader = csv.reader(csv_file)
    df = pd.DataFrame([csv_reader], index = None)
for val in list(df[1]):
    print(val)
```

```
['M', '0.455', '0.365', '0.095', '0.514', '0.2245', '0.101', '0.15', '15']
```

## Qn 12 & 13 Train and Test the Model

```
from sklearn.model_selection import train_test_split
```

```
train, test = train_test_split(df, test_size=0.2)
print(train)
```

```
print(test)
```

```

Sex Length Diameter Height Whole weight Shucked weight \
3614 M 0.615 0.475 0.155 1.0735 0.4375
493 M 0.655 0.530 0.175 1.2635 0.4860
2183 M 0.495 0.400 0.155 0.8085 0.2345
446 M 0.565 0.435 0.185 0.9815 0.3290
3689 F 0.630 0.505 0.195 1.3060 0.5160
... ..
2028 F 0.570 0.435 0.150 0.8295 0.3875
2719 I 0.360 0.260 0.080 0.1795 0.0740
2703 M 0.680 0.530 0.180 1.5290 0.7635
3632 I 0.300 0.225 0.075 0.1345 0.0570
184 F 0.645 0.510 0.200 1.5675 0.6210

Viscera weight Shell weight Rings
3614 0.2585 0.3100 11
493 0.2635 0.4150 15
2183 0.1155 0.3500 6
446 0.1360 0.3900 13
3689 0.3305 0.3750 9
... ..
2028 0.1560 0.2450 10
2719 0.0315 0.0600 5
2703 0.3115 0.4025 11
3632 0.0280 0.0440 5
184 0.3670 0.4600 12

[3341 rows x 9 columns]
Sex Length Diameter Height Whole weight Shucked weight \
1744 F 0.685 0.565 0.175 1.6380 0.7775
1104 I 0.510 0.405 0.125 0.6795 0.3465
1755 F 0.720 0.525 0.180 1.4450 0.6310
384 M 0.545 0.425 0.135 0.8445 0.3730
1696 M 0.630 0.490 0.170 1.1745 0.5255
... ..
3211 F 0.600 0.480 0.165 1.1345 0.4535
418 F 0.630 0.500 0.155 1.0050 0.3670

[3341 rows x 9 columns]
Sex Length Diameter Height Whole weight Shucked weight \
1744 F 0.685 0.565 0.175 1.6380 0.7775
1104 I 0.510 0.405 0.125 0.6795 0.3465
1755 F 0.720 0.525 0.180 1.4450 0.6310
384 M 0.545 0.425 0.135 0.8445 0.3730
1696 M 0.630 0.490 0.170 1.1745 0.5255
... ..
3211 F 0.600 0.480 0.165 1.1345 0.4535
418 F 0.630 0.500 0.155 1.0050 0.3670
2880 I 0.475 0.375 0.110 0.4940 0.2110
3239 F 0.690 0.540 0.185 1.5715 0.6935
264 M 0.270 0.200 0.080 0.1205 0.0465

Viscera weight Shell weight Rings
1744 0.3750 0.4380 11
1104 0.1395 0.1820 8
1755 0.3215 0.4350 7
384 0.2100 0.2350 10
1696 0.2730 0.3390 11
... ..
3211 0.2700 0.3350 10
418 0.1990 0.3600 16
2880 0.1090 0.1545 8
3239 0.3180 0.4700 15
264 0.0280 0.0400 6

```

Qn 14. Measure the performance using Metrics.

```
pd.crosstab(Y_test,y_predict)
```

```
print(classification_report(Y_test,y_predict))
```