Assignment -4

Assignment Date	27 /10/2022
Student Name	H. Jeevapriya
Student Roll Number	142219106037
Team ID	PNT2022TMID21772
Maximum Marks	2 Marks

Question-1:

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less 100 cms send "alert" to ibm cloud and display in device recent events.

Solution:

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt

void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);

//------credentials of IBM Accounts-----

#define ORG "za7x6f"//IBM ORGANITION ID

#define DEVICE_TYPE "rj46 "//Device type mentioned in ibm watson IOT Platform

#define DEVICE_ID "raj46 "//Device ID mentioned in ibm watson IOT Platform

#define TOKEN "R0Q4uhcOcCD0hnom)K"

//Token String data3; float dist;

//------- Customise the above values ------char server[] = ORG
```

".messaging.internetofthings.ibmcloud.com";// Server Name

char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of event perform and format in which data to be send

char subscribetopic[] = "iot-2/cmd/test/fmt/String";// cmd REPRESENT command type AND COMMAND IS TEST OF FORMAT STRING char authMethod[] = "use-token-auth";// authentication method

```
char token[] = TOKEN; char clientId[] = "d:" ORG ":"
DEVICE_TYPE ":" DEVICE_ID;//client id
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback, wifiClient); //calling the predefined client id by
passing parameter like server id, portand wificredential
int LED = 4;
int trig = 5;
int echo =
18; void
setup()
{
Serial.begin(115200);
pinMode(trig,OUTPU
T);
pinMode(echo,INPUT
); pinMode(LED,
OUTPUT); delay(10);
wificonnect();
mqttconnect();
void loop()// Recursive Function
digitalWrite(trig,LOW);
digitalWrite(trig,HIGH);
delayMicroseconds(10);
digitalWrite(trig,LOW);
float dur =
```

```
pulseIn(echo,HIGH); float
dist = (dur * 0.0343)/2;
 Serial.print ("Distancein cm");
 Serial.println(dist);
PublishData(dist)
; delay(1000);
if (!client.loop())
mqttconnect();
 }
}
/*....retrieving to Cloud.....*/
void PublishData(float dist) {
mqttconnect();//function call for connecting to
ibm
      creating the String in in form JSon to update the data to
ibm cloud
 */ String
object; if
(dist <100)
  digitalWrite(LED,HIGH);
Serial.println("object is near");
object = "Near";
 }
 else
```

```
digitalWrite(LED,LOW);
Serial.println("no object found");
object = "No";
 }
 String payload =
"{\"distance\":"; payload +=
dist; payload += ","
"\"object\":\""; payload +=
object; payload += "\"}";
 Serial.print("Sending payload: ");
Serial.println(payload); if
(client.publish(publishTopic, (char*)
payload.c_str())) {
  Serial.println("Publish ok");// if it sucessfully upload data on the cloud then it will print
publish ok in Serial monitor or else it will print publish failed
 } else {
  Serial.println("Publish failed");
 }
}
void mqttconnect() {
if (!client.connected())
  Serial.print("Reconnecting client to ");
Serial.println(server);
                         while
(!!!client.connect(clientId, authMethod, token)) {
Serial.print(".");
                     delay(500);
  }
   initManagedDevice();
   Serial.println();
 }
}
```

```
void wificonnect() //function defination for wificonnect
{
 Serial.println();
 Serial.print("Connecting to ");
 WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the
connection while (WiFi.status() != WL_CONNECTED) {
                                                               delay(500);
  Serial.print(".");
 }
 Serial.println("");
 Serial.println("WiFi connected");
 Serial.println("IP address: ");
 Serial.println(WiFi.localIP());
}
void initManagedDevice() {  if
(client.subscribe(subscribetopic))
Serial.println((subscribetopic));
  Serial.println("subscribe to cmd OK");
 } else {
  Serial.println("subscribe to cmd FAILED");
 }
}
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
{
 Serial.print("callback invoked for
topic: ");
Serial.println(subscribetopic); for (int
i = 0; i < payloadLength; i++) {
//Serial.print((char)payload[i]);
                                  data3
+= (char)payload[i];
```

```
}
data3="";
}
```

Reference:

https://wokwi.com/projects/347322163482591827



