## **Assignment -4**

Assignment Date	27 /10/2022
Student Name	H. Jeevapriya
Student Roll Number	142219106037
Team ID	PNT2022TMID21776
Maximum Marks	2 Marks

## **Question-1:**

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less 100 cms send "alert" to ibm cloud and display in device recent events.

## **Solution:**

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);
//----credentials of IBM Accounts-----
#define ORG "za7x6f"//IBM ORGANITION ID
#define DEVICE_TYPE "rj46 "//Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "raj46 "//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "R0Q4uhcOcCD0hnom)K"
//Token String data3; float dist;
//------ Customise the above values -----char server[] = ORG
".messaging.internetofthings.ibmcloud.com";// Server Name char publishTopic[] = "iot-
2/evt/Data/fmt/json";// topic name and type of event perform and
format in which data to be send
char subscribetopic[] = "iot-2/cmd/test/fmt/String";// cmd REPRESENT command
type AND COMMAND IS TEST OF FORMAT STRING char authMethod[] = "usetoken-
auth";// authentication method
```

```
char token[] = TOKEN; char clientId[] = "d:" ORG ":" DEVICE_TYPE
":" DEVICE_ID;//client id
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback, wifiClient); //calling the predefined client id by
passing parameter like server id, portand wificredential
int LED = 4;
int trig = 5;
int echo =
18; void
setup()
{
Serial.begin(115200);
pinMode(trig,OUTPU
T);
pinMode(echo,INPUT
); pinMode(LED,
OUTPUT); delay(10);
wificonnect();
mqttconnect();
}
void loop()// Recursive Function
{
digitalWrite(trig,LOW);
digitalWrite(trig,HIGH);
delayMicroseconds(10);
digitalWrite(trig,LOW);
```

float dur =

```
pulseIn(echo,HIGH); float
dist = (dur * 0.0343)/2;
 Serial.print ("Distancein cm");
 Serial.println(dist);
PublishData(dist)
; delay(1000);
if (!client.loop())
mqttconnect();
 }
}
/*....retrieving to Cloud.....*/
void PublishData(float dist) {
mqttconnect();//function call for connecting to
ibm
 /*
      creating the String in in form JSon to update the data to ibm
cloud
 */ String object;
if
(dist <100)
  digitalWrite(LED,HIGH);
Serial.println("object is near");
object = "Near";
 }
else
digital
```

```
Write(
LED,
LOW)
Serial.
println
("no
object
found"
);
object
=
"No";
 }
 String payload =
"{\"distance\":"; payload +=
dist; payload += ","
"\"object\":\""; payload +=
object; payload += "\"}";
Serial.print("Sending payload: ");
Serial.println(payload); if
(client.publish(publishTopic, (char*) payload.c_str()))
{
  Serial.println("Publish ok");// if it successfully upload data on the cloud then it will print
publish ok in Serial monitor or else it will print publish failed
 } else {
  Serial.println("Publish failed");
 } }
void mqttconnect() {
if (!client.connected())
{
```

```
Serial.print("Reconnecting client to ");
Serial.println(server);
                        while
(!!!client.connect(clientId, authMethod, token)) {
                                                      Serial.print(".");
delay(500);
  }
   initManagedDevice();
   Serial.println();
 }
}
void wificonnect() //function defination for wificonnect
 Serial.println();
 Serial.print("Connecting to ");
 WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the
connection while (WiFi.status() != WL_CONNECTED) {
                                                               delay(500);
  Serial.print("."); }
 Serial.println("");
 Serial.println("WiFi connected");
 Serial.println("IP address: ");
 Serial.println(WiFi.localIP());
}
void initManagedDevice() {  if
(client.subscribe(subscribetopic))
{
Serial.println((subscribetopic));
  Serial.println("subscribe to cmd OK");
 } else {
  Serial.println("subscribe to cmd FAILED");
 } }
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength) {
```

```
Serial.print("callback invoked for
topic: ");
Serial.println(subscribetopic); for (int i
= 0; i < payloadLength; i++) {
//Serial.print((char)payload[i]); data3
+= (char)payload[i];
}
data3=""; }</pre>
```

## Reference:

https://wokwi.com/projects/347322163482591827



