**Sprint 3** 

Date	06 November 2022
Team ID	PNT2022TMID21772
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and notification
Maximum Marks	8 Marks

## **LOCAL FORAGE:**

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof define&&define.amd)define([],a); else{var b;
   b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}{(function(){ return function a(b,c,d){ function e(g,h){if(!c[g]){if(!b[g]){
                                                                                                           var
                                                                                         var i=new Error("Cannot find
i="function"==typeof require&&require:
                                            if(!h&&i)return i(g.!0):if(f)return f(g.!0):
module '"+g+""):
   throw j.code="MODULE NOT FOUND",j}var k=c[g]={exports:{}};
                 b[g][0].call(k.exports,function(a){
                  var c=b[g][1][a]; return e(c||a)}, k, k. exports, a, b, c, d)}
                                                                                return
c[g].exports}
  for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
  return e}({1:[function(a,b,c){(function(a){"use strict";
                          function c(){k=!0;for(var a,b,c=l.length;c;){
for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1}
                                                                          function
d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                          if(f){var g=0,h=new
```

 $f(c), i=a. document.createTextNode('''); h. observe(i, \{characterData:!0\}), e=function()\{i. data=g=++g\%2\}\} \ else \ if (a. setImmediate void ea.MessageChannel)e=''document'' in all''onready state change in a. document.createElement(''script'') function() \{var b=a. document.createElement(''script''); b. onready state change=null, b. parentNode.removeChild (b), b=null), a. document.documentElement.appendChild(b) \}: function() \( (setTimeout(c,8)); else \{var j-new a.MessageChannel; j.port1.onmessage=c, e-function() \{j.port2.postMessage(0)} \}var k, 1-[]; b. exports-d)). call(this, ''undefined''!=typeof global: ''undefined''!=typeof self?self: ''undefined''!=typeof window?window: \{})\}, \{}, \}], 2: [function(a,b,c) \{''use strict''; function d()() function e(a) \{if(''function'' I-typeof a) throw new TypeError(''resolver must be a function''); this.states, this.queue=[], this.outcome vald 0, aldi(this,a) \} function f(a,b,c) \{this.promise-a, ''function''=typeof b&&(this.onFulfilled-b, this.callFulfilledthis.otherCallFulfilled), ''function''typeof c&&(this.onRejected=c,$ 

```
INDEX:
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
       <head>
                <meta charset="UTF-8"/>
                    <meta name="description" content="The Home Page after Logged In" />
                     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
                     <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
     <script src="./localforage.js"></script>
              <script>
                         if (window.location.hostname !== "localhost") {
                              if (location.protocol !== "https:") {
                                    location.replace(
                                            `https:\{\location.\href.\substring(
                                                  location.protocol.length
                                         )}`
                      async function check() {
```

```
let data = localforage.getItem("userData")
                                                            if
(data == null) {
           window.location.href = "/login"
      check()
              </script>
      </head>
                   <body
     style="
     height: 100%;
     margin: 0;
     font-weight: 300;
 font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open
Sans', 'Helvetica Neue',
                           sans-serif;
             ••
      >
             <div
                   class="wrapper"
     style="
                                        height: 90%;
                          display: flex;
                   flex-direction: column;
                   align-items: center;
                            justify-content: center;
         text-align: center;
            >
                    <div
                          class="details"
            style="
      display: flex;
                                                      flex-
direction: column;
                                 align-items: center;
                                               padding: 1rem;
     gap: 20px;
```

```
border-radius: 5px;
                                                                   box-
shadow: 0 0 8px 0px #44444444:
                                           max-width: 80%:
                    >
                              <h1 class="name" style="margin: 0"></h1>
                           <div
                                   class="imageContainer"
                                      style="padding: 10px; height: 10rem; width: 10rem"
                          >
                                     <img class="image" alt="profile picture" />
                           </div>
                              <h2 class="email" style="margin: 0"></h2>
         <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard ?</a>
                    </div>
              </div>
              <script>
                      async function main() {
         let name = document.guervSelector(".name")
                                                              let image
= document.querySelector(".image")
                                             let email =
document.querySelector(".email")
                                           let userData = await
localforage.getItem("userData")
                                         if(userData == null) {
           window.location.href = "/login"
         name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
                                                                                              image.src =
userData.profilePic
         email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:\square\delta.email\}">\s\userData.email\\/a>\
       main()
              </script>
       </body>
</html>
```