

**PROJECT PLANNING  
PHASE**

<b>Date</b>	2 November 2022
<b>Team ID</b>	PNT2022TMID08369
<b>Project Name</b>	IoT Based Smart Crop Protection System for Agriculture
<b>Maximum Marks</b>	8 Marks

**PRODUCT BACKLOG, SPRINT SCHEDULE, AND ESTIMATION (4 MARKS)**

Use the below template to create product backlog and sprint schedule

<b>Sprint</b>	<b>Functional Requirement (Epic)</b>	<b>User Story Number</b>	<b>User Story / Task</b>	<b>Story Points</b>	<b>Priority</b>	<b>Team Members</b>
Sprint-1		US-1	Create the IBM Cloud services which are being used in this project.	6	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-1		US-2	Configure the IBM Cloud services which are being used in completing this project.	4	Medium	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-2		US-3	IBM Watson IoT platform acts as the mediator to connect the web application to IoT devices, so create the IBM Watson IoT platform.	5	Medium	Sivasankar S, Nagulan N, Velmurugan A, Prasanth S

<b>Sprint</b>	<b>Functional Requirement (Epic)</b>	<b>User Story Number</b>	<b>User Story / Task</b>	<b>Story Points</b>	<b>Priority</b>	<b>Team Members</b>
						Sivasankar S
Sprint-2		US-4	In order to connect the IoT device to the IBM cloud, create a device in the IBM Watson IoT platform and get the device credentials.	5	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-3		US-1	Configure the connection security and create API keys that are used in the Node-RED service for accessing the IBM IoT Platform.	10	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-3		US-2	Create a Node-RED service.	10	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-3		US-1	Develop a python script to publish random sensor data such as temperature, moisture, soil and humidity to the IBM IoT platform	7	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-3		US-2	After developing python code, commands are received just print the statements which represent the control of the devices.	5	Medium	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S

<b>Sprint</b>	<b>Functional Requirement (Epic)</b>	<b>User Story Number</b>	<b>User Story / Task</b>	<b>Story Points</b>	<b>Priority</b>	<b>Team Members</b>
						Sivasankar S
Sprint-4		US-3	Publish Data to The IBM Cloud	8	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-4		US-1	Create Web UI in Node- Red	10	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S
Sprint-4		US-2	Configure the Node-RED flow to receive data from the IBM IoT platform and also use Cloudant DB nodes to store the received sensor data in the cloudant DB	10	High	Sivasankar S, Nagulan N, Praveen kumar M, Velmurugan A, Prasanth S

**Project Tracker, Velocity & Burndown Chart: (4 Marks)**

<b>Sprint</b>	<b>Total Story Points</b>	<b>Duration</b>	<b>Sprint Start Date</b>	<b>Sprint End Date (Planned)</b>	<b>Story Points Completed (as on Planned End Date)</b>	<b>Sprint Release Date (Actual)</b>
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

### **VELOCITY:**

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$

## BURNDOWN CHART:

A burndown chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burndown charts can be applied to any project containing measurable progress overtime.

