


ASSIGNMENT- 2

IBM CLOUD DB2

Date	29 September 2022
Student Name	AGILA P
Student Roll Number	613019104001
Maximum Marks	2 Marks


Questions:

- 1) Create the User table with user with email, username, roll number, password.



2) Perform UPDATE, DELETE queries with user table.

UPDATE TABLE:




The screenshot shows the IBM Db2 on Cloud console. On the left, the 'Data objects' panel shows a database named 'KPH64374'. The main area displays a SQL script in a text editor with the following content:

```
1 INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Charmy');
2
```

Below the script editor, the 'History' tab shows a table of executed scripts:

Script	Date	Status	Runtime
Untitled - 1	Oct 18, 2022 8:42:39 PM	1	0.005 s
INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Ch...		✓	0.005 s



The screenshot shows the IBM Db2 on Cloud console displaying the contents of the 'KPH64374.STUDENTS' table. The table has the following columns: ROLLNO, USERNAME, EMAIL ID, and PASSWORD. The data is as follows:

ROLLNO	USERNAME	EMAIL ID	PASSWORD
1	Agila	agila@gmail.com	Charmy
1	Agila	agila@gmail.com	Charmy

DELETE TABLE:

The screenshot shows the IBM Db2 on Cloud console interface. The left sidebar contains navigation icons for Data objects, My script, and a search bar. The main area is divided into two panes. The top pane, titled 'Data objects', shows a search bar and a list of objects, including 'KPH64374'. The bottom pane, titled 'My script', shows a SQL script editor with the following code:

```
1 INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Charmy');
2 INSERT INTO STUDENTS values('06','Shiva','sheela@gmail.com','Shivu');
3 DELETE FROM STUDENTS WHERE USERNAME='Agila';
4
```

The script is executed, and the results are shown in the 'History' pane. The history table has the following columns: Script, Date, Status, and Runtime.

Script	Date	Status	Runtime
Untitled - 1	Oct 18, 2022 8:57:55 PM	✓ 3	0.014 s
INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Ch...		✓	0.006 s
INSERT INTO STUDENTS values('06','Shiva','sheela@gmail.com','S...		✓	0.004 s
DELETE FROM STUDENTS WHERE USERNAME='Agila'		✓	0.004 s

The screenshot shows the IBM Db2 on Cloud console interface. The left sidebar contains navigation icons for Data objects, My script, and a search bar. The main area is divided into two panes. The top pane, titled 'Data objects', shows a search bar and a list of objects, including 'KPH64374'. The bottom pane, titled 'My script', shows a SQL script editor with the following code:

```
1 INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Charmy');
2 INSERT INTO STUDENTS values('06','Shiva','sheela@gmail.com','Shivu');
3 DELETE FROM STUDENTS WHERE USERNAME='Agila';
4
```

The script is executed, and the results are shown in the 'History' pane. The history table has the following columns: Script, Date, Status, and Runtime.

Script	Date	Status	Runtime
Untitled - 1	Oct 18, 2022 8:57:55 PM	✓ 3	0.014 s
INSERT INTO STUDENTS values('01','Agila','agila@gmail.com','Ch...		✓	0.006 s
INSERT INTO STUDENTS values('06','Shiva','sheela@gmail.com','S...		✓	0.004 s
DELETE FROM STUDENTS WHERE USERNAME='Agila'		✓	0.004 s

3) CONNECT PYTHON CODE TO DB2.

NOTE: Question 4 contains Question 3 answer

Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome pag

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=Db2New;HOSTNAME=19af6446-6171-4641-8aba-9dcff8e1b6ff.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30699;USERNAM
E=kgb92696;PASSWORD=3IlWYGyU3bMIvwnX;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])def
register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'^@+@[@]+\.[^@]+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg = 'name must contain only characters and numbers !'
```

```

        else:
            insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prepare_stmt, 1, username)
            ibm_db.bind_param(prepare_stmt, 2, email)
            ibm_db.bind_param(prepare_stmt, 3, password)
            ibm_db.execute(prepare_stmt)
            msg = 'You have successfully registered !'
        elif request.method == 'POST':
            msg = 'Please fill out the form !'
        return render_template('register.html', msg=msg)

@app.route('/login', methods=['GET', 'POST'])def
login():
    global userid
    msg = ""

    if request.method == 'POST':
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =? AND password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.bind_param(stmt, 2, password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['loggedin'] = True
            session['id'] = account['USERNAME']
            userid = account['USERNAME']
            session['username'] = account['USERNAME']
            msg = 'Logged in successfully !'

            msg = 'Logged in successfully !'
            return render_template('dashboard.html', msg=msg)
        else:
            msg = 'Incorrect username / password !'
        return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')#
    app.run(debug=True)

```

Register.html

```
<!DOCTYPE html>
```

```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Smart Fashion register</title>

  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
    integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
  <!-- bootstrap navbar -->
  <!-- navbar ends -->
  <!-- Login form -->
  <div class="login text-center mt-5">

    <form action="/" method="post">
      <h2 class="form-text-h2"> Register Form </h2>
      <div class="msg">{{ msg }}</div>
      <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
      required>
      <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
      <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
      required>
      <button type="submit" id="button" class="btn btn-primary">
Register </button>

```

```

        <div class="note mt-3 text-center">
            <!--Register form -->
            <p> already have an account ? please login <a
href="/login">login! </a> </p>

        </div>
    </form>

</div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-
icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="style2.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">

```

```

    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```

Style.css

```

* {
    margin: 0;
    padding: 0;
}
body {
    color: #444444;
    background: linear-gradient(-45deg, #EE7752, #E73C7E, #23A6D5, #23D5AB);
    background-size: 400% 400%;
    position: relative;
    display: flex;
    flex-direction: column;

```



```
    align-items: center;
    justify-content: center;
    animation: anime 10s ease-in-out infinite;
}
@keyframes anime{
    0%{
        background-position: 0 50%;
    }
    50%{
        background-position: 100% 50%;
    }
    100%{
        background-position: 0 50%;
    }
}
```

```
form {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    background-color: white;
    width: 40%;
    height: 450px;
    border-radius: 50px;
    margin: 100px;
    gap: 25px;
}
```

```
h2 {
    font-size: large;
    font-weight: bolder;
}
```

```
input {
    width: 80% !important;
}
```

```
div {
    display: flex;
    align-items: center;
    justify-content: center;
    flex-direction: column;
    width: 90%;
}
```


```
.form-text-vk {
```

```
padding-bottom: 10px;
}

.form-text-h2 {
  font-size: x-large;
  padding-top: 10px;
}
```


OUTPUT:

REGISTRATION PAGE:



The screenshot displays a web browser window with the address bar showing 'File | F:/Reg%20form/Register.html'. The page features a registration form titled 'Register Form' centered on a pink background. The form contains three input fields: the first contains 'Agila0607', the second contains 'agilap2002@gmail.com', and the third is a password field with masked characters '.....'. Below the inputs is a blue 'Register' button. At the bottom of the form, there is a link: 'Already have an account ? Please login [login!](#)'. The browser's taskbar at the bottom shows the Windows logo, a search bar, and various application icons, along with system information: '28°C Cloudy', 'ENG', and the date '18-10-2022'.

LOGIN PAGE:



Browser tabs: (1) WhatsApp, Nutrition Assistant Login

Address bar: File | F:\Reg%20form/Login.html

Login Form

Username

Agila0607

Password

.....

Login

Don't have an account yet? Click here to [register!](#)

Windows taskbar: Type here to search, 32°C Mostly cloudy, 10:50, 19-10-2022

WELCOME PAGE:

