


Team ID-PNT2022TMID14654

CREATE AND CONFIGURE IBM CLOUD SERVICES



Resource list - IBM Cloud

(42) Run a Node - RED instance

Node-RED

cloud.ibm.com/resources

IBM Cloud

Search resources and products...

Catalog

Manage

praveen kumar's Accou...

251 PM

11/15/2022

Resource list

Create resource

Name	Group	Location	Product	Status	Tags
Filter by name or IP address... Filter by group or org... Filter... Filter... Filter... Filter...					
AI / Machine Learning (1)					
Watson Assistant-iu	Default	Sydney	Watson Assistant	Active	
Analytics (0)					
Blockchain (0)					
Databases (1)					
Cloudant-jh	Default	Sydney	Cloudant	Active	
Developer tools (4)					
Continuous Delivery	Default	Global	Cloud Application		version...
Node RED WWIYU 2022-11-15-cloudant-...	Default	Global	Cloud Application		1
node-red-PXZJL 2022-11-15-cloudant-...	Default	Global	Cloud Application		
node-red-TQWXC 2022-11-15-cloudant-...	Default	Global	Cloud Application		version...
Logging and monitoring (0)					

IBM App Development

(42) Run a Node - RED instance

Node-RED

cloud.ibm.com/developer/appservice/apps/ebe2dcc2-12ef-4a1e-b138-e968353eed00

IBM Cloud

Search resources and products...

Q Catalog Manage praveen kumar's Accou...

Resource list / App details /

Node RED WWIYU 2022-11-15-cloudant-... 1

Actions...

Details

App URL

You must deploy your app first

Source

Download code

Resource group

Default

Deployment target

You must deploy your app first

Created

15/11/2022

Services

Cloudant

Open dashboard

Documentation

API reference

Credentials

Connect existing services

Create service

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)

2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.

3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.

4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

5. If you make any changes to your app, be sure to deploy it again.

Type here to search

31°C Cloudy 2:51 PM 11/15/2022