

ASSIGNMENT-2

IBM CLOUD DB2

Assignment Date	29 September 2022
Student Name	Yamuna R
Student Roll Number	613019106078
Maximum Marks	2 Marks

Questions:

1. Create User table with user with email, username, roll number, password.

The screenshot displays the IBM Db2 on Cloud web interface. The top navigation bar includes tabs for 'Service Details - IBM Cloud', 'IBM Db2 on Cloud', 'IBM', 'IBM-EPBL/IBM-Project-160', 'Fwd: App.py - shamiladev', and 'Skill and Job Recommendi...'. The main content area is titled 'IBM Db2 on Cloud' and features a sidebar with icons for 'Schemas', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is active, showing a search bar and a table list. The table list has columns 'Name', 'Schema', and 'Properties'. A table named 'STUDENT' is listed under the 'DGS96183' schema. The 'Table definition' panel on the right shows the 'STUDENT' table structure with the following columns: 'USERNAME' (CHAR, 5, nullable), 'ROLL NUMBER' (INTEGER, nullable), 'EMAIL ID' (VARCHAR, 32, nullable), and 'PASSWORD' (VARCHAR, 32, nullable). A 'View data' button is visible at the bottom of the table definition panel. The bottom status bar shows the system time as 14:48 on 27-10-2022.

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	5	0
ROLL NUMBER	INTEGER	Y		0
EMAIL ID	VARCHAR	Y	32	0
PASSWORD	VARCHAR	Y	32	0

2. Perform UPDATE,DELETE Queries with user table.

UPDATE TABLE:-

The screenshot shows the IBM Db2 on Cloud console interface. On the left, under 'Data objects', the database 'DGS96183' is selected. The main area displays an SQL script in a text editor titled '*Untitled - 1'. The script contains a single line: `INSERT INTO STUDENT values ('yamu','78','yamu@gmail.com','yam@');`. Below the editor, a 'History' tab shows the execution details of the script. The table below represents the data in the history:

Script	Date	Status	Runtime
Untitled - 1	Oct 27, 2022 2:50:12 PM	✓ 1	0.009 s
INSERT INTO STUDENT values ('yamu','78','yamu@gmail.com','yam@')		✓	0.009 s

The screenshot shows the IBM Db2 on Cloud console interface, specifically the 'Tables' view for the database 'DGS96183'. The table 'STUDENT' is selected. The table structure is displayed with columns: USERNAME, ROLL NUMBER, EMAIL ID, and PASSWORD. The table contains one row of data. The table below represents the data in the STUDENT table:

USERNAME	ROLL NUMBER	EMAIL ID	PASSWORD
yamu	78	yamu@gmail.com	yam@

DELETE TABLE:-

The screenshot shows the IBM Db2 on Cloud console interface. On the left, the 'Data objects' pane shows a database named 'DGS96183'. The main area is a script editor titled 'Untitled - 1' containing the following SQL commands:

```
1 INSERT INTO STUDENT values ('yamu','78','yamu@gmail.com','yam@');
2 INSERT INTO STUDENT values ('basi','02','basi@gmail.com','bas@');
3 DELETE FROM STUDENT WHERE USERNAME = 'yamu';
```

Below the script editor is a 'History' table showing the execution of the script:

Script	Date	Status	Runtime
Untitled - 1	Oct 27, 2022 2:52:41 PM	3	0.044 s
INSERT INTO STUDENT values ('yamu','78','yamu@gmail.com','yam@')		✓	0.007 s
INSERT INTO STUDENT values ('basi','02','basi@gmail.com','bas@')		✓	0.032 s
DELETE FROM STUDENT WHERE USERNAME = 'yamu'		✓	0.005 s
Untitled - 1	Oct 27, 2022 2:50:12 PM	1	0.009 s

The screenshot shows the IBM Db2 on Cloud console interface, specifically the 'Tables' view for the 'DGS96183.STUDENT' table. The table structure is displayed with the following columns:

USERNAME	ROLL NUMBER	EMAIL ID	PASSWORD
basi	2	basi@gmail.com	bas@

At the top right of the table view, there is a 'Back' button and an 'Export to CSV' button.

3.CONNECT PYTHON CODE TO DB2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=Db2New;HOSTNAME=19af6446-6171-4641-8aba-9dcff8e1b6ff.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30699;USERNAM
E=kgb92696;PASSWORD=3llWYGyU3bMlwnX;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'^(^@)+@(^@)+\.(^@)+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg = 'name must contain only characters and numbers !'
```

```

    else:
        insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
        prep_stmt = ibm_db.prepare(conn, insert_sql)
        ibm_db.bind_param(prepare_stmt, 1, username)
        ibm_db.bind_param(prepare_stmt, 2, email)
        ibm_db.bind_param(prepare_stmt, 3, password)
        ibm_db.execute(prepare_stmt)
        msg = 'You have successfully registered !'
    elif request.method == 'POST':
        msg = 'Please fill out the form !'
    return render_template('register.html', msg=msg)

@app.route('/login', methods=['GET', 'POST'])
def login():
    global userid
    msg = ''

    if request.method == 'POST':
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username=? AND password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.bind_param(stmt, 2, password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['logged_in'] = True
            session['id'] = account['USERNAME']
            userid = account['USERNAME']
            session['username'] = account['USERNAME']
            msg = 'Logged in successfully !'

            msg = 'Logged in successfully !'
            return render_template('dashboard.html', msg=msg)
        else:
            msg = 'Incorrect username / password !'
    return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

Register.html

```
<!DOCTYPE html>
```

```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>News Tracker Application register</title>

  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
    integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="Style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
  <!-- bootstrap navbar -->
  <!-- navbar ends -->
  <!-- Login form -->
  <div class="login text-center mt-5">

    <form action="/" method="post">
      <h2 class="form-text-h2"> Register Form </h2>
      <div class="msg">{{ msg }}</div>
      <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
required>
      <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
      <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
required>
      <button type="submit" id="button" class="btn btn-primary">
Register </button>

```

```

        <div class="note mt-3 text-center">
            <!-- Register form -->
            <p> already have an account ? please login <a
href="/login">login! </a> </p>

        </div>
    </form>

</div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>News Tracker Application Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="styleless.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">

```

```

    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!-- Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```

Style.css

```

* {
    margin: 0;
    padding: 0;
}
body {
    color: #444444;
    background: linear-gradient(-45deg, #EE7752, #E73C7E, #23A6D5, #23D5AB);
    background-size: 400% 400%;
    position: relative;
    display: flex;
    flex-direction: column;

```



```

    align-items: center;
    justify-content: center;
    animation: anime 10s ease-in-out infinite;
}
@keyframes anime{
  0%{
    background-position: 0 50%;
  }
  50%{
    background-position: 100% 50%;
  }
  100%{
    background-position: 0 50%;
  }
}
form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: white;
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80% !important;
}

div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk{
  font-size: small;

```

```
padding-bottom: 10px;
}

.form-text-h2 {
font-size: x-large;
padding-top: 10px;
}
```

OUTPUT:- REGISTRATION PAGE:-

Register Form


yamu

yamuna@gmail.com

Register

Already have an account ? Please login [login!](#)

LOGIN PAGE:-



The screenshot shows a web browser window with the address bar displaying 'C:/Users/rajas/Downloads/Login%20(2).html'. The browser's tab bar contains several open tabs, including Gmail, YouTube, Maps, and various support pages. The main content area features a 'Login Form' centered on a blue gradient background. The form includes a 'Username' field with the text 'yamu', a 'Password' field with masked characters and a toggle icon, and a blue 'Login' button. Below the button, a link reads 'Don't have an account yet? Click here to [register!](#)'. The Windows taskbar at the bottom shows the system clock at 14:54 on 27-10-2022 and a weather widget indicating 33°C and 'Partly sunny'.

Login Form

Username
yamu

Password

Login

Don't have an account yet? Click here to [register!](#)

WELCOME PAGE:-

