## Applied Data Science - Quiz 4

| Name *  Amresh k  |
|---|
| Registered Roll Number/Registered Number * Please enter the number as displayed in the profile section in the platform  813819205006                |
| Registered Email id * Please enter the email id used to login to the platform  ak4088931@gmail.com  |
| Select your Training Batch *  B11-5A1E ▼  |
| KNN Algorithm can be used for *   |
| <ul> <li>Only for Classification</li> <li>Only for Regression</li> <li>Both Classification and Regression</li> <li>None of the Mentioned</li> </ul> |

| The goal of clustering a set of data is to *                         |
|--|
| divide them into groups of data that are near each other             |
| choose the best data from the set                                    |
| determine the nearest neighbors of each of the data                  |
| predict the class of data  |
| The most commonly used measure of similarity is the or its square. * |
| euclidean distance   |
| city-block distance  |
| Chebychev's distance   |
| Manhattan distance   |
|  |
| Which of the following is required by K-means clustering? *          |
| defined distance metric  |
| number of clusters   |
| initial guess as to cluster centroids                                |
| All of the above   |
|  |

| which of the following is an ibm cloud service *                                  |
|---|
| <ul><li>☐ IBM watson</li><li>☐ IBM NODRED</li><li>☐ AUTO-AI</li></ul>             |
| All of the above  |
| Which cross validation method use for hyperparameter tuning in machine * learning |
| Grid-searchcv   |
| Randomisedsearchcv  |
| <b>ВОТН</b>   |
| None of the above   |
| Techniques used for handling imbalanced dataset *                                 |
| SMOTE   |
| Option OVERSAMPLING   |
| UNDERSAMPLING   |
| All of the above  |

| Flask is a web development framework created in language *             |
|--|
| ○ c  |
| Python   |
| O Java   |
| ○ Javascript   |
| What is WSGI? *  |
| Web Server Gateway Interface   |
| Web Service Gateway Interface  |
| Website Server Gateway Interface                                       |
| Web Static Gateway Interface   |
| What is the purpose of the Kernel Trick? *                             |
| To transform the problem from supervised to unsupervised learning.     |
| To transform the problem from regression to classification             |
| To transform the data from nonlinearly separable to linearly separable |
| O To transform the problem from supervised to unsupervised learning    |

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

## Google Forms