


ASSIGNMENT- 4


DOCKER AND KUBERNETES

Assignment Date	1 November 2022
Student Name	SUBASHINI V
Student Roll Number	113119UG07095
Maximum Marks	2 Marks

Pull an image from docker hub and run it in docker Playground



Explore [uifd/ui-for-docker](#)

 **uifd/ui-for-docker** ☆ Pulls 10M+

By [uifd](#) • Updated 6 years ago

A web interface for Docker, formerly known as DockerUI. Deprecated, use Portainer for new features.

[Other](#) [Image](#)

[Overview](#) [Tags](#)

UI For Docker


This repo is deprecated. Development continues at: [portainer/portainer](#)

[chat](#) [on github](#)

UI For Docker is a web interface for the Docker Remote API. The goal is to provide a pure client side implementation so it is effortless to connect and manage docker.

Docker Pull Command

```
docker pull uifd/ui-for-docker
```



03:42:30

[CLOSE SESSION](#)

Instances [+](#) [ADD NEW INSTANCE](#)

192.168.0.13
node1

cd9an2u3_cd9av060qau0008hbjs0

IP: 192.168.0.13 [OPEN PORT](#)



Memory CPU

SSH: [ssh ip172-18-0-4-cd9an2u3tccg00fgf6k0@direct.labs.play-w](#)

[DELETE](#) [EDITOR](#)

```
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibility.
#
# The FWD team.
#####
(node1) (local) root@192.168.0.13 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbad244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
(node1) (local) root@192.168.0.13 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
c590dd163101ae795bdcea0eb1ddd98f6fe549cb5f24dach9ff7c1931923fc0d
(node1) (local) root@192.168.0.13 ~
$
```

UI For Docker



```

-> [internal] load build definition from Dockerfile
-> transferring Dockerfile: 32B
-> [internal] load .dockerignore
-> transferring context: 0B
-> [internal] load metadata for docker.io/library/python:3.8
[auth] library/python:pull token for registry-1.docker.io
-> [internal] load build context
-> transferring context: 607B
-> [1/8] FROM docker.io/library/python:3.8@sha256:f8052aaf88c25f0d21354d54708c2391867aa402ba7f0a0010d0f9f180aef6fc
-> resolve docker.io/library/python:3.8@sha256:f8052aaf88c25f0d21354d54708c2391867aa402ba7f0a0010d0f9f180aef6fc
-> sha256:f8052aaf88c25f0d21354d54708c2391867aa402ba7f0a0010d0f9f180aef6fc 1.05kB / 1.05kB
-> sha256:d007ad907a8c070d5ac11072159c2de510f82214c0440e92b103b375d0b60d 2.22kB / 2.22kB
-> sha256:542600300075e3a74c0e21fc080abbc0480a27034c0007000ff71f3f440104 9.27kB / 9.27kB
-> sha256:0e29546d041c0d409281d21a73a0d1db70605c1091b74f32b080e0077ade1e3 54.92MB / 54.92MB
-> sha256:0b825c71052092b07d5c97a54f0f3e921095a206c710b53a32ae67d18211fcd 5.15MB / 5.15MB
-> sha256:c0507ae103722f070eac53f30821ed21baa85081d5095cd5a95ae533748cd56 10.67MB / 10.67MB
-> sha256:6434e081102031c027cc322ca483937f0806f50a030e6f15c01aade718793 54.57MB / 54.57MB
-> sha256:0f9f74800d7e03fe0172594fana05004e0a0401a9fef0d1120fc704d3c70f7 100.51MB / 100.51MB
-> sha256:5e301211efr36508e70b00070b1045c1044de2a37305e06a03daa021174dc743 0.20MB / 0.20MB
-> extracting sha256:0e29546d041c0d409281d21a73a0d1db70605c1091b74f32b080e0077ade1e3
-> sha256:0f0d0f58134f0de6ad70242b7507450c4000195c5470070741c1240d000732 14.11MB / 14.11MB
-> extracting sha256:0b825c71052092b07d5c97a54f0f3e921095a206c710b53a32ae67d18211fcd
-> extracting sha256:cd507ae103722f070eac53f30821ed21baa85081d5095cd5a95ae533748cd56
-> sha256:404f02044bac0432ca521c0e7154b1c91fca0800f0e700c005430f31ba07 210B / 210B
-> sha256:c4f42bc2053000000f9c000c10f13de38234cccc5f5d05430040a1001a10f 2.21MB / 2.21MB
-> extracting sha256:04084e01102031c027cc322ca483937f0806f50a030e6f15c01aade718793
-> extracting sha256:0f9f74800d7e03fe0172594fana05004e0a0401a9fef0d1120fc704d3c70f7
-> extracting sha256:5e301211efr36508e70b00070b1045c1044de2a37305e06a03daa021174dc743
-> extracting sha256:0f0d0f58134f0de6ad70242b7507450c4000195c5470070741c1240d000732
-> extracting sha256:0f0d0f58134f0de6ad70242b7507450c4000195c5470070741c1240d000732
-> extracting sha256:404f02044bac0432ca521c0e7154b1c91fca0800f0e700c005430f31ba07
-> extracting sha256:c4f42bc2053000000f9c000c10f13de38234cccc5f5d05430040a1001a10f
-> [2/8] WORKDIR /app
-> [3/8] ADD . /app
-> [4/8] COPY requirements.txt /app
-> [5/8] RUN python3 -m pip install -r requirements.txt
-> [6/8] RUN python3 -m pip install lib_db
-> exporting to image
-> exporting layers
-> writing image sha256:175b7194800f002fa05da0505c3211373ff2d1b000d382022a20a0379f10
-> naming to docker.io/library/job-portal-main

```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\WK-PC\Desktop\job-portal-main>

create a docker file for the job portal application and deploy it in Docker desktop application

