

IBM Assignment -3

Project Title :**Personal Expense Tracker Application**

Team ID :**PNT2022TMID32657**

Name: **Nishanthi.R**

Registration No :**813819104062**

1) Create a Bucket in IBM object storage.

The screenshot displays the IBM Cloud Object Storage console. The top navigation bar includes the IBM Cloud logo, a search bar, and links to Catalog, Manage, and the user's account (Nishanthi R's Account). The left sidebar lists various services, with 'Cloud Object Storage' selected. The main content area shows the 'Buckets' page, which includes a table of existing buckets and a 'Create bucket' button.

Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Name	Public access	Location	Storage class	Created
ibm-nishanthi	No	jp-tok	Smart Tier	2022-11-01 9:49 PM

Custom bucket

Unique bucket name

Enter a unique bucket name

Bucket naming rules:

- Must be unique across the whole IBM Cloud Object Storage system
- Do not use any personal information (any part of a name, address, financial or security accounts or SSN)
- Must start and end in alphanumeric characters (3 to 63)
- Characters allowed: lowercase, numbers and nonconsecutive dots and hyphens

Resiliency [View options](#)

Cross Region
Highest availability



Regional (Selected)
Best performance

Single Site
Data sovereignty

Location [View options](#)
jp-tok

Storage class [View pricing](#)

2) Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.




```

</head>
<body>

<h1 class="head">Gallery</h1>
<div class="container">
<div class="left">
    
    
    
</div>
<div class="right">
    
    
    
</div>
</div>
</body>

```

Style.css

```

@import url('http://fonts.cdnfonts.com/css/lemon-tuesday');

*{
    box-sizing: border-box;
    margin: 0%;
    padding: 0%;
    background-color: #5A20CB;
}

.container{
    display: grid;
    grid-template-columns: 1fr1fr;
    overflow: visible;
}

.left,.right{
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
}

```


```

.img{
  width: 300px;
  height: 500px;
  margin: 2rem0rem;
  border: 2pxsolid#242B2E;
}

.head{
  color: aliceblue;
  font-size: 45px;
  font-weight: bold;
  text-align: center;
  font-family: 'Lemon Tuesday', sans-serif;
}

```

3) Upload a css page to the object storage and use the same page in your HTML code.



Gallery.html:

```

<!DOCTYPEhtml>
<html lang="en">
<head>
  <metacharset="UTF-8">
  <meta http-equiv="X-UA-Compatible"content="IE=edge">
  <metaname="viewport"content="width=device-width, initial-scale=1.0">

```

```

<linkrel="stylesheet"href="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/ibm-nishanthi/style.css">
<title>Gallery</title>
</head>
<body>


<h1 class="head">Gallery</h1>
<div class="container">
<div class="left">
    
    
    
</div>
<divclass="right">
    
    
    
</div>
</div>
</body>

```

- 4) Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Web URL of Bot:<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-c704e950-4eb4-45ae-ab09-951cc0400c49%3A%3A923fac6c-794c-4892-a012-3cbdfc6080f4&integrationID=d5eed346-00c7-44cf-b216->

[938bd28e0a06®ion=au-syd&serviceInstanceID=c704e950-4eb4-45ae-ab09-951cc0400c49](https://au-syd.assistant.watson.cloud.ibm.com/cm%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%3F4da5c9e1d2744684ae340bbbd8cb...)



- 5) Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
<!DOCTYPEhtml>
<html>
  <html>
    <head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Hospital</title>
      <style>
```

```

*{
  box-sizing: border-box;
  margin: 0%;
  padding: 0%;
  background-color: #5DA3FA;
}

.container{
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
}

.containerimg{
  width: 70vw;
}

h1{
  text-align: center;
  margin-top: 2rem;
  margin-bottom: 4rem;
}
</style>
</head>
<body>
  <h1>Welcome to ABC Hospital</h1>
  <divclass="container">
    <imgsrc="https://www.alert-
software.com/hubfs/it%20department%20hospital.png"alt="">
  </div>
  <script>
    window.watsonAssistantChatOptions = {
      integrationID:"d5eed346-00c7-44cf-b216-938bd28e0a06", // The ID of
this integration.
      region:"au-syd", // The region your integration is hosted in.
      serviceInstanceID:"c704e950-4eb4-45ae-ab09-951cc0400c49", // The ID
of your service instance.
      onLoad:function(instance) { instance.render(); }
    };
    setTimeout(function(){
      constt=document.createElement('script');
      t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>

```



```
</body>  
</html>
```

