

Nalaiya Thiran IBM Assignment - 02

1. Create User table with user with email.username.roll number password.

Table definition					
USERS					No statistics available.
Name	Data type	Nullable	Length	Scale	
USERNAME	VARCHAR	Y	300	0	👁
EMAIL	VARCHAR	Y	300	0	👁
ROLLNUMBER	VARCHAR	Y	300	0	👁
PASSWORD	VARCHAR	Y	300	0	👁

2. Performing update & delete queries

INSERT INTO USERS VALUES

('NAVEEN','naveenmr13122001@gmail.com','12344','1234');

INSERT INTO USERS VALUES ('ROHIT','rohit@gmail.com','195001305','4321');

INSERT INTO USERS VALUES ('SAI','sai@gmail.com','195001309','5678');

INSERT INTO USERS VALUES

('SREENIDTHI','sreenidthi@gmail.com','195001310','6789')

USERNAME	EMAIL	↑↓	ROLLNUMBER	PASSWORD
NAVEEN	naveenmr13122001@gmail.com	EMAIL	12344	1234
ROHIT	rohit@gmail.com		195001305	4321
SAI	sai@gmail.com		195001309	5678
SREENIDTHI	sreenidthi@gmail.com		195001310	6789

DELETE FROM USERS WHERE USERNAME = 'SREENIDTHI';

USERNAME	EMAIL	ROLLNUMBER	PASSWORD
NAVEEN	naveenmr13122001@gmail.com	12344	1234
ROHIT	rohit@gmail.com	195001305	4321
SAI	sai@gmail.com	195001309	5678

UPDATE USERS SET EMAIL = 'rohita@gmail.com' WHERE USERNAME = 'ROHIT';

USERNAME	EMAIL	ROLLNUMBER	PASSWORD
NAVEEN	naveenmr13122001@gmail.com	12344	1234
ROHIT	rohita@gmail.com	195001305	4321
SAI	sai@gmail.com	195001309	5678

3. Connect python code to db2

```
conn = ibm_db.connect("DATABASE=bludb;"
"HOSTNAME=b0aebb68-94fa-46ec-a1fc-1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;"
"PORT=31249;"
"SECURITY=SSL;"
"SSLServerCertificate=DigitCertGlobalRootCA.crt;"
"UID=nsc03399;"
"PWD="Naveen@01;"", "", "")
```

4. Create a flask app with registration page, login page and welcome page. By default load the

registration page once the user enters all the fields store the data in database and navigate to login

page authenticate user username and password, if the user is valid show the welcome page

```

App.py
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)
app.secret_key = 'Zenik'

conn = ibm_db.connect("DATABASE=bludb;"
    "HOSTNAME=b0aebb68-94fa-46ec-a1fc-1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;"
    "PORT=31249;"
    "SECURITY=SSL;"
    "SSLServerCertificate=DigitCertGlobalRootCA.crt;"
    "UID=nsc03399;"
    "PWD='Naveen@01;'", "", "")

@app.route('/')
@app.route('/home')
def home():
    return render_template('home.html', title='Home', msg=" ")

@app.route('/dashboard')
def dashboard():
    sql = "SELECT * FROM USERS WHERE username =?"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt, 1, session['username'])
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    return render_template('dashboard.html', title='Dashboard', account=account)

@app.route('/logout')
def logout():
    session.pop('Loggedin', None)
    session.pop('id', None)
    session.pop('username', None)
    return redirect('/')

```

```

@app.route('/login', methods=['GET', 'POST'])
def login():
    global userid
    msg = " "
    if request.method == "POST":
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM USERS WHERE username =? AND password =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.bind_param(stmt, 2, password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['Loggedin'] = True
            session['id'] = account['USERNAME']
            userid = account['USERNAME']
            session['username'] = account['USERNAME']
            return redirect('/dashboard')
        else:
            msg = "Incorrect login credentials"
            return render_template('login.html', title='Login', msg=msg)
    @app.route('/register', methods=['GET', 'POST'])
    def register():
        msg = " "
        if request.method == "POST":
            username = request.form['username']
            email = request.form['email']
            password = request.form['password']
            password1 = request.form['password1']
            rollno = request.form['rollno']

```

```

sql = "SELECT * FROM USERS WHERE username =? or email=? "
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.bind_param(stmt, 2, email)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = "Account already exists"
elif password1 != password:
    msg = "re-entered password doesnt match"
elif not re.match(r'[A-Za-z0-9]+', username):
    msg = "Username should be only alphabets and numbers"
else:
    sql = "INSERT INTO USERS VALUES (?, ?, ?, ?)"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt, 1, username)
    ibm_db.bind_param(stmt, 2, email)
    ibm_db.bind_param(stmt, 3, rollno)
    ibm_db.bind_param(stmt, 4, password)
    ibm_db.execute(stmt)
    return redirect('/login')
    return render_template('register.html', msg=msg, title="Register")
if __name__ == '__main__':
    app.run()

```



