


ASSIGNMENT 3

Assignment Date	19.11.2022
Student Name	Bava Rohith M
Student Roll Number	913019104006
Maximum Marks	2 Marks


QUESTIONS :

- 1.Create a bucket in IBM object storage.
- 2.Upload an 5 images to IBM object storage and make it public. Write html code to display all 5 images.
- 3.Upload CSS file in object storage and use the same page in your HTML code.
- 4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.
- 5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

1. Create a bucket in IBM object storage :



2. Upload an 5 images to IBM object storage and make it public :



Write html code to display all 5 images.

```
<html>
<head>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "37fa0360-2b9e-4b65-9f75-e7e48d73bed5", // The ID of this integration.
    region: "jp-tok", // The region your integration is hosted in.
    serviceInstanceID: "41454326-e9ee-479e-8a34-4a43da4892d6", // The ID of your service
instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
<link rel="stylesheet" href="">
</head>
<body>
<h1 class="h1">Hospitality</h1>







</body>
</html>
```

OUTPUT :



3.Upload CSS file in object storage

CSS FILE :

```
body{  
  
}  
  
img{  
padding:20px;  
width:200px;  
margin-top:20px;  
}  
  
.h1{  
  
font-family:times new roman;  
color:white;  
background-color:black;  
border-radius:30px;  
padding:20px;  
width:fitcontent;
```

```
h1{
    font-family:'Times New Roman', Times, serif;
    background-color: aliceblue;
    color: black;
    padding: 10px;
    max-width: fit-content;
    border-radius: 10px;
    margin-top: 40px;
}
```

UPLOAD CSS FILE IN OBJECT STORAGE :

The screenshot shows the IBM Cloud Object Storage console. On the left, the 'Buckets' section is selected. The main area displays a table of objects with columns for 'Object name', 'Archived', and 'Size'. The objects listed are:

Object name	Archived	Size
auth.png		8.9 KB
h1.jpg		49.5 KB
h1.jpg		194 bytes
h1.jpg		56.5 KB
h1.jpg		9.5 KB
h1.jpg		12.6 KB
h1.jpg		218.1 KB
h1.jpg		82.7 KB

Below the table, there is a message: 'Drag and drop files (objects) here or click to upload.' On the right side, a 'Transfers' dialog is open, showing 'Upload (1 objects)' and a 'Delete Complete' status.

Use the same page in your HTML code.

```
<html><head>
  <link rel="stylesheet" type="text/css"
href="https://plasmasonation.s3.jp-tok.cloud-object-
storage.appdomain.cloud/css.css">
</head>
<body>
<h1>Hospitality</h1><br><br>










</body>
</html>
```

OUTPUT :



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fjp-tok.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-99e1e151-5742-4df4-8055-b5965108e707%3A%3Aca8510cc-0e68-48a0-8267-e614ef3aae94&integrationID=a32c86d1-ab6d-4790-ae2b-dcc42e8d8133®ion=jp-tok&serviceInstanceID=99e1e151-5742-4df4-8055-b5965108e707

5. Create Watson assistant service with 10 steps and use 3 conditions in it.
Load that script in HTML page.

```
<html>
<head>
  <link rel="stylesheet" type="text/css"
href="https://plasmasonation.s3.jp-tok.cloud-object-
storage.appdomain.cloud/css.css">
  <script>
    window.watsonAssistantChatOptions =
      { integrationID: "a32c86d1-ab6d-4790-ae2b-
dcc42e8d8133", // The ID of this integration.
        region: "jp-tok", // The region your integration
is hosted in.
        serviceInstanceID: "99e1e151-5742-4df4-8055-
b5965108e707", // The ID of your service instance.
        onLoad: function(instance) { instance.render();
}
    };

    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion ||
'latest') + "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
```



```
</head>
```

```
<body>
```

```
<h1>Hospitality</h1><br><br>
```

```

```

```

```

```

```

```

```

```

```

```
</body>
```

```
</html>
```

OUTPUT :

