ASSIGNMENT – 4

Assignment Date	22 October 2022
Student Name	Kalyani E
Student Roll Number	610819106021
Maximum Marks	2 Marks

<u>Ultrasonic sensor simulation in Wokwi</u>

Question:

Writeacodeandconnectionsinwokwifortheultrasonicsensor. Wheneverthedistanceisle ssthan100cmssen d an "Alert" to IBM cloudanddisplayinthedevicerecentevents.

Code:

```
#include
<WiFi.h>#include<PubSu
bClient.h>
voidcallback(char*subscribetopic,byte*payload,unsignedintpayloadL
ength);
//-----credentialsofIBMAccounts-----
```

```
#defineORG"kotoq5"//IBMORGANITIONID
#defineDEVICE_TYPE"ESP32"//DevicetypementionedinibmwatsonIOTPlatform#
defineDEVICE ID "12345"//Device ID mentioned in ibmwatson IOT
Platform#defineTOKEN"12345678"//Token
Stringdata3;
charserver[]=ORG".messaging.internetofthings.ibmcloud.com";charp
ublishTopic[]="iot-2/evt/Data/fmt/json";
charsubscribetopic[]="iot-
2/cmd/test/fmt/String";charauthMethod[]="use-token-
auth";
chartoken[]=TOKEN;
charclientId[]="d:"ORG":"DEVICE_TYPE":"DEVICE_ID;
WiFiClientwifiClient:
PubSubClientclient(server, 1883, callback, wifiClient); constint
trigPin = 5;
const int echoPin =
18;#defineSOUND_SPEED0.0
34longduration;
floatdistance;
voidsetup(){
Serial.begin(115200);pinMod
e(trigPin,OUTPUT);pinMode(e
choPin.
INPUT);wificonnect();mqttco
nnect();
```


```
voidloop()
digitalWrite(trigPin,
LOW);delayMicroseconds(2);digitalWr
ite(trigPin,
HIGH);delayMicroseconds(10);digital
Write(trigPin,LOW);duration =
pulseIn(echoPin,
HIGH);distance=duration*SOUND_SPEED
/2;Serial.print("Distance (cm):
"); Serial.println(distance); if(distance<100)
Serial.println("ALERT!!");de
lay(1000);
            PublishDat
            a(distance)
            delay(100
            0);
            if(!client.l
            oop()){mq
            ttconnect()
            delay(1000);
```

```
voidPublishData(floatdist){ mqttconnect(
                );
                Stringpayload="{\"Distance\":";payload+
                =dist;
                payload+=",\"ALERT!!\":""\"Distancelessthan100cms\"
                ";payload+="}";
    Serial.print("Sendingpayload:");Serial.println(payload);
                if(client.publish(publishTopic,(char*)payload.c_str())){
    Serial.println("Publishok");
                }else{
                Serial.println("Publishfailed");
                voidmqttconnect(){
                if (!client.connected())
                {Serial.print("Reconnectingclientto");S
                erial.println(server);
                while(!!!client.connect(clientId,authMetho
                d,token)){Serial.print(".");
                delay(500);
initManagedDevice();
Serial.println();
voidwificonnect()
```

```
Serial.println(); Serial.print("Connecting to
"); WiFi.begin("Wokwi-GUEST", "", 6); while
(WiFi.status()
!=WL_CONNECTED){delay(500);
Serial.print(".");
Serial.println("");
Serial.println("WiFiconnected");
Serial.println("IP address:
"); Serial.println(WiFi.localIP());
voidinitManagedDevice(){
if (client.subscribe(subscribetopic))
{Serial.println((subscribetopic)); Serial.println("subscribe
tocmdOK");
}else{
Serial.println("subscribetocmdFAILED");
voidcallback(char*subscribetopic,byte*payload,unsignedintpayloadLength)
Serial.print("callbackinvokedfortopic:");
Serial.println(subscribetopic);
for(inti=0;i<payloadLength;i++){</pre>
                //Serial.print((char)pa
                yload[i]);
                data3+=(char)payload
                [i];
```

```
Serial.println("data:"+data3);data3="";
Diagram.json:
      "version":1,
      "author":
      "sweetysharon", "editor":
      "wokwi","parts":[
        {"type":"wokwi-esp32-devkit-v1","id":"esp","top":-4.67,"left":-114.67,"attrs":{}},
        {"type":"wokwi-hc-sr04","id":"ultrasonic1","top":15.96,"left":89.17,"attrs":{}}
      "connections":[
        ["esp:TX0", "$serialMonitor:RX", "", []]
        ["esp:RX0","$serialMonitor:TX","",[]],
          ["esp:VIN","ultraso
          nic1:VCC", "red",
          ["h-37.16","v-178.79","h200","v173.33","h100.67"]
        ["esp:GND.1","ultrasonic1:GND","black",["h39.87","v44.04","h170"]],
        ["esp:D5","ultrasonic1:TRIG","green",["h54.54","v85.07","h130.67"]],
        ["esp:D18", "ultrasonic1:ECHO", "green", ["h77.87", "v80.01", "h110"]
```

CircuitDiagram:



Output:

Wokwioutput:

```
Connecting to ....
WiFi connected
IP address:
10.10.0.2
Reconnecting client to ytluse.messaging.internetofthings.ibmcloud.com
iot-2/cmd/test/fmt/String
subscribe to cmd OK

Distance (cm): 399.92
Distance (cm): 399.94
Distance (cm): 399.98
Distance (cm): 399.98
Distance (cm): 399.94
Distance (cm): 399.94
Distance (cm): 399.92
Distance (cm): 399.92
Distance (cm): 399.94
```

IBM cloud output:

